

LPS[®] HDX

HEAVY-DUTY DEGREASER



FEATURES

- Removes oil, grease, wax, dirt, moisture, tar, brake fluid and other contaminants
- Non-flammable
- Fast evaporating
- Quick penetration
- Non-conductive
- No rinsing
- No residue
- NEW - Environmentally friendly aerosol can contains greater than 50% recycled steel

APPLICATIONS

- Air Compressors
- Air Conditioning Compressors
- Appliances
- Bearings
- Brakes
- Cables
- Chains
- Clutches
- Coils
- Controls
- Conveyors
- Electric Motors
- Engines
- Forklifts
- Gauges
- Gear Drives
- Gears
- Generators
- Handtrucks
- Heavy Equipment
- High Voltage Cable Connectors
- Pneumatic Hand Tools
- Pulleys
- Springs
- Starters
- Welding Instruments

PACKAGES

Net Content	Part No.
19 wt. oz. / 539 g. / 376 mL aerosol	01020
5 gal. (18.93 L) pail	01005
55 gal. (208 L) drum	01055

PROPERTIES

Flash Point:	None	Surface tension:	29.5 dynes/cm @ 68°F (20°C)
% Non-volatiles:	100 ppm maximum	Propellant:	Carbon dioxide
ODP (Ozone Depletion Potential):	None	Dielectric strength and breakdown voltage (ASTM D-877):	30,000 Volts
KB value:	133		
Specific gravity:	1.35 @ 68°F (20°C)		



Nonfood Compounds Program Listed
Category Code: K1
Registration # 059809 (Aerosol);
059810 (Bulk)



Value Performance

MATERIAL SAFETY DATA SHEETS AVAILABLE UPON REQUEST OR VISIT OUR WEBSITE: WWW.LPSLABS.COM

LPS Laboratories • An Illinois Tool Works Company

P.O. Box 105052 • 4647 Hugh Howell Road • Tucker, GA 30085-5052 • TEL: (800) 241-8334 or (770) 243-8800 • FAX: (800) 543-1563 or (770) 243-8899

Internet Website: www.lpslabs.com

©2010 LPS Laboratories • LPS[®] is a registered trademark of Illinois Tool Works • Printed in U.S.A. • All Rights Reserved • Form #2128 • Rev. 5/2010