




4" Square Covers

Flat Covers and Single Device - Plaster Rings/Mud Rings

UL Standard: 514A
 UL Listed: E2527
 NEMA: OS-1

	Catalog Number (Universal No.)		Depth (inches)	Wiring Cubic Inch Capacity	Description	Wt. Lbs./Kgs. Per 100
Flat Covers						
	8465 (52C1)		Flat	—	Blank	32.0/ 14.51
Blank	8465RD *	Red Box Option	Flat	—	Blank	32.0/ 14.51
	8474 (52C6)		Flat	—	1/2" KO	32.0/ 14.51
1/2" KO	8465P		Flat	—	Blank Plenum Box Cover Gasketed with Two Captive Screws	35.0/ 15.88
Plenum box cover with gasket and screws						
Single Device						
	8468WB (52C36)		1/4	1.5	Single Device	22.0/ 9.98
1/4" Raised	8468F (52C-0)		Flat	0.0	Single Device	21.0/ 9.53
Flat						

* For fire alarm circuits. Red powder coat finish.

4" Square Covers

Single Device - Plaster Rings/Mud Rings

UL Standard: 514A
 UL Listed: E2527
 NEMA: OS-1

Commercial Products





COMMERCIAL PRODUCTS: SWITCH AND OUTLET BOXES AND COVERS

	Catalog Number (Universal No.)	Depth (inches)	Wiring Cubic Inch Capacity	Description	Wt. Lbs. /Kgs. Per 100
 1/4" Raised	8468B (52C62)	1/4	2.0	Single Device	23.0/ 10.43
 1/2" Raised	8468A (52C13)	1/2	3.5	Single Device - Drawn	28.0/ 12.70
 5/8" Raised	8468C (52C14-58)	5/8	4.5	Single Device - Drawn	28.0/ 12.70
 3/4" Raised	8468 (52C14)	3/4	5.5	Single Device - Drawn	32.0/ 14.51
 1" Raised	8466A (52C15)	1	7.5	Single Device - Drawn	36.0/ 16.33
 1-1/4" Raised	8466 (52C16)	1-1/4	9.5	Single Device - Drawn	40.0/ 18.14

4" Square Covers

Single Device - Ceiling Plaster Rings/Mud Rings

UL Standard: 514A
 UL Listed: E2527
 NEMA: OS-1

	Catalog Number (Universal No.)	Depth (inches)	Wiring Cubic Inch Capacity	Description	Wt. Lbs./Kgs. Per 100
 1/4" Raised	8461E (52C3-1/4)	1/4	1.5	Ears 2-3/4" C to C Open	22.0/ 9.98
 1/2" Raised	8461A (52C3-1/2)	1/2	3.5	Ears 2-3/4" C to C Open	24.0/ 10.89
 5/8" Raised	8461 (52C)	5/8	4.5	Ears 2-3/4" C to C Open	26.0/ 11.79
 3/4" Raised	8461B (52C3-3/4)	3/4	5.0	Ears 2-3/4" C to C Open	28.0/ 12.70
 1" Raised	8461C (52C3-1)	1	7.0	Ears 2-3/4" C to C Open	54.0/ 24.49
 1-1/4" Raised	8461D (52C3-1-1/4)	1-1/4	9.0	Ears 2-3/4" C to C Open	73.0/ 33.11

Commercial Products

COMMERCIAL PRODUCTS: SWITCH AND OUTLET BOXES AND COVERS







4" Square Covers

Double Device - Plaster Rings/Mud Rings

UL Standard: 514A
 UL Listed: E2527
 NEMA: OS-1

Commercial Products



COMMERCIAL PRODUCTS: SWITCH AND OUTLET BOXES AND COVERS

	Catalog Number (Universal No.)	Depth (inches)	Wiring Cubic Inch Capacity	Description	Wt. Lbs./Kgs. Per 100
 Flat	8470F (52C-00)	Flat	0.0	Double Device	13.0/ 5.89
 1/4" Raised	8470WB (52C37)	1/4	3.5	Double Device	17.0/ 7.71
 1/4" Raised	8470B (52C20)	1/4	3.0	Double Device	13.0/ 5.89
 1/2" Raised	8470A (52C17)	1/2	6.0	Double Device	20.0/ 9.07
 5/8" Raised	8470C (52C185/8)	5/8	8.0	Double Device	22.0/ 9.98
 3/4" Raised	8470 (52C18)	3/4	9.0	Double Device	24.0/ 10.89

4" Square Covers

Double Device - Plaster Rings/Mud Rings

UL Standard: 514A
 UL Listed: E2527
 NEMA: OS-1

	Catalog Number (Universal No.)	Depth (inches)	Wiring Cubic Inch Capacity	Description	Wt. Lbs./Kgs. Per 100
 1" Raised	8469A (52C19)	1	12.0	Double Device	30.0/ 13.61
 1-1/4" Raised	8469B (52C21)	1-1/4	15.0	Double Device	40.0/ 18.14

Commercial Products

COMMERCIAL PRODUCTS: SWITCH AND OUTLET BOXES AND COVERS





4" Square Tile Covers

Single Device - Plaster Rings/Mud Rings

UL Standard: 514A
 UL Listed: E2527
 NEMA: OS-1

Commercial Products

COMMERCIAL PRODUCTS: SWITCH AND OUTLET BOXES AND COVERS

	Catalog Number (Universal No.)	Depth (inches)	Wiring Cubic Inch Capacity	Description	Wt. Lbs. /Kgs. Per 100
 1/2" Raised	846-50 (52C49-1/2)	1/2	3.5	Single Device	30.0/ 13.61
 3/4" Raised	846-75 (52C49-3/4)	3/4	5.8	Single Device	35.0/ 15.88
 1" Raised	846-100 (52C49-1)	1	7.5	Single Device	40.0/ 18.14
 1-1/4" Raised	846-125 (52C49-1-1/4)	1-1/4	9.3	Single Device	46.0/ 20.87
 1-1/2" Raised	846-150 (52C50-1-1/2)	1-1/2	11.0	Single Device	52.0/ 23.59
 2" Raised	846-200 (52C51-2)	2	14.8	Single Device	64.0/ 29.03

4" Square Tile Covers

Double Device - Plaster Rings/Mud Rings

UL Standard: 514A
 UL Listed: E2527
 NEMA: OS-1

	Catalog Number (Universal No.)	Depth (inches)	Wiring Cubic Inch Capacity	Description	Wt. Lbs. /Kgs. Per 100
 1/2" Raised	847-50 (52C52-1/2)	1/2	6.3	Double Device	24.0/ 10.89
 3/4" Raised	847-75 (52C52-3/4)	3/4	9.0	Double Device	32.0/ 14.52
 1" Raised	847-100 (52C5-1)	1	12.3	Double Device	38.0/ 17.24
 1-1/4" Raised	847-125 (52C52-1-1/4)	1-1/4	15.3	Double Device	45.0/ 20.41
 1-1/2" Raised	847-150 (52C53-1-1/2)	1-1/2	18.3	Double Device	52.0/ 23.59
 2" Raised	847-200 (52C54-2)	2	24.0	Double Device	68.0/ 30.84

Commercial Products

COMMERCIAL PRODUCTS: SWITCH AND OUTLET BOXES AND COVERS