

# 9001KYSS1

30mm Push Button, Types K or SK, empty push button enclosure, stainless steel, one 30 mm hole, NEMA 4, 4X and 13



## Main

|                           |                                  |
|---------------------------|----------------------------------|
| Range of Product          | Harmony 9001SK<br>Harmony 9001K  |
| Product or Component Type | Empty enclosure                  |
| Device short name         | 9001K                            |
| Number of cut-out         | 1 cut-out                        |
| Cable entry               | 1 entry tapped for 3/4" knockout |

## Complementary

|                     |                                          |
|---------------------|------------------------------------------|
| Product destination | For Ø 30 mm control and signalling units |
| Material            | Stainless steel                          |
| Net Weight          | 2.34 lb(US) (1.06 kg)                    |

## Environment

|                                       |                                                  |
|---------------------------------------|--------------------------------------------------|
| Protective treatment                  | TH                                               |
| Ambient Air Temperature for Storage   | -40...158 °F (-40...70 °C)                       |
| Ambient Air Temperature for Operation | -13...158 °F (-25...70 °C)                       |
| Overvoltage category                  | II IEC 61140                                     |
| NEMA degree of protection             | NEMA 1<br>NEMA 12<br>NEMA 3<br>NEMA 4<br>NEMA 4X |

## Ordering and shipping details

|                       |                             |
|-----------------------|-----------------------------|
| Category              | 21426-9001 K (NOT KA,KM,KX) |
| Discount Schedule     | CS1                         |
| GTIN                  | 3389118038813               |
| Nbr. of units in pkg. | 1                           |
| Package weight(Lbs)   | 2.38 lb(US) (1.08 kg)       |
| Returnability         | Yes                         |
| Country of origin     | MX                          |

## Packing Units

|                              |                         |
|------------------------------|-------------------------|
| Unit Type of Package 1       | PCE                     |
| Package 1 Height             | 5.60 in (14.224 cm)     |
| Package 1 width              | 5.50 in (13.97 cm)      |
| Package 1 Length             | 6.40 in (16.256 cm)     |
| Unit Type of Package 2       | S03                     |
| Number of Units in Package 2 | 6                       |
| Package 2 Weight             | 15.65 lb(US) (7.097 kg) |
| Package 2 Height             | 11.81 in (30 cm)        |

|                  |                  |
|------------------|------------------|
| Package 2 width  | 11.81 in (30 cm) |
| Package 2 Length | 15.75 in (40 cm) |

## Offer Sustainability


|                            |                                                                                                                                                                                                                                                                                                                                                                        |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Sustainable offer status   | Green Premium product                                                                                                                                                                                                                                                                                                                                                  |
| California proposition 65  | WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a> |
| REACH Regulation           | <a href="#">REACH Declaration</a>                                                                                                                                                                                                                                                                                                                                      |
| REACH free of SVHC         | Yes                                                                                                                                                                                                                                                                                                                                                                    |
| EU RoHS Directive          | Pro-active compliance (Product out of EU RoHS legal scope) <a href="#">EU RoHS Declaration</a>                                                                                                                                                                                                                                                                         |
| Toxic heavy metal free     | Yes                                                                                                                                                                                                                                                                                                                                                                    |
| Mercury free               | Yes                                                                                                                                                                                                                                                                                                                                                                    |
| RoHS exemption information | <a href="#">Yes</a>                                                                                                                                                                                                                                                                                                                                                    |
| China RoHS Regulation      | <a href="#">China RoHS Declaration</a>                                                                                                                                                                                                                                                                                                                                 |
| Environmental Disclosure   | <a href="#">Product Environmental Profile</a>                                                                                                                                                                                                                                                                                                                          |

## Contractual warranty

|          |           |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

## Dimensions

Below drawing shows a 3-hole enclosure. Refer to the product characteristics to get the number of holes



(1) Knockout conduit thread: 3/4".

| a   |      | G   |      |
|-----|------|-----|------|
| mm  | in.  | mm  | in.  |
| 133 | 5.24 | 117 | 4.61 |

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Schneider Electric:](#)

[9001KYSS1](#)