


SAFETY, FACILITY & EQUIPMENT  
**IDENTIFICATION**

[BradyID.com/s35](http://BradyID.com/s35)

Your experts  
for safety,  
facility and  
equipment  
identification.



# Barricade Tape

BradyID.com/s35



## Woven Barricade Tape

- Made of B-903 polypropylene
- Contains ultraviolet inhibitors for permanent outdoor marking

Catalog #	Legend	Size
91172	0.75" x 150'	Black/Yellow
91173	0.75" x 150'	Magenta/Yellow
91175	0.75" x 150'	Black/Red
91176	2" x 200'	Black/Yellow
91179	2" x 200'	Black/Red



## Reinforced Barricade Tape

- Provides fast, on-the-spot warning
- 250 lbs tensile strength
- Standard package: one roll

Catalog #	Legend	Size	Color
91100	Caution/Cuidado	3" x 500'	Blk/Ylw
91101	Caution Construction Area	3" x 500'	Blk/Ylw
91102	Caution Do Not Enter	3" x 500'	Blk/Ylw
91103	Caution Men Working	3" x 500'	Blk/Ylw
91104	Striped	3" x 500'	Blk/Ylw



## Re-Pulpable Barricade Tape

- Made of 100% strong woven, biodegradable cotton material
- Tape will break down if accidentally introduced into the system

2" x 150'	3" x 150'	Legend	Color
91082	91083	Caution	Blk/Ylw
91086	91084	Danger	Blk/Red
-	91087	Danger Do Not Enter	Blk/Ylw
-	91085	Danger Do Not Enter	Blk/Red



## Economy Barricade Tape

- Made of lightweight non-adhesive polyethylene
- Ideal for temporary use outdoors or permanent indoor warning

Catalog #	Size	Color
91228	1" x 100'	Blk/Ylw
91237	1" x 500'	Blk/Ylw
91229	2" x 200'	Blk/Ylw
91238	3" x 500'	Blk/Ylw

## Regulations

### Safety Color Code for Marking Physical Hazards 1910.144(a):

Use yellow and black for physical hazards, red and white for fire protection equipment, black and white for traffic and housekeeping markings, magenta and yellow for radiation hazards.



Caution tape sold separately.

## Tape Tender

- Lightweight, indestructible construction
- Dispenses any 2" or 3" plastic tape rolls up to 1,000'
- Tape advances as needed using thumb
- Steel cutting blade cuts fast and smooth

Catalog #	Legend	Qty.
72412	Tape Tender	1

Facility Marking Tape



## Barricade Tape

- Non-adhesive B-912 Polyethylene tapes provide fast, on-the-spot warning
- Use for temporary outdoor or permanent indoor use
- Lightweight tape can be tied, stapled or nailed to posts, fences or metal barricades
- Custom legends also available

3" x 200'	3" x 1000'	Legend	Color
91468	91462	Authorized Personnel Only	Blk/Ylw
91214	91454	(Blank - Blk/Yellow Stripes Only)	Blk/Ylw
91212	-	Caution	Blk/Ylw
91447	91448	Caution Biohazard	Blk/Org
91469	91463	Caution Chemical Hazard	Blk/Ylw
91217	91453	Caution Construction Area	Blk/Ylw
91224	91451	Caution Do Not Enter	Blk/Ylw
91220	91458	Caution High Voltage	Blk/Ylw
91215	91452	Caution Men Working	Blk/Ylw
91227	91457	Caution Open Trench	Blk/Ylw
91470	91464	Caution Radiation Hazard	Mag/Ylw
91256	91257	Confined Space Do Not Enter	Blk/Ylw
91200	91201	Danger	Blk/Red
91213	91455	Danger	Blk/Ylw
91255	91456	Danger Asbestos Dust Hazard	Blk/Ylw
-	102823	Danger Asbestos Dust Hazard (w/Stripes)	Blk/Red/Wht
-	102822	Danger Confined Space (w/Stripes)	Blk/Red/Wht
-	101349	Danger Keep Out	Blk/Red
102821	-	Do Not Enter (w/Stripes)	Blk/Red
102824	-	Do Not Enter	Blk/Red



## Biodegradable Flagging Tape

- Made of 70% wood fiber
- Non-toxic; will not harm wildlife, livestock or the environment
- Complete degradation will occur in 6-12 months depending on environment conditions

Catalog #	Legend	Size	Color
91090	Caution	3" x 150'	Blk/Ylw
91091	Caution Do Not Enter	3" x 150'	Blk/Ylw
91092	Caution Men Working Overhead	3" x 150'	Blk/Ylw
91088	Danger	3" x 150'	Blk/Rd
91089	Danger Do Not Enter	3" x 150'	Blk/Rd



## Flagging Tape

- Flag boundary stakes, trees and hazardous areas
- Non-adhesive

Catalog #	Size	Color
58347	1.187" x 300'	Yellow
58342	1.187" x 300'	White
58343	1.187" x 300'	Green
58344	1.187" x 300'	Orange
58345	1.187" x 300'	Blue
58346	1.187" x 300'	Red
58348	1.187" x 150'	Fluor. Yellow
58349	1.187" x 150'	Fluor. Red
58351	1.187" x 150'	Fluor. Blue
58352	1.187" x 150'	Fluor. Orange
58353	1.187" x 150'	Fluor. Green
58354	1.187" x 150'	Fluor. Pink



## Pennant Barricade Tape

- Tough and durable flag barricade can be used repeatedly
- Pennants are 18" x 18" triangles spaced evenly across tape

Catalog #	Legend
58388	83' Tape with 15 Pennants
58389	113' Tape with 25 Pennants



## Identoline® Underground Warning Tape

- Made of heavy-duty B-720 polyethylene
- Tape is 4.0 mil. thick with a tough tensile strength of 1750 psi
- Easily identified - APWA (American Public Works Association) color coding
- Overcoated graphics provide long-lasting legibility and hold color values

Catalog #	Utility Class	Size	APWA Color
63009	Cable T.V.	6" x 1,000'	Orange
91295	Electric*	3" x 1,000'	Red
91296	Electric	6" x 1,000'	Red
91294	Gas	6" x 1,000'	Yellow
91299	Sewer	6" x 1,000'	Green
91297	Telephone	6" x 1,000'	Orange
63050	Reclaimed Water	6" x 1,000'	Purple
91298	Water	6" x 1,000'	Blue

\*Legend appears on one line



## Detectable Identoline® Warning Tape

- B-721 metal detectable polyester; foil is 4.5 mils
- Subsurface graphics seal the legend from acids, alkalis and soil substances
- Easily identified legend on APWA color-coded background
- Meets OSHA regulation covering location or underground utility lines
- Manual or automatic installation at 4"-6" below surface for max. detectability

Catalog #	Utility Class	Size	APWA Color
91601	Electric	2" x 1,000'	Red
91606	Fiber Optic	2" x 1,000'	Orange
91600	Gas	2" x 1,000'	Yellow
91604	Sewer	2" x 1,000'	Green
91603	Water	2" x 1,000'	Blue



## Utility Marking Flags

- Ideal for identifying possible hazards buried underground
- 4" x 5" flags attached to 30", 15.5 gauge steel rod
- Custom legends available

Catalog #	Legend	Color	Qty.
98165	Buried Sewer Line	Blk/Grn	100
98166	Buried Cable	Blk/Rd	100
98167	Buried Water Line	Wht/Blu	100
98168	Buried Electric Line	Blk/Rd	100
98169	Buried Fiber Optic Cable	Blk/Org	100
98170	Buried Pipeline	Wht/Blu	100
98171	Buried Gas Line	Blk/Ylw	100
98172	(Blank)	Orange	100
98173	(Blank)	Red	100
98174	(Blank)	Yellow	100
98175	(Blank)	Blue	100
98176	(Blank)	White	100
98177	(Blank)	Green	100
98178	(Blank)	Fluor. Red	100