



## General Use

### **BAND-IT Band**

- 201 SS, bright annealed finish with a combination of high strength and quality appearance
- Offers good resistance to oxidation and many moderate corrosive agents
- EASY SCALE - Patented imprint on the band to quickly determine band length
- Durable plastic tote dispensers available

### **COLOR-IT®**

- 12 stocked colors
- Speciality colors available upon request

### **Giant Band**

- The widest and thickest band
- Available in 201 SS bright annealed
- Application Tools: C00369 (for 3/4" band only), and G40269

### **VALU-STRAP™, VALU-STRAP Plus™, and Valuband**

- Economical band suitable for light duty applications
- Thickness: 0.015", 0.020", 0.025"
- Application Tools: C00169, C00369, C07569, C08569, C40099 and J02069

### **Galvanized Carbon Steel Band**

- Utilized for low cost and non corrosive applications
- Good strength
- Application Tools: C00169, C00369, C07569, C08569, and C40099

## Corrosion Resistant

### **304 Stainless Steel Band**

- Band suitable for light duty applications
- Good corrosion resistance in fresh water and industrial atmospheres
- Application Tools: C00169, C00369, C07569, C08569, and C40099

### **316 Coated & Uncoated Stainless Steel Band**

- Superior corrosion resistance in typical atmospheres and fresh water
- Coated band can be used in salt spray applications. Available with a non-toxic polymer coating (PPA 571) that produces low smoke and is halogen free
- Application Tools for coated: C07569, C08569, and C40099
- Application Tools for uncoated: C00169, C00369, C07569, C08569, and C40099

### **317L Stainless Steel Band**

- Superior corrosion resistance in industrial and marine atmospheres, salt water, and mild chemicals
- Application Tools: C00169, C00369, and C40099

### **Monel® 400 Band**

- Superior corrosion resistance in marine, salt water, and harsh chemical environments
- Application Tools: C00169, C00369, C07569, C08569 and C40099

## Special Purpose

### **All Purpose Band**

- Evenly spaced holes allow fastening with screw or nut and bolt
- Available with a non-toxic polymer coating (PPA 571) that produces low smoke and is halogen free



# General Use Band & Buckle

## Type 201 Stainless Steel

This is the standard choice of BAND-IT products, offering very high strength, clean appearance and good resistance to oxidation and weathering. This non-magnetic material is the choice for municipal and industrial markets.

### BAND-IT® Band 201 Stainless Steel

Part No.	Material	Width		Thickness		Average Breaking Strength (lbs)	Package Quantity	Weight	
		in	mm	in	mm			lbs	kg
<b>201 Stainless Steel BAND-IT® Band</b>									
C20299	201 SS	.25	6.4	0.020	0.51	500	100'/Roll	1.7	0.7
C20399	201 SS	.375	9.6	0.025	0.64	900	100'/Roll	3.2	1.5
C203Y9	201 SS	.375	9.6	0.025	0.64	900	Yellow Tote 100'/Roll	3.6	1.6
C20499	201 SS	.5	12.7	0.030	0.76	1500	100'/Roll	5.1	2.3
C204B9	201 SS	.5	12.7	0.030	0.76	1500	Blue Tote 100'/Roll	5.5	2.5
C20599	201 SS	.675	15.9	0.030	0.76	1875	100'/Roll	6.4	2.9
C205G9	201 SS	.675	15.9	0.030	0.76	1875	Green Tote 100'/Roll	6.8	3.1
C20699	201 SS	.75	19.1	0.030	0.76	2250	100'/Roll	7.7	3.5
C206R9	201 SS	.75	19.1	0.030	0.76	2250	Red Tote 100'/Roll	8.2	3.7
<b>BAND-IT® Buckle Ear-Lokt Style</b>									
C25299**	SS	.25	6.4				100/Box	0.3	0.1
C25399	SS	.375	9.6				100/Box	0.8	0.4
C25499	SS	.5	12.7				100/Box	2.1	1.0
C25599	SS	.675	15.9				100/Box	2.4	1.1
C25699	SS	.75	19.1				100/Box	3.7	1.7

\*\* Clip Style

Tools to be used with this product: C00169, C00369, C07569, C40099 & J02069\* (\*The J02069 can be used with 3/8" maximum width product).

### Giant Band 201 Stainless Steel

Part No.	Material	Width		Thickness		Average Breaking Strength (lbs)	Package Quantity	Weight	
		in	mm	in	mm			lbs	kg
<b>Giant Band</b>									
G43099*	201 SS	.75	19.1	0.044	1.10	3300	100'/Roll	11.6	5.4
G43199	201 SS	1.0	25.4	0.044	1.10	4400	100'/Roll	13.7	6.4
G43299	201 SS	1.25	31.8	0.044	1.10	5500	100'/Roll	17.2	8.0
<b>Giant Buckle Ear-Lokt Style</b>									
G44099	SS	.75	19.1				25/Box	1.8	0.8
G44199	SS	1.0	24.4				25/Box	2.4	1.1
G44299	SS	1.25	31.8				25/Box	3.2	1.4

\*C00369 tool to be used for 3/4"

Tools to be used with this product: G40269.

### Scru-Lokt Buckle Stainless Steel

Part No.	Material	Width		Package Quantity	Weight	
		in	mm		lbs	kg
<b>Stainless Steel Scru-Lokt Buckle</b>						
C72099	301 SS 1/4 Hard	.25	6.4	50/Box	0.3	0.1
C72299	301 SS 1/4 Hard	.375	9.6	50/Box	0.5	0.2
C72499	301 SS 1/4 Hard	.5	12.7	50/Box	0.5	0.2
C72599	201 SS	.675	15.9	50/Box	0.8	0.4
C72699T	201 SS	.75	19.1	50/Box	0.9	0.4

BAND-IT reserves the right to substitute material with equal or better corrosion resistance and/or mechanical specifications.



## Band & Buckle Kits



### BAND-IT® Warehouse Kit C27599

- Portable rugged container, 16" X 8-1/2" X 9-3/4" (Weight: 51.5lbs, 23.4kg)
- Kit includes: 1 each - C00169, Close quarter Tension nut, C20299, C20399, C20499, C20599, C20699, C25399, C25499, C25599, C25699, C72499 and C72699



### BAND-IT® Band & Buckle Kit C27699 & C27799

- Basic starter kit in a polyethylene case
- Two versions available:
  - C27699 - 1/2" band & buckle kit: 1- C00169, 1- C20499, 1- C25499 and 1- C72499 (kit weight - 17.2lbs, 7.8kg)
  - C27799 - 3/4" band & buckle kit: 1- C00169, 1- C20699, 1- C25699 and 1- C72699 (kit weight - 21.6lbs, 9.8kg)



### Pok-It Pak Kit J10099

- Polyethylene carrying case
- Kit includes: J02069 Pok-It II tool, 1- C20299, 1- C20399, 1- C25299, 1- C25399, 1- C72099, 1- C72299, 80- Junior Smooth ID clamps (20- 3/8"W X 13/16" dia, 20- 3/8" X 1-3/8" dia, 20- 1/4" X 3/4" dia, 20- 3/8" X 1-3/8" dia), 10- BAND-FAST® (1/4" X 16" L), and 10- BAND-FAST® (1/4" X 34" L)



### 201 Stainless Steel Band and Buckle Kits

Our most popular band and buckle is available in convenient kits. Each kit contains just the right amount of band and buckles ready to take with you on the job.

- C204BB (1/2" Blue Tote, 6.13lbs) - 100' band with 35 Ear-Lokt Buckles
- C206BB (3/4" Red Tote, 8.88lbs) - 100' band with 25 Ear-Lokt Buckles