


LTR	REVISION	DATE	APPD
B	051718-GP01: UPDATED TEST DATA	06-15-18	GP



NOTES:

1. ALL DIMENSIONS ARE IN INCHES [MILLIMETERS].
2. SLEEVE MATERIAL: GENERAL POLYMERS RYNITE FR530 (UL 94HB)
3. BASE MATERIAL: (BODY) BRASS & NICKEL PLATED BRASS (BARREL)
4. OPERATING TEMPERATURE: ~-30°C TO ~+50°C

**FULL BEAM WIDTH @ 50% INTENSITY

REVISION NOTIFICATION	
<input type="checkbox"/>	DLC
<input type="checkbox"/>	UL/ETL
<input type="checkbox"/>	MADE IN USA
<input type="checkbox"/>	CUSTOMER _____
<input type="checkbox"/>	OTHER
REDLINE CHECKLIST	
<input type="checkbox"/>	REDLINE(YES)
<input type="checkbox"/>	DATE: _____
<input type="checkbox"/>	INITIATED BY: _____
<input type="checkbox"/>	ECR REQUIRED YES <input type="checkbox"/> NO <input type="checkbox"/>
<input type="checkbox"/>	WORK ORDER# _____

ELECTRICAL - OPTICAL CHARACTERISTICS (Ta = 25°C)

BF321-0AG-120A	AQUA GREEN	120Vac	0.38 W	0.005 A	0.344cd	520	-	85°	AC Voltage
BF321-0CW-120A	COOL WHITE	120Vac	0.38 W	0.005 A	0.520cd	-	8000K	95°	AC Voltage
BF321-0ER-120A	SUPER RED	120Vac	0.38 W	0.005 A	0.047cd	630	-	90°	AC Voltage
BF321-0IW-120A	WARM WHITE	120Vac	0.38 W	0.005 A	0.281cd	-	3000K	110°	AC Voltage
BF321-0PB-120A	SUPER BLUE	120Vac	0.38 W	0.005 A	0.109cd	465	-	85°	AC Voltage
BF321-0UG-120A	SUPER GREEN	120Vac	0.38 W	0.005 A	0.031cd	573	-	90°	AC Voltage
BF321-0UO-120A	SUPER ORANGE	120Vac	0.38 W	0.005 A	0.047cd	610	-	90°	AC Voltage
BF321-0UR-120A	ULTRA RED	120Vac	0.38 W	0.005 A	0.037cd	652	-	80°	AC Voltage
BF321-0UY-120A	SUPER YELLOW	120Vac	0.38 W	0.005 A	0.250cd	593	-	85°	AC Voltage

LEDTRONICS PART NO.	COLOR EMITTED	INPUT VOLTAGE, V	POWER (W)	CURRENT (A)	MAXIMUM CANDELA	λP nm	COLOR TEMP. (Kelvin)	VIEWING ANGLE**	CENTER CONTACT POLARITY
---------------------	---------------	------------------	-----------	-------------	-----------------	-------	----------------------	-----------------	-------------------------

LEDTRONICS,™ INC.
23105 KASHIWA COURT
TORRANCE, CA 90505

-PROPRIETARY-
This document contains Proprietary information of LEDTRONICS,™ INC. It may not be copied, used or disclosed for any purpose without the prior express written consent of LEDTRONICS,™ INC.

.XXX ± .010 TOLERANCE PER ANSI-Y14.5
.XX ± .025 (UNLESS OTHERWISE STATED)
ANGLES ± 0°,30'
FRACT. ± 1/32

TITLE							
BF321-0XX-120A							
DWG NO	SCALE	SHEET	DATE				
BF321-120VAC	1:1	1 OF 1	10-19-11				
CODE IDENT NO.	DWG BY GP	CHK BY	QA EE	MFG LD	R&D KS		
8Z410	10-19-11		06-21-18	06-21-18	06-21-18		