

Mounting Options

3/4" NPT Pendant & Conduit Mounting



Ceiling & Wall Mounting





Area Light with Mounting Hub

0° Wall Mount





Area Light with Mounting Hub

45° Wall Mount

Part Number: ALxxxx2xDNNxGN

Suitable for: All locations

Area Light with 0° Wall Mount

Part Number: ALxxxx2xDVNxGN

Suitable for: CID2, CII, CIII, NEMA 4X, IP66

Part Number: ALxxxx2xDUNxGN + HZXW01 Suitable for: CID2, CII, CIII, NEMA 4X, IP66

Area Light with 45° Wall Mount
Part Number:
Suitable for: CID2, CII, CIII, NEMA 4X, IP66

Part Number: ALxxxx2xDUNxGN + HZXW45

Suitable for: CID2, CII, CIII, NEMA 4X, IP66



Mounting Options

Stanchion & Pole Mounting



Area l	_ight
--------	-------

Adjustable Bracket

Stanchion Mount Adapter

Area Light with 45° Stanchion Mount	
Part Number: ALxxxx2xDSNxGN	
Suitable for: CID2, CII, CIII, NEMA 4X, IP66	

Part Number: ALxxxx2xDUNxGN + HZXS45
Suitable for: CID2, CII, CIII, NEMA 4X, IP66

Area Light with 35mm Slip-fit Pole Mount	
Part Number: ALxxxx2xDYNxGN	
Suitable for: CID2, CII, CIII, NEMA 4X, IP66	Ī

Part Number: ALxxxx2xDUNxGN + HZXCV34 Suitable for: CID2, CII, CIII, NEMA 4X, IP66

Part Number: ALxxxx2xDNNxGN + HZXW3 + HZXSTANxxxx or HZXW4
Suitable for: CID1, CID2, CII, CIII, NEMA 4X, IP66

Mounting Products

Dialight





Universal Mounting Adapters

Two ways to buy...







UMA Mounting Hub Compatible with All Four Mounting Options for Flexibility

Assembled with UMA adapter / For multiple applications and standardization efforts at your facility, you can order fixture with UMA adapter installed at the factory. This allows for use with any of our wall or stanchion mount top brackets which you can order separately and mate up in the field.

