IA55



Beam Clamps, Jack Chain, S Hooks

TypeBC

Beam Clamps

Use:

Clamp on to structure member to provide mounting means for the attachment of conduit hangers-either directly or by means of threaded rod. BC-250 and BC-251 are stamped steel, BC-260 is malleable iron.

Material/Finish:

BC-250-Stamped Steel/Zinc Plated BC-260-Malleable Iron/Zinc Plated

Note:

%-20 threaded holes BC-251 has %-16 threaded holes

Type JC

Steel Jack Chain


Use:

For suspending lighting fixtures, etc. standard weight maximum working load: 29#


Material/Finish:

Galvanized Steel

Trade Size	Catalog Number	Dimensions in Inches		
(inches)		Α	В	С
1¼ x 5/16-18	BC-250	0.90	1.44	1.68
1½ x ¾-16	BC-251	0.90	1.44	1.68
1¼ x 5/16-18	BC-260	1.10	01.39	2.35







Type BC-250

Type BC-260

Trade Size (inches)	Catalog Number	
No. 12	JC-12-S	100ft. Spool



Type JC-12-S

Type SH


Standard and Heavy S

Use:

For terminating end of jack chain, used to suspend lighting fixtures, etc.

Material/Finish: Steel/Zinc Plated

Trade Size	Catalog Number	Dimensions in Inches		
(inches)		Α	D	
.1009dia	SH-100-D	1.22	0.66	
.1429dia.	SH-142	1.52	1.00	





Type SH-100-D

