

CP Rigid/Intermediate Grade Conduit Fittings

- Insulated Throat Grounding Bushings
- Threaded and Threadless
- Copper or Aluminum Ground Lug
- 105°C Rated

Rigid Intermediate
CP

INSULATED THROAT GROUNDING BUSHINGS

IRON-105°C Rated Plastic Throat Liner

Copper Lug – For Copper Grounding Conductors – Threaded

UL File No. E-6225

Cat. #	Trade Size	Lug Size	Unit Qty.	Std. Pkg.	Weight	
					Lbs.	Per 100
GLL-1C	1/2"	#4 - #14	50	500	8	
GLL-2C	3/4"	#4 - #14	50	250	12	
GLL-3C	1"	#4 - #14	50	250	14	
GLL-4C	1 1/4"	#4 - #14	25	125	19	
GLL-4-10C	1 1/4"	#1/0 - #8	25	125	30	
GLL-5C	1 1/2"	#4 - #14	10	100	21	
GLL-5-10C	1 1/2"	#1/0 - #8	10	100	32	
GLL-6C	2"	#4 - #14	10	50	29	
GLL-6-10C	2"	#1/0 - #8	10	50	40	
GLL-7C	2 1/2"	#1/0 - #8	10	50	65	
GLL-7-30C	2 1/2"	#3/0 - #6	10	50	88	
GLL-7-250C	2 1/2"	250MCM - #6	10	50	97	
GLL-8C	3"	#1/0 - #8	5	25	77	
GLL-8-30C	3"	#3/0 - #6	5	25	100	
GLL-8-250C	3"	250MCM - #6	5	25	109	
GLL-9C	3 1/2"	#3/0 - #6	1	1	125	
GLL-9-250C	3 1/2"	250MCM - #6	1	1	134	
GLL-10C	4"	#3/0 - #6	1	1	145	
GLL-10-250C	4"	250MCM - #6	1	1	154	
GLL-11C	5"	#3/0 - #6	1	1	165	
GLL-11-250C	5"	250MCM - #6	1	1	174	
GLL-12C	6"	#3/0 - #6	1	1	195	
GLL-12-250C	6"	250MCM - #6	1	1	204	

Aluminum Lug – For Copper Or Aluminum Grounding Conductors – Threaded 105°C Rated Plastic Throat Liner

UL File No. E-6225

Cat. #	Trade Size	Lug Size	Unit Qty.	Std. Pkg.	Weight	
					Lbs.	Per 100
GLL-1	1/2"	#4 - #14	50	500	5	
GLL-2	3/4"	#4 - #14	50	250	9	
GLL-3	1"	#4 - #14	50	250	12	
GLL-4	1 1/4"	#4 - #14	25	125	19	
GLL-4-10	1 1/4"	#1/0 - #8	25	125	23	
GLL-5	1 1/2"	#4 - #14	10	100	24	
GLL-5-10	1 1/2"	#1/0 - #8	10	100	28	
GLL-6	2"	#4 - #14	10	50	26	
GLL-6-10	2"	#1/0 - #8	10	50	32	
GLL-7	2 1/2"	#1/0 - #8	10	50	53	
GLL-7-30	2 1/2"	#3/0 - #6	10	50	60	
GLL-7-250	2 1/2"	250MCM - #6	10	50	67	
GLL-8	3"	#1/0 - #8	5	25	70	
GLL-8-30	3"	#3/0 - #6	5	25	72	
GLL-8-250	3"	250MCM - #6	5	25	76	
GLL-9	3 1/2"	#3/0 - #6	1	1	100	
GLL-9-250	3 1/2"	250MCM - #6	1	1	100	
GLL-10	4"	#3/0 - #6	1	1	110	
GLL-10-250	4"	250MCM - #6	1	1	120	
GLL-11	5"	#3/0 - #6	1	1	140	
GLL-11-250	5"	250MCM - #6	1	1	143	
GLL-12	6"	#3/0 - #6	1	1	160	
GLL-12-250	6"	250MCM - #6	1	1	163	

Copper Lug – For Copper Grounding Conductors – Threadless – Set Screw Type 105°C Rated Plastic Throat Liner

UL File No. E-6225

Cat. #	Trade Size	Lug Size	Unit Qty.	Std. Pkg.	Weight	
					Lbs.	Per 100
GLS-1C	1/2"	#4 - #14	50	500	8	
GLS-2C	3/4"	#4 - #14	50	250	12	
GLS-3C	1"	#4 - #14	50	250	14	
GLS-4C	1 1/4"	#4 - #14	25	125	19	
GLS-4-10C	1 1/4"	#1/0 - #8	25	125	30	
GLS-5C	1 1/2"	#4 - #14	10	100	21	
GLS-5-10C	1 1/2"	#1/0 - #8	10	100	32	
GLS-6C	2"	#4 - #14	10	50	29	
GLS-6-10C	2"	#1/0 - #8	10	50	40	
GLS-7C	2 1/2"	#1/0 - #8	10	50	65	
GLS-7-30C	2 1/2"	#3/0 - #6	10	50	88	
GLS-7-250C	2 1/2"	250MCM - #6	10	50	97	
GLS-8C	3"	#1/0 - #8	5	25	77	
GLS-8-30C	3"	#3/0 - #6	5	25	100	
GLS-8-250C	3"	250MCM - #6	5	25	109	
GLS-9C	3 1/2"	#3/0 - #6	1	1	125	
GLS-9-250C	3 1/2"	250MCM - #6	1	1	134	
GLS-10C	4"	#3/0 - #6	1	1	145	
GLS-10-250C	4"	250MCM - #6	1	1	154	
GLS-11C	5"	#3/0 - #6	1	1	165	
GLS-11-250C	5"	250MCM - #6	1	1	174	
GLS-12C	6"	#3/0 - #6	1	1	195	
GLS-12-250C	6"	250MCM - #6	1	1	204	

Aluminum Lug – For Copper Or Aluminum Grounding Conductors – Threadless – Set Screw Type 105°C Rated Plastic Throat Liner

UL File No. E-6225

Cat. #	Trade Size	Lug Size	Unit Qty.	Std. Pkg.	Weight	
					Lbs.	Per 100
GLS-1	1/2"	#4 - #14	50	500	5	
GLS-2	3/4"	#4 - #14	50	250	9	
GLS-3	1"	#4 - #14	50	250	12	
GLS-4	1 1/4"	#4 - #14	25	125	19	
GLS-4-10	1 1/4"	#1/0 - #8	25	125	23	
GLS-5	1 1/2"	#4 - #14	10	100	24	
GLS-5-10	1 1/2"	#1/0 - #8	10	100	28	
GLS-6	2"	#4 - #14	10	50	26	
GLS-6-10	2"	#1/0 - #8	10	50	32	
GLS-7	2 1/2"	#1/0 - #8	10	50	53	
GLS-7-30	2 1/2"	#3/0 - #6	10	50	60	
GLS-7-250	2 1/2"	250MCM - #6	10	50	67	
GLS-8	3"	#1/0 - #8	5	25	70	
GLS-8-30	3"	#3/0 - #6	5	25	72	
GLS-8-250	3"	250MCM - #6	5	25	76	
GLS-9	3 1/2"	#3/0 - #6	1	1	100	
GLS-9-250	3 1/2"	250MCM - #6	1	1	100	
GLS-10	4"	#3/0 - #6	1	1	110	
GLS-10-250	4"	250MCM - #6	1	1	120	
GLS-11	5"	#3/0 - #6	1	1	140	
GLS-11-250	5"	250MCM - #6	1	1	143	
GLS-12	6"	#3/0 - #6	1	1	160	
GLS-12-250	6"	250MCM - #6	1	1	163	