

Product Family
Max Lite Single-Use Earplug

Comfort for smaller ear canals








[Learn more about our products at howardleight.com](http://howardleight.com)

>

[Learn more about hearing conservation at hearforever.org](http://hearforever.org) >



Product Numbers & Ordering Information

	Product Numbers	Details
	LPF-30	Max Lite - corded NRR 30 Canada Class A(L)
	LPF-30-PB	Max Lite - corded / paper bag NRR 30 Canada Class A(L)
	LPF-30-P	Max Lite - cotton cord / paper bag NRR 30 Canada Class A(L)
	LPF-1	Max Lite - uncorded NRR 30 Canada Class A(L)
	LPF-1-PB	Max Lite - uncorded / paper bag NRR 30 Canada Class A(L)
	LPF-LS4	Max Lite - uncorded bulk refill for Leight Source 400 NRR 30 Canada Class A(L)
	LPF-1-D	Max Lite - uncorded bulk refill for Leight Source 500 NRR 30 Canada Class A(L)

Max Lite Single-Use Earplug



LPF-5

Max Lite - uncorded 5-pair vending pack
NRR 30 Canada Class A(L)



LPF-30-5

Max Lite - corded 5-pair vending pack
NRR 30 Canada Class A(L)

Additional Information

EU Certifications

- European Directives – 89/686/EEC
- EC Category PPE – Category II
- Standards – EN 352-2:1993
- EC Certification Number – 151
- EC Attestation Number – 9007685
- Laboratory – INSPEC Certification Limited

AUS Certifications

- Standardsmark License #1579

Overview

Key Features

- Ideal size for workers with smaller ear canals.
- Low pressure polyurethane foam expands gently for comfortable long-term wear.
- Contoured T-shape for easy handling and wear.
- Smooth, soil-resistant closed cell-foam skin prevents dirt build-up.
- Optional style with attached cotton cord and paper bag packaging suitable for pulp & paper and other process industries with zero tolerance for packaging waste requirements.
- Bulk refills for Leight Source 400 and Leight Source 500 Earplug Dispensers save time, waste and space

Recommended Industries/Use

- Agriculture • Chemical • Construction • Fire Protection • Forestry • Government
- Law Enforcement • Manufacturing • Medical • Military • Mining • Municipal Services
- Oil and Gas • Pharmaceutical • Steel and Metals • Transportation • Utilities • Welding

Hazards

- Noise

Regulations

- 29 CFR 1910.95 - OSHA Occupational Noise Exposure (US)
- ANSI S3.19-1974 - Attenuation Test Protocol (US)
- Part II, (R.S.C. 1985, c. L-2) - Canada Labour Code
- Z94.2-1994 - Attenuation Test Protocol (CAN)
- 2003/10/EC - EU Hearing Directive
- 89/686/EEC - EU Directive/PPE
- Category II - EC Category/PPE
- EN 352-2:1993 - EC Standards
- NOHSC: 1007 (2000) - National Standard for Occupational Noise (AUS/NZ)
- NR 15 - Security and Health of Work, Annexes 1 and 2, n°3.214/1978 - Occupational Noise Regulations (BR)
- ANSI S12.6/1997 - Method B - Attenuation Test Protocol (BR)
- 9001:2008 - ISO

Historical Brand

Howard Leight

Specifications

Color

- Green

Shape

- T-Shape

Materials

- Polyurethane Foam

Packaging Options

- Polybag • Paper Bag • Bulk Refill for Leight Source 400 or Leight Source 500 Dispenser

Cord Options

- Uncorded • Polycord • Cotton Cord

NRR

- 30

Canada Class

- A(L)

SNR

- 34

SLC80

- 25 dB / Class 4

Certifications

CE Certificate - Max Lite

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Secured/Hearing_Protection/Earplugs/20039/1033.aspx

CE Certificate - Max Lite

Instruction Manual - Max Lite (global)

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Secured/Hearing_Protection/Earplugs/41911/1033.aspx

Click the link above to download the user instruction manual for Max Lite earplugs.

EC Certificate - Earplugs

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Secured/Hearing_Protection/Earplugs/42685/1033.aspx

EC Declaration of conformity The manufacturer SPERIAN HEARING PROTECTION, LLC, 7828 Waterville Rd. San Diego, CA 92154 United States declares that the Personal Protective Equipment (PPE) items listed below, conform with the provisions of Council Directive 89/686/EEC and, where applicable, with the national standard, tr

Literature & Documents

EC Attestation Report - Max Lite

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Secured/Hearing_Protection/Earplugs/20058/1033.aspx

EC Attestation Report - Max Lite

Earplug Instruction Poster - EN

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Hearing_Protection/Earplugs/19799/1033.aspx

Earplug Instruction Poster - ES

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Hearing_Protection/Earplugs/19802/1033.aspx

Earplug Instruction Poster - FR

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Hearing_Protection/Earplugs/19800/1033.aspx

Training & Proper Use

1. With clean hands, roll the entire earplug into narrowest possible crease-free cylinder.
2. Reach over your head with a free hand, pull your ear up and back, and insert the earplug well inside your ear canal.
3. Hold for 30 – 40 seconds, until the earplug fully expands in your ear canal. If properly fitted, the end of the earplugs should not be visible to someone looking at you from the front.
4. Proper Fit – If either or both earplugs do not seem to be fitted properly, remove the earplug and reinsert.
5. Removal – Gently twist earplug while slowly pulling in an outward motion for removal.
6. Acoustical Check – In a noisy environment, with earplugs inserted, cup your hands over your ears and release. Earplugs should block enough noise so that covering your ears with your hands should not result in a significant noise difference.

Additional Information

CARE + MAINTENANCE

- INSPECT – Inspect prior to fitting, examine your earplugs for dirt, damage or extreme hardness—discard immediately if compromised.
- DISCARD – For proper hygiene, discard Single-Use earplugs after use.
- HYGIENE – To maintain hygiene standards, Single-Use earplugs should be discarded at the end of every shift.

RELATED PRODUCTS