

Printing date 11/24/2014

Reviewed on 11/24/2014

1 Identification


- · Product identifier
- · Trade name: Dry Breeze Sugar & Spice
- · Article number: 702
- · Application of the substance / the mixture Dry Air Freshener
- · Details of the supplier of the Safety Data Sheet · Manufacturer/Supplier: **ITW Pro Brands** 805 East Old 56 Highway Olathe, Kansas 66061 Phone: 1-800-224-4860

· Emergency telephone number: Infotrac Emergency Hotline: 1-800-535-5053

2 Hazard(s) identification

· Classification of the substance or mixture

GHS 04 gas cylinder



GHS02 Flame

Flam. Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurized container: May burst if heated.

GHS07

Eye Irrit. 2A	H319	Causes serious eye irritation.
STOT SE 3	H336	May cause drowsiness or dizziness.

· Label elements · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling: acetone · Hazard statements H280 Contains gas under pressure; may explode if heated. H222-H229 Extremely flammable aerosol. Pressurized container: May burst if heated. H319 Causes serious eye irritation.

(Contd. on page 2)

Printing date 11/24/2014

Reviewed on 11/24/2014

Trade name: Dry Breeze Sugar & Spice

(Contd. of page 1)

	(Contd. of	page 1)
	lay cause drowsiness or dizziness.	
• Precautionary	y statements	
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.	
P251	Pressurized container: Do not pierce or burn, even after use.	
P211	Do not spray on an open flame or other ignition source.	
P261	Avoid breathing mist/vapours/spray.	
P280	Wear protective gloves / eye protection.	
	P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact len present and easy to do. Continue rinsing.	ises, if
P312	Call a poison center/doctor if you feel unwell.	
P410+P412 P501	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Dispose of contents/container in accordance with local/regional/national/interna regulations.	ational
· Additional inf	formation: Pressurized container: May burst if heated.	
· Hazard descri		
· WHMIS-symbol		
A - Compresse		
B5 - Flammabl		
D2B - Toxic ma	naterial causing other toxic effects	
 Classification NFPA ratings 		
	ealth = 1	
	e = 4	
V V Rea	eactivity = 0	
· HMIS-ratings	s (scale 0 - 4)	
HEALTH 1 He	lealth = 1	
	ire = 4	
• Other hazards		
	BT and vPvB assessment	
PBT: Not appli		
vPvB: Not app	plicable.	
3 Compositio	on/information on ingredients	
· Chemical cha	aracterization: Mixtures	

· Description: Mixture of the substances listed below with nonhazardous additions.

• Dangerous components: 67-64-1 acetone ♦ Flam. Liq. 2, H225 • Eye Irrit. 2A, H319; STOT SE 3, H336

40-60%

(Contd. on page 3)

Printing date 11/24/2014

Reviewed on 11/24/2014

Trade name: Dry Breeze Sugar & Spice

		(Conto	d. of page 2)
72-28-5	Isobutane	🚸 Flam. Gas 1, H220	20-40%
74-98-6	propane	♦ Flam. Gas 1, H220 Press. Gas, H280	5-10%

F	irst-aid measures
D	Description of first aid measures
G	General information: Take affected persons out into the fresh air.
A	fter inhalation:
S	Supply fresh air; consult doctor in case of complaints.
Ρ	Provide oxygen treatment if affected person has difficulty breathing.
A	fter skin contact:
lr	nmediately wash with water and soap and rinse thoroughly.
lr	n cases of frostbite, rinse with plenty of water. Do not remove clothing.
lf	skin irritation continues, consult a doctor.
A	fter eye contact:
R	Remove contact lenses if worn.
R	Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
A	fter swallowing:
	Inlikely route of exposure.
	o not induce vomiting; immediately call for medical help.
N	lost important symptoms and effects, both acute and delayed
Н	leadache
	reathing difficulty
_	Dizziness
	Coughing
•	rostbite
	lausea
	ritant to eyes.
_	Disorientation
	enger No further relevant information available.
	ndication of any immediate medical attention and special treatment needed
	swallowed, gastric irrigation with added, activated carbon.
Т	reat frost-bitten areas appropriately.

5 Fire-fighting measures

Extinguishing media

• Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

- For safety reasons unsuitable extinguishing agents: None.
- Special hazards arising from the substance or mixture

Danger of receptacles bursting because of high vapor pressure if heated. Formation of toxic gases is possible during heating or in case of fire.

· Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

(Contd. on page 4)

Printing date 11/24/2014

Reviewed on 11/24/2014

Trade name: Dry Breeze Sugar & Spice

(Contd. of page 3)

Wear fully protective suit.

- Additional information

Eliminate all ignition sources if safe to do so.

Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

Cool endangered receptacles with water fog.

6 Accidental release measures

• **Personal precautions, protective equipment and emergency procedures** Use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Keep away from ignition sources.

• Environmental precautions: Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Allow to evaporate.

Absorb liquid components with liquid-binding material.

Pick up mechanically.

Ensure adequate ventilation.

Dispose contaminated material as waste according to item 13.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Precautions for safe handling

Keep away from heat and direct sunlight.

Use only in well ventilated areas.

Pressurized container: Do not pierce or burn, even after use.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke. Fumes can combine with air to form an explosive mixture. Flammable gas-air mixtures may be formed in empty receptacles.

Do not spray on a naked flame or any incandescent material.

• Conditions for safe storage, including any incompatibilities

• Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurized containers. Provide ventilation for receptacles.

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

• Further information about storage conditions:

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

(Contd. on page 5)

Printing date 11/24/2014

Reviewed on 11/24/2014

Trade name: Dry Breeze Sugar & Spice

(Contd. of page 4)

• **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· Additional info	rmation about design of technical systems: No further data; see item 7			
· Control parameters				
Components with limit values that require monitoring at the workplace:				
67-64-1 aceton	e			
PEL (USA)	Long-term value: 2400 mg/m³, 1000 ppm			
REL (USA)	Long-term value: 590 mg/m³, 250 ppm			
TLV (USA)	Short-term value: (1782) NIC-1187 mg/m³, (750) NIC-500 ppm Long-term value: (1188) NIC-594 mg/m³, (500) NIC-250 ppm BEI			
EL (Canada)	Short-term value: 500 ppm Long-term value: 250 ppm			
EV (Canada)	Short-term value: 750 ppm Long-term value: 500 ppm			
LMPE (Mexico)	Short-term value: 750 ppm Long-term value: 500 ppm A4, IBE			
74-98-6 propan				
PEL (USA)	Long-term value: 1800 mg/m ³ , 1000 ppm			
REL (USA)	Long-term value: 1800 mg/m³, 1000 ppm			
TLV (USA)	refer to Appendix F			
EL (Canada)	Long-term value: 1000 ppm			
EV (Canada)	Long-term value: 1.000 ppm			
LMPE (Mexico)	Long-term value: 1000 ppm			
-	h biological limit values:			
67-64-1 aceton				
Time Para	lium: urine e: end of shift ameter: Acetone (nonspecific)			
• Additional info	rmation: The lists that were valid during the creation were used as basis.			
General protect The usual precat Keep away from Wash hands be Do not inhale ga	rols ctive equipment: etive and hygienic measures: autionary measures for handling chemicals should be followed. In foodstuffs, beverages and feed. fore breaks and at the end of work. ases / fumes / aerosols. ith the eyes and skin.			
		(Contd. on page 6)		

Printing date 11/24/2014

Reviewed on 11/24/2014

Trade name: Dry Breeze Sugar & Spice

(Contd. of page 5)

• Breathing equipment:

Not required under normal conditions of use. For spills, respiratory protection may be advisable. Use suitable respiratory protective device in case of insufficient ventilation. Protection of hands:

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment

No further relevant information available.

9 Physical and chemical properties

General Information Appearance:		
Form:	Aerosol	
Color:	Clear to straw color.	
Odor:	Pleasant	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 56 °C (133 °F) (liquid component)	
Flash point:	< -17 °C (< 1 °F)	
Flammability (solid, gaseous):	Extremely flammable aerosol.	
Auto-ignition temperature:	Not determined.	(Contd. on page 7)

Printing date 11/24/2014

Reviewed on 11/24/2014

Trade name: Dry Breeze Sugar & Spice

		(Contd. of page 6)
 Decomposition temperature: 	Not determined.	
· Auto igniting:	Product is not self-igniting.	
· Danger of explosion:	Not determined.	
 Explosion limits: Lower: Upper: 	Not determined. Not determined.	
· Vapor pressure at 21 °C (70 °F):	95 psig	
 Density at 20 °C (68 °F): Relative density Vapour density Evaporation rate 	0.79 g/cm ³ (6.593 lbs/gal) Not determined. > 1 (Air=1) Not applicable.	
 Solubility in / Miscibility with Water: 	Fully miscible.	
· Partition coefficient (n-octanol/water)	: Not determined.	
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.	
 Solvent content: VOC content: Other information 	29.93 % No further relevant information available.	

10 Stability and reactivity

 Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.
Danger of receptacles bursting because of high vapor pressure if heated.
Possibility of hazardous reactions
Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized. Reacts violently with oxidizing agents.
Extremely flammable aerosol.
Danger of receptacles bursting because of high vapor pressure if heated.
Conditions to avoid
Keep away from heat and direct sunlight.
Excessive heat and contact with oxidizers.
Keep ignition sources away - Do not smoke.
· Incompatible materials: No further relevant information available.
Hazardous decomposition products:
Carbon monoxide and carbon dioxide
Hydrocarbons

(Contd. on page 8)

Printing date 11/24/2014

Reviewed on 11/24/2014

Trade name: Dry Breeze Sugar & Spice

(Contd. of page 7)

11 Toxicological information · Information on toxicological effects • Acute toxicity: · LD/LC50 values that are relevant for classification: 67-64-1 acetone Oral LD50 5800 mg/kg (rat) Dermal LD50 20000 mg/kg (rabbit) · Primary irritant effect: • on the skin: Slight irritant effect on skin and mucous membranes. • on the eye: Irritating effect. · Sensitization: No sensitizing effects known. · Other information (about experimental toxicology): Ingestion is considered unlikely. Vapors have narcotic effect. Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Irritant Inhalation of concentrated vapors as well as oral intake will lead to anaesthesia-like conditions and headache, dizziness, etc. · Carcinogenic categories NTP (National Toxicology Program) None of the ingredients is listed. · OSHA-Ca (Occupational Safety & Health Administration) None of the ingredients is listed. • Repeated Dose Toxicity: Repeated exposure may cause skin dryness or cracking. 12 Ecological information Toxicity · Aquatic toxicity: No further relevant information available. · Persistence and degradability No further relevant information available.

- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Avoid transfer into the environment.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.

(Contd. on page 9)

Printing date 11/24/2014

Reviewed on 11/24/2014

Trade name: Dry Breeze Sugar & Spice

(Contd. of page 8)

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods


· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous. Waste disposal key: EPA RCRA Code (USA) : D001.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.



Printing date 11/24/2014

Reviewed on 11/24/2014

de name: Dry Breeze Sugar & Spice		
Label	2.1	(Contd. of page
IMDG		
		
Class	2 Gases	
Label	2.1	
*		
Class	2.1	
Label	2.1	
Packing group		
DOT, ADR, IMDG, IATA	Not Regulated	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Warning: Gases	
Danger code (Kemler):	-	
EMS Number:	F-D,S-U	
 Transport in bulk according to Annex MARPOL73/78 and the IBC Code 	Not applicable.	
· Transport/Additional information:		
DOT		
Quantity limitations	On passenger aircraft/rail: 75kg	
	On cargo aircraft only: 150kg	
ADR	- ·	
Excepted quantities (EQ)	Code: E0	
	Not permitted as Excepted Quantity	
IMDG		
Limited quantities (LQ)	1000mL	
Excepted quantities (EQ)	Code: E0	
UN "Model Pequistion":	Not permitted as Excepted Quantity	
UN "Model Regulation":	UN1950, Aerosols, 2.1	

15 Regulatory information

 $^{\rm \cdot}$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\rm \cdot}$ SARA

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 11)

Printing date 11/24/2014

Reviewed on 11/24/2014

	(Contd. of page
• Section 313 (Specific toxic chemical listings):	
None of the ingredients are listed.	
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
Proposition 65 (California)	
Chemicals known to cause cancer:	
None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
67-64-1 acetone	
IARC (International Agency for Research on Cancer)	
None of the ingredients is listed.	
TLV (Threshold Limit Value established by ACGIH)	
67-64-1 acetone	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
State Right to Know Listings	
Some ingredients listed.	
Canadian substance listings:	
Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
Canadian Ingredient Disclosure list (limit 0.1%)	
None of the ingredients is listed.	
Canadian Ingredient Disclosure list (limit 1%)	
67-64-1 acetone	
Other regulations, limitations and prohibitive regulations	

and the SDS contains all the information required by the Controlled Products Regulations. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Chemical salety assessment. A Chemical Salety Assessment has not been carried out

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Printing date 11/24/2014

Reviewed on 11/24/2014

Trade name: Dry Breeze Sugar & Spice

(Contd. of page 11)

· Date of preparation / last revision 11/24/2014 / -· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Flam. Gas 1: Flammable gases, Hazard Category 1 Flam. Aerosol 1: Flammable aerosols, Hazard Category 1 Press. Gas: Gases under pressure: Compressed gas Flam. Liq. 2: Flammable liquids, Hazard Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com