

# Sockets, Drive Tools, Accessories



## 3/8" STANDARD LENGTH PEAR HEAD PROTO® RATCHET

- Small pear head design for access in tight hard to reach work areas.
- 45 tooth gear provides balance between 8° articulation angle and high torque carrying capacity.
- Sealed design helps prevents debris from entering ratchet mechanism reducing wear. Also, helps to keep lubrication contained within the components. Patent pending design.
- Low profile reversing lever design for quick, one hand operation.
- Contoured, ergonomically-designed handle for comfort. Knurled bands allow for increased grip and slip resistance.
- Double nickel chrome plated for enhanced corrosion protection.
- Field repairable.



Product ID No.	Overall Length	Weight lbs.	Repair Kit	ASME Spec.
<b>J5249XL</b>	8.5"	0.86 lbs.	<b>J5249XLRK</b>	ASME B107.10M

## 3/8" STANDARD LENGTH PEAR HEAD PROTO® RATCHET - BLACK

- Small pear head design for access in tight hard to reach work areas.
- 45 tooth gear provides balance between 8° articulation angle and high torque carrying capacity.
- Sealed design helps prevents debris from entering ratchet mechanism reducing wear. Also, helps to keep lubrication contained within the components. Patent pending design.
- Low profile reversing lever design for quick, one hand operation.
- Contoured, ergonomically-designed handle for comfort. Knurled bands allow for increased grip and Slip resistance.
- Double nicked chrome plated for enhanced corrosion protection.
- Field repairable.
- Black oxide finish.



Product ID No.	Overall Length	Weight lbs.	Repair Kit	ASME Spec.
<b>J5249XLBL</b>	8.5"	0.87 lbs.	<b>J5249XLRK</b>	ASME B107.10M

## 3/8" DRIVE STANDARD LENGTH CLASSIC PEAR HEAD RATCHET - BLACK

- Black oxide finish.
- Robust 24 tooth design with 15° arc swing.
- Alloy steel drive gear for strength and durability.
- Low profile head for access in constricted areas.
- Reversing lever design for quick, one handed operation.
- Knurled slip-resistant grip.
- Field repairable.



Product ID No.	Overall Length	Weight lbs.	Repair Kit	ASME Spec.
<b>J5249BL</b>	7"	0.62 lbs.	<b>J5249RK</b>	ASME B107.10M

