



TRAC 12

Linear Lighting

XENON LAMPHOLDER & HALOGEN FLOOD

TL201, TL202, TL211 and TL103

Project: _____

Fixture Type: _____

Location: _____

Contact/Phone: _____


PRODUCT DESCRIPTION

A miniature low voltage linear lighting system for undercabinet and cove applications.

Transformer Refer to specification sheet D3.1.2 and D3.1.3.

Trac Refer to specification sheet D3.1.0.


Labels UL listed, CSA certified • Union made, AFL-CIO.



Low Voltage T3 1/4 Xenon Single Lampholder

Socket Integral wedge base with polished aluminum reflector.


Catalog Number	Finish	Lamp
TL201WH	White	One T3 ¹ / ₄ wedge base 3W, 5W, 10W xenon lamp, 12V or 24V.
TL201BL	Black	One T3 ¹ / ₄ wedge base 3W, 5W, 10W xenon lamp, 12V or 24V.



Low Voltage T3 1/4 Xenon Dual Lampholder

Socket Integral wedge base with polished aluminum reflector.

Catalog Number	Finish	Lamp
TL202WH	White	Two T3 ¹ / ₄ wedge base 10W xenon lamp, 12V or 24V.
TL202BL	Black	Two T3 ¹ / ₄ wedge base 10W xenon lamp, 12V or 24V.




XENON LAMPS T3¹/₄ WEDGE BASE

Catalog Number	Wattage/Volts	Finish	Initial Lumens	Life (Hours)
TL900	3W/12V	Clear	15	20,000
TL901	5W/12V	Clear	30	15,000
TL903	10W/12V	Clear	71	20,000
TL905-24V	5W/24V	Frosted	27	10,000
TL910-24V	10W/24V	Frosted	85	10,000

Low Voltage Rigid Loop Lampholder

Socket Integral rigid loop with polished aluminum reflector.

Catalog Number	Finish	Lamp
TL211WH	White	One 5W-10W Xenon Rigid Loop Lamp, 12V or 24V.
TL211BL	Black	One 5W-10W Xenon Rigid Loop Lamp, 12V or 24V.



XENON LAMPS RIGID LOOP

Catalog Number	Wattage/Volts	Finish	Initial Lumens	Life (Hours)
TL950CL	12V-5W Rigid Loop Lamp	Clear	45	20,000
TL950FR	12V-5W Rigid Loop Lamp	Frost	45	20,000
TL951CL	12V-10W Rigid Loop Lamp	Clear	100	20,000
TL951FR	12V-10W Rigid Loop Lamp	Frost	100	20,000
TL952CL-24V	24V-5W Rigid Loop Lamp	Clear	40	20,000
TL952FR-24V	24V-5W Rigid Loop Lamp	Frost	40	20,000
TL953CL-24V	24V-10W Rigid Loop Lamp	Clear	90	20,000
TL953FR-24V	24V-10W Rigid Loop Lamp	Frost	90	20,000

TRAC 12

Linear Lighting


XENON LAMPHOLDER & HALOGEN FLOOD

TL201, TL202, TL211 and TL103

Low Voltage T3 Halogen Bi-Pin Flood

Lens Slide-on frosted lens enables lamp replacement without tools.

Catalog Number	Finish	Lamp
TL103WH	White	One T3 halogen bi-pin capsule 10W or 20W lamp, 12V or 24V
TL103BL	Black	One T3 halogen bi-pin capsule 10W or 20W lamp, 12V or 24V



HALOGEN LAMPS

Description Clear 12 volt or 24 volt T3 bi-pin halogen lamps.

Catalog Number	Wattage/Volts	Initial Lumens	Life (Hours)
TL922	10W/12V	130	2,000
TL923	20W/12V	350	2,000
TL924-24V	20W/24V	288	1,000



JUNO LIGHTING GROUP

1300 S. Wolf Road • P.O. Box 5065 • Des Plaines, IL 60017-5065 • Phone (847) 827-9880 • Fax (847) 827-2925
 220 Chrysler Drive • Brampton, Ontario • Canada L6S 6B6 • Phone (905) 792-7335 • Fax (905) 792-0064
 Visit us at www.junolightinggroup.com

Printed in U.S.A. ©2005 Juno Lighting, Inc.


Linear Lighting Lampholders

Xenon Rigid Loop & Halogen Flood



Xenon Rigid Loop

The rigid loop lamp fixtures carry all of the advantages of the wedge base lamps, but offer a more perfectly symmetrical light distribution and slightly higher output that is more optimized for cove lighting applications.

Dimensions	Catalog #	Finish	Lamp
	TL211WH TL211BL	White Black	12V or 24V 5W-10W xenon T3-1/4 rigid loop lamp



T3-1/4 Xenon Rigid Loop Lamps

Catalog #	Watts	Volts	Clear/Frosted	Lumens
TL950CL	5	12	Clear	45
TL950FR	5	12	Frosted	45
TL951CL	10	12	Clear	100
TL951FR	10	12	Frosted	100
TL952CL-24V	5	24	Clear	40
TL952FR-24V	5	24	Frosted	40
TL953CL-24V	10	24	Clear	90
TL953FR-24V	10	24	Frosted	90

Halogen Flood

The unique aiming-adjustable low-profile halogen flood produces high light-levels and widespread illumination from a miniature luminaire. It is ideal for task and accent lighting in a variety of confined space situations. A slide-in frosted glass safety lens is provided. The halogen lamp is rated at 2000-hours and is available in either 12-volt or 24-volt versions.

Dimensions	Catalog #	Finish	Lamp
	TL103WH TL103BL	White Black	12V or 24V 10W-20W T3 halogen bi-pin



T3 Halogen Bi-Pin Lamps

Catalog #	Watts	Volts	Clear/Frosted	Lumens
TL922	10	12	Clear	134
TL923	20	12	Clear	307
TL924-24V	20	24	Clear	288

Trac 12[®]

