

Bell-System Pliers Selection Chart

Bell-System Designation	Cat. No.	Bell-System Designation	Cat. No.	Bell-System Designation	Cat. No.
Type B Long-Nose	D301-6	Diagonal B V-Notch	D528V	C Pressing	D234-6
List 1 Long-Nose	71980	Diagonal D-6	72192	C Pressing	VDV026-049
Type B Short-Nose	D2291	8" B Sidecut	D213-8NE		
Diagonal B-5	D245-5	9" B Sidecut	D213-9NE		

Diagonal Bell-System Pliers - "W" & "V" Notches

- "W" notches to cleanly slit insulation
- "V" notch at the hinge for quick insulation crushing
- Tapered nose for easy working in confined areas and close tip cutting



D528V

Cat. No.	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Cutting Knives	Handle Finish	Handle Color	Weight
D528V	5-13/16" (147.6 mm)	13/16" (20.6 mm)	9/16" (14.3 mm)	3/8" (9.5 mm)	Standard	Plastic-Dipped	Red	3.2 oz. (91 g)

Diagonal Telephone Work Pliers - Type D-6 - "V" Notches

- Tapered nose for easy working in confined areas and close tip cutting
- Convenient 0.030" and 0.045" stripping holes
- "V" stripping notch in jaw for quick insulation slitting
- Serrated behind the hinge to crush insulation



72192


Cat. No.	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Cutting Knives	Handle Finish	Handle Color	Weight
72192	6-1/8" (155.6 mm)	13/16" (20.6 mm)	3/4" (19.1 mm)	7/16" (11.1 mm)	Standard	Plastic-Dipped	Red	5.3 oz. (150 g)

Connector Crimping Pliers

- Crimps UR/UY/UG insulation displacement connectors (IDC) - Scotchlok® type connectors
- Curved handles for greater control
- Induction-hardened side-cutting knives for long life



D234-6



UR IDC

UG IDC

UY IDC

Cat. No.	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Knife Length	Handle Finish	Handle Color	Weight
D234-6	5-13/16" (147.6 mm)	1-3/32" (27.8 mm)	11/16" (17.5 mm)	3/8" (9.5 mm)	1/2" (12.7 mm)	Plastic Dipped	Yellow	4.0 oz. (113 g)
D234-6C	5-13/16" (147.6 mm)	1-3/32" (27.8 mm)	11/16" (17.5 mm)	3/8" (9.5 mm)	1/2" (12.7 mm)	Plastic Dipped	Yellow	4.0 oz. (113 g)

*Spring-loaded action for self-opening. Scotchlok® is a registered trademark of 3M.