



LA-CO INDUSTRIES, INC.

LA-CO Industries, Inc. is a family owned global manufacturing company specializing in the manufacturing of industrial hand-held markers, temperature indicators, plumbing chemicals, and livestock identification products. Since 1934, we have taken pride in the design and manufacturing of high quality, performance-based products for our customers' unique applications.

LA-CO Industries continuously invests in research and development to meet the requirements of a constantly changing and advancing marketplace. Through careful product evaluation and analysis, our chemists create proprietary formulas, which are designed to meet the needs of our customers.

Our experienced customer service representatives are the heart of LA-CO Industries. Interacting with customers every day, our team expertly provides quote, receives orders, prepares documents, assists in product selection and answers customers inquiries. Our manufacturing plants and warehouses in the United States and France allow our logistic specialists to efficiently serve customers' across the globe.

Our marketing department is committed to supporting our partners around the world. Lending our graphic design and creative expertise, we work with distributors to create unique promotions, sampling tools and cross-selling opportunities that are valuable to everyone, but most importantly the end-user.

Our Mission

"We actively listen to our customers, providing them with quality, high-performance products around the world. We are ethically and environmentally responsible and support the growth and well-being of our employees."



For almost 80 years, Markal has been proudly manufacturing and supplying the industry's largest line of industrial grade markers. Products listed with these symbols are made either in the USA or in Europe with the highest attention to quality and dependability.



Products designated with this symbol are part of our Green Solutions for Sustainability product selection. These products meet many or all specifications for reducing health and safety concerns, produced using sustainable and/or recycled materials, are low in VOC levels, and are RoHS compliant.



A Volatile Organic Compound (VOC) is a type of potentially harmful gas emitted by certain solids or liquids, hurting indoor air quality. Products with this symbol emit less amounts of harmful VOC's than other industrial paint markers.



Ideal for stainless steel and alloy metals, our Low Corrosion markers have low levels of chlorides, halogens, and sulfur to protect against unwanted degradation, pitting, or general weakening of materials. For more information see our Low Corrosion Marker Guide.

BALL PAINT MARKERS

14

BALL PAINT MARKERS

BRIGHT, PRECISE AND PERMANENT

For over 40 years, Markal has manufactured in its French location the best quality tube marker. With its steel ball tip pressed on a heavy-duty aluminum squeeze tube, and its thick and bright paint, these markers are suitable for most industrial applications. They will be your preferred marker where a bright and precise marking has to be done on a rough, wet or oily surface with a long lasting, UV and water-resistant paint.

	STYLMARK®	ECRIMETAL	ST.2100/ST.2100PMUC	HT.1000	BALL PAINT MARKER®
PERMANENT					
Metals					
Clean, Dry	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Rough	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Rusty	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Oily	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Wet	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Low Corrosion	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Nuclear & Military Specifications	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Annealing, Heat Treat	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Plastics					
Clean, Dry	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Rough	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Oily	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Wet	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Rubber					
Clean, Dry	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Rough	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Oily	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Wet	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Glass, Ceramic					
Clean, Dry	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Rough	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Wet	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Brick, Stone					
Clean, Dry	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Rough	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Polished & Wet (ex : Marble)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Textiles					
Roll before printing	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>

Preferred Selection Secondary Selection

HT. 1000



Markal® HT.1000 is a metal-ball tip marker that is ideal for annealing and heat-treating operations. Marks at ambient temperature and the high-performance paint withstands temperatures up to 1000°C. The aluminum squeeze tube and thick paint makes it suitable for rough, vertical and overhead surfaces with excellent adhesion on oily and wet surfaces.

Features & Benefits

- High temperature paint is ideal for welds, ingots, castings, forgings, and other annealed parts
- Paint withstands temperatures up to 1000°C
- Permanent paint marks will not rub off, allowing for long-lasting identification
- Durable steel ball tip marks with indelible paint on rough or smooth surfaces
- Offered in 2 sizes: 3 mm and 6mm for varied mark thickness
- High-performance paint designed not to drip on vertical or overhead surfaces
- Marking range -20°C to 70°C (-4°F to 158°F)

Industry Uses

Forge and casting foundries
Steel mills and warehouses
Welding
Heat-treating industry
Industrial manufacturing

Surface Uses

Steel and iron
Aluminum
Rusty metal
Plates
Alloy and superalloy metals
Non-ferrous metals



Details



Mark Size 3mm (1/8")

- 10330131 ● White
- 10330231 ● Yellow

Mark Size 6mm

- 10360131 ● White
- 10360231 ● Yellow



BALL PAINT MARKER®



Markal® BALL PAINT MARKER® is a liquid paint marker using a durable metal-ball tip for writing on hard surfaces. Ideal for identifying fabricated steel and other rough surfaces that are stored in harsh environments, the squeeze bottle meters paint in a thick or thin line for long-lasting marks.

Features & Benefits

- Durable metal-ball tip resists wear and clogging for long-marking life on rough surfaces
- Non-drip paint formula allows for easy jobsite marking
- Industrial paint withstands harsh environments and weather conditions
- Plastic cap keeps tip clean between jobs
- Marking range -46°C to 66°C (-50°F to 150°F)

Industry Uses

Steel mills and warehouses
Forge and casting foundries
Ship building and repair
Metal fabrication
Construction
Metal production
Aviation and aerospace

Surface Uses

Steel and iron
Pipes and tubes
Concrete, stone
Asphalt

Details



Mark Size 3mm (1/8")

- 84620 ● White*
- 84621 ● Yellow*
- 84622 ● Red*
- 84623 ● Black*
- 84624 ● Orange
- 84625 ● Blue
- 84626 ● Green

* Indicates that this marker color is low in chlorides, halogens, and sulfurs for low corrosion marking requirements.

