

Revision Date: July 19, 2011 Supersedes: July 18, 2008

Section 1 • Product and Company Identification

Product Name: LPS® Precision Clean (Concentrate)

Part Number(s): 02701, 02705, 02755, C02701, C02705, C02755

Chemical Name: Alkaline, aqueous solution

Product Use: An Industrial cleaner designed to remove grime, oils and light grease from metal, concrete and other durable

surfaces.

Manufacturer Information: LPS Laboratories, 4647 Hugh Howell Road, Tucker, GA, USA 30084

TEL: USA & Canada: 1 800 241-8334

Outside USA and Canada: +1 770 243-8800

FAX: USA & Canada: 1 800 543-1563

Outside USA and Canada: +1 770 243-8899

Emergency Telephone Number: Chemtrec: USA & Canada: 1 800 424-9300

Outside USA and Canada: +1 703 527-3887

Website: http://www.lpslabs.com

Section 2 • Hazards Identification

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Emergency Overview: Aerosol: Not applicable

Bulk: DANGER: Corrosive. May cause eye damage.

Primary route(s) of entry: Skin and eye contact.

Potential Acute Health Effects:

Eyes: Irritating to eyes. Corrosive. May cause eye burns.

Skin: Repeated exposure may cause skin dryness or cracking.

Inhalation: Inhalation of large quantities of spray mist may cause irritation of the respiratory tract.

Ingestion: Product has a low order of acute oral toxicity, but ingestion of large quantities may cause nausea, vomiting, and gastrointestinal

irritation.

Potential Chronic Health Effects:

Carcinogenic Effects: NTP: No IARC: No OSHA: No ACGIH: No

Mutagenic Effects: None

Teratogenic Effects: None

Target Organs: None



Revision Date: July 19, 2011 Supersedes: July 18, 2008

Medical conditions aggravated by exposure:

Persons with pre-existing skin disorders and/or chronic respiratory diseases should avoid exposure.

Signs and Symptoms

Stinging in eyes. Repeated or prolonged skin contact can cause redness, irritation, and scaling of the skin (dermatitis). Breathing of high mist concentrations may cause irritation of throat and eyes.

Component	CASRN	Weight Percent
(2-Methoxymethylethoxy) Propanol	34590-94-8	3 - 7%
C10 - C16 Ethoxylated Alcohols	68002-97-1	3 - 7%
Disodium Metasilicate	6834-92-0	3 - 7%
Tetrasodium pyrophosphate	7320-34-5	1 - 5%

Any remaining ingredients are not classified as "hazardous" per 29 CFR 1910.1200 Subpart Z.

Section 4 • First Aid Measures

Eyes: Check for and remove contact lenses. Immediately, flush eyes with cool, clean, low-pressure water for at least 15 minutes. Hold eyelids apart to ensure complete irrigation of the eye and eyelid tissue. DO NOT use eye ointment. Seek medical attention immediately.

Skin: Remove contaminated shoes and clothing. Clean affected area thoroughly with mild soap and water. DO NOT use ointments. Seek

medical attention if irritation persists or if chemical burns are present.

Inhalation: Immediately move victim to fresh air. If victim is not breathing, immediately begin rescue breathing. If heart has stopped, immediately begin

cardiopulmonary resuscitation (CPR). If breathing is difficult, seek medical attention immediately.

Ingestion: DO NOT induce vomiting unless directed to do so by medical personnel. If conscious, give 2 to 3 glasses of water. Never give anything by

mouth to an unconscious person. If spontaneous vomiting is about to occur, place victim's head below knees. If victim is drowsy or

unconscious, place on the left side with head down. DO NOT leave victim unattended. Seek medical attention immediately.



Revision Date: July 19, 2011 Supersedes: July 18, 2008

Section 5 • Fire Fighting Measures

Products of Combustion: Carbon monoxide and carbon dioxide.

General Fire Hazards: High heat will cause product to boil, evolving vapor that could cause explosive rupture of closed containers.

Firefighting media: SMALL FIRE: Use DRY chemical powder.

LARGE FIRE: Use CO2, water spray, fog or foam. Cool containing vessels with water jet in order to prevent

pressure build-up, auto-ignition or explosions.

Sensitivity to Impact: None Sensitivity to Static Discharge: None

Protection Clothing (Fire): None

Special Remarks on Explosion Hazards:

None

Procedures:

Section 6 • Accidental Release Measures

Containment Small Spill and Leak: Absorb with an inert material and dispose of properly.

Large Spill and Leak:

Ventilate area. Block the path of any flowing material using soil, gravel, or other readily

available material. Absorb with dry earth, sand or other non-combustible material and

dispose of properly.

Clean-Up Procedures: Recover free product and place in a suitable container for disposal.

Evacuation Procedures: Ventilate area of leak or spill. Keep unnecessary and unprotected people away.

Special Procedures: Wear appropriate protective equipment during cleanup.

Section 7 • Handling and Storage

Handling: After handling, always wash hands thoroughly with soap and water. Use only with adequate ventilation. Avoid breathing vapors or spray

mists. Avoid skin and eye contact.

Storage: Keep container in a cool, well-ventilated area. Store between 40°F and 120°F (4.4°C and 49°C).

Precautions to be taken in handling and storage:

Store all materials in a dry, well-ventilated area. Avoid breathing vapors. Avoid skin and eye contact.



Revision Date: July 19, 2011 Supersedes: July 18, 2008

Section 8 • Exposure Controls / Personal Protection

Exposure Guidelines:

Component	CASRN	OSHA	ACGIH	NIOSH	Supplier
(2-Methoxymethylethoxy) Propanol	34590-94-8	100 ppm PEL	100 ppm TLV	100 ppm TWA	
			150 ppm STEL	150 ppm STEL	
C10 - C16 Ethoxylated Alcohols	68002-97-1	Not established	Not established	Not established	
Disodium Metasilicate	6834-92-0	Not established	Not established	Not established	
Tetrasodium pyrophosphate	7320-34-5	Not established	Not established	Not established	

Engineering Controls: Provide general and/or local exhaust ventilation to keep exposures below the exposure guidelines listed above.

Personal protective equipment

Eye protection: Safety glasses with side shields conforming to appropriate regulations. Eye wash fountain and emergency shower facilities are

recommended.

Hand protection: Use chemically resistant protective gloves. Please observe the instructions regarding permeability and breakthrough time that

are provided by the supplier of the gloves. Take into consideration the specific local conditions under which the product is used,

such as the danger of the cuts, abrasion and the contact time.

Respiratory protection: If airborne concentrations are above the applicable exposure limits (listed above), use NIOSH approved respiratory protection

(i.e. organic vapor cartridge).

General Hygiene Considerations:

Wash thoroughly after handling. Have eye-wash facilities immediately available.



Revision Date: July 19, 2011 Supersedes: July 18, 2008

Section 9 • Physical and Chemical Properties

Appearance: Liquid Color: Turquoise

Odor: Citrus Evaporation Rate: 1 (H2O = 1)

Solubility Description: 100% in water Flash Point: None

Boiling Point: 100°C (212°F) Flash Point Method: Tag-Closed Cup

Specific Gravity (H2O=1): 1.05 - 1.09 @ 20°C Decomposition Temperature: Not established

Vapor Density (air = 1): > 1 Auto ignition temperature: Not established

Vapor Pressure: ~ 24 mm Hg @ 20°C Flammable limits (estimated): LOWER: N.E.

UPPER: N.E.

Rule 1171 PPc: Not applicable Partition Coefficient > 1

(octanol/water):

V.O.C. Content: Aerosol: Not applicable Odor Threshold: Not established

Bulk: 6.1%, 63 g/L, 0.53 lb/gal

Melting Point: Not established Viscosity: < 3 cSt @ 25°C

pH: 13 Volatiles: Not established

Heat of combustion: Aerosol: Not applicable

Bulk: Not established

Section 10 • Stability and Reactivity

Chemical Stability: Product is stable under recommended storage conditions.

Conditions to Avoid: Avoid extreme heating or freezing and substances that react with water.

Incompatibility: Reactive or incompatible with oxidizing agents.

Hazardous Decomposition: Combustion will generate smoke, possibly thick and choking, resulting in zero visibility and combustion products

include carbon monoxide and carbon dioxide.

Hazardous Polymerization: Will not occur.



Revision Date: July 19, 2011 Supersedes: July 18, 2008

Section 11 • Toxicological Information

Acute and Chronic Toxicity

A: General Product Information

An acute toxicity study of this product has not been conducted. Information given in this section relates only to individual constituents contained in this preparation.

B: Component Analysis

Component	CASRN	LC-50	LD-50
(2-Methoxymethylethoxy) Propanol	34590-94-8	Not established	5135 mg/kg / oral / rat 10 mL/kg / dermal / rabbit
C10 - C16 Ethoxylated Alcohols	68002-97-1	0.22 - 8 mg/L / rat	> 1000 mg/kg / oral / rat* 3870 - 8000 mg/kg / dermal / rabbit*
Disodium Metasilicate	6834-92-0	Not established	1153 mg/kg / oral / rat
Tetrasodium pyrophosphate	7320-34-5	Not established	Not established

Supplier Data

Section 12 • Ecological Information

Mobility: May absorb to sediments. Persistence / Degradability: Biodegradable

Bioaccumulative potential: No bioaccumulation potential Other adverse effects: Not established

Ecological studies have not been conducted for this product. The following information is available for component(s) of this product.

Ecotoxicity

Effects on Organisms	Component	CASRN	Test	Species	Results	
	(2-Methoxymethylethoxy) Propanol	34590-94-8	96-hr EC50	Pimephales Promelas	> 10000 mg/L	
Acute Toxicity on Fishes	C10 - C16 Ethoxylated Alcohols	68002-97-1	96-hr LC50	Poecilia Reticulata	6.5 mg/L	
	Disodium Metasilicate	6834-92-0	96-hr EC50	Brachydanio Rerio	3,185 mg of 35% solution per liter	
Acute Toxicity on Daphnia	(2-Methoxymethylethoxy) Propanol	34590-94-8	48-hr EC50	Daphnia Magna	1,919 mg/L	
	C10 - C16 Ethoxylated Alcohols	68002-97-1	48-hr EC50	Daphnia Magna	2.32 mg/L	
	Disodium Metasilicate	6834-92-0	96-hr EC50	Daphnia Magna	4,857 mg of 35% solution per liter	
Bacterial Inhibition	No data available					
Growth inhibition of algae	C10 - C16 Ethoxylated Alcohols	68002-97-1	72-hr EbC50	Scenedesmus Subspicatus	2.7 mg/L	
Bioaccumulation in fish	No data available					

^{*} Supplier Data



Revision Date: July 19, 2011 Supersedes: July 18, 2008

Section 13 • Disposal Considerations

Waste Status: If disposed of in its received form, this item carries the waste code D002 (US).

Disposal: Waste must be disposed of in accordance with any and all applicable environmental control rules and/or regulations.

Note: Chemical additions to, processing of, or otherwise altering this material may make this waste management information inaccurate,

incomplete, or otherwise inappropriate. Furthermore, state and local waste disposal requirements may be more restrictive than federal laws

and regulations.

Section 14 • Transport Information

This product is not regulated by any mode of transportation.

The preceding information is subject to change and must be verified prior to shipment. It is the responsibility of anyone offering hazardous materials for shipment to ensure compliance with all applicable regulations.

Section 15 • Regulatory Information

U.S. Federal Regulations

RCRA Hazardous Waste No.: D002

Comprehensive Environmental Response, Compensation and Liability Act of 1980 (CERCLA):

None

Toxic Substances Control Act (TSCA):

All components of this product are TSCA inventory listed and/or are exempt.

Superfund Amendments and Reauthorization Act (SARA) Title III SARA Section 311/312 (40 CFR 370) Hazard Categories:

Immediate (Acute) Health Hazard.

This product contains the following toxic chemical(s) subject to reporting requirements of SARA Section 313 (40 CFR 372):

No individual section 313 component is present at or above 1%.

Section 112 Hazardous Air Pollutants (HAPs): None

State Regulations

California: This product does not contain chemical(s) known to the State of California to cause cancer, birth defects or other

reproductive harm.

California and OTC States: This product in its concentrated form does not conform to consumer product regulations.

New Jersey Right to Know:

0 • Tetrapotassium Pyrophosphate 7320-34-5



Revision Date: July 19, 2011 Supersedes: July 18, 2008


International Regulations

Canadian Environmental Protection Act (CEPA):

All of the components of this product are included on the Canadian Domestic Substances list (DSL).

Canadian Workplace Hazardous Materials Information System WHMIS:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.



Other Regulations:

Montreal Protocol listed ingredients:

Stockholm Convention listed ingredients:

None
Rotterdam Convention listed engredients:

None
RoHS Compliant:

Yes

Section 16 • Other Information

MSDS#:	12701			HMIS III		NFPA Flammability		
MSDS Preparation Responsible Name:		Health:	1	Health:	[/] 1		0	
Ed Williams		Flammability:	0	Flammability Concentrate:	0	Health	1 0	Reactivity
R & D Manager		Fiaminability.	U	Flammability Ready-to-use:	0			•
Telephone: +1 770 243-8800		Popotivity:	0	Physical Hazard Concentrate:	0		•	
		Reactivity:	U	Physical Hazard Ready-to-Use:	0		Special	

Notice to Reader:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Ed Williams, Manager of Research and Development LPS Laboratories, a division of Illinois Tool Works