

# METABO ABRASIVES

Constant improvements to a tradition of high quality and outstanding performance means Metabo Abrasives offer the highest value.

Professional quality in a wide variety of sizes, types, abrasive materials and bonds means Metabo abrasives are job matched.

Aluminum Oxide (A) for general purpose processing of metals

Zirconia Alumina (ZA) for harder metals and longest life

Silicon Carbide (C) for non-ferrous metals, stone, concrete

The abrasive grain size determines the aggressiveness and finish.

Lower numbers (16-24) offer aggressive metal removal.

Higher numbers (30-60) offer cooler grinding and finer finishes.

The hardness of the bond determines the useful life of the abrasive grain; from A (softest) to Z (hardest)

Safety; Metabo abrasives are manufactured to meet or exceed international and national standards for safety. Fiberglass reinforced, resinoid bonding systems for maximum permissible working speeds.



# metabo®

*The Original Slicer Wheel Company.*

## CHOICE CUTS™ *Thin cut-off wheels*

### Original Slicer: *Fast and Flexible!*

General purpose aluminum oxide wheel for steel and stainless steel rod / rebar. Extremely fast, burr free, cool-cutting. Flexibility for flush cutting.



.045 Thick, A60TZ

**GENERAL PURPOSE**  
Smaller Diameter Rods/  
Rebar, Angle Iron

**GENERAL PURPOSE**  
Pipe, Tube, Thin  
Sheet Metals

**HEAVY-DUTY**  
Thicker Sectional Cuts,  
Large Diameter Metals,  
Stainless Steels,  
Heavy Wall Tube

**EXTREME PERFORMANCE**  
Stainless Steels, High  
Tensile Alloys, Inconels,  
Chromes, Hastalloys

### Long Life Original Slicer: *Longer Life/Tough!*

Engineered aluminum oxide wheel for longer life cutting pipe, thin wall steel and stainless steel tubing, sheet metal as well as bar stock. Excellent service life.



.045 Thick, A60XL

**GENERAL PURPOSE**  
Smaller Diameter Rods/  
Rebar, Angle Iron

**GENERAL PURPOSE**  
Pipe, Tube, Thin  
Sheet Metals

**HEAVY-DUTY**  
Thicker Sectional Cuts,  
Large Diameter Metals,  
Stainless Steels,  
Heavy Wall Tube

**EXTREME PERFORMANCE**  
Stainless Steels, High  
Tensile Alloys, Inconels,  
Chromes, Hastalloys

### Slicer-Plus: *Aggressive, Cool-Cutting!*

Specially engineered with coated aluminum oxide, proprietary bond for toughest applications, thicker sectional cuts in steels, stainless steels, heavy rebar, harder metals, heavy wall pipe and angle iron. Best choice for cutting non-ferrous metals.



.045 Thick, A60TX

**GENERAL PURPOSE**  
Smaller Diameter Rods/  
Rebar, Angle Iron

**GENERAL PURPOSE**  
Pipe, Tube, Thin  
Sheet Metals

**HEAVY-DUTY**  
Thicker Sectional Cuts,  
Large Diameter Metals,  
Stainless Steels,  
Heavy Wall Tube

**EXTREME PERFORMANCE**  
Stainless Steels, High  
Tensile Alloys, Inconels,  
Chromes, Hastalloys

### Super-Slicer: *Extreme Performance! Ideal for Stainless Steel!*

Blended high performance abrasive grains and bonds free of Chlorine, Sulfur and Iron specifically designed for hardened metals, stainless steels, high tensile alloys, hastalloys, inconel, titanium.



.045 Thick, A60XP

**GENERAL PURPOSE**  
Smaller Diameter Rods/  
Rebar, Angle Iron

**GENERAL PURPOSE**  
Pipe, Tube, Thin  
Sheet Metals

**HEAVY-DUTY**  
Thicker Sectional Cuts,  
Large Diameter Metals,  
Stainless Steels,  
Heavy Wall Tube

**EXTREME PERFORMANCE**  
Stainless Steels, High  
Tensile Alloys, Inconels,  
Chromes, Hastalloys

■ Indicates the wheel to choose for best overall cost-efficiency



# Four different slicer wheels save you **TIME AND MONEY!**

Available in a wide range of sizes; 2" to 9" diameter and in Type 1 straight and Type 27 depressed center wheels.

TYPE 1				TYPE 27			
<b>Original Slicer - A60TZ</b> • Fastest Cut • Flexible • Steel/Stainless Steel							
Size	Order #	Pcs./Pkg.	Max. RPM	Size	Order #	Pcs./Pkg.	Max. RPM
4-1/2" x .040 x 7/8	655331000	100	15,000	4-1/2" x .045 x 7/8	655346000	50	13,300
5" x .040 x 7/8	655334000	50	12,225				
6" x .040 x 7/8	655339000	50	10,200	6" x .045 x 7/8	655347000	50	10,200
<b>Long Life Original Slicer - A60XL</b> • Long Life • Tough • Steel/Stainless Steel							
4-1/2" x .045 x 7/8	655332000	100	15,000	4-1/2" x 1/16 x 7/8	655349000	50	15,000
5" x .045 x 7/8	655335000	50	12,225				
6" x .045 x 7/8	655344000	50	10,200	6" x 1/16 x 7/8	655350000	50	10,200
<b>Slicer Plus - A60TX</b> • Long Life • Cool Cutting • Steel/Stainless Steel/Non-Ferrous Metals							
4" x .045 x 5/8	655996000	50	15,000				
4-1/2" x .045 x 7/8	655997000	50	15,000	4-1/2" x .045 x 7/8	655351000	50	15,000
5" x .045 x 7/8	655993000	50	12,225				
6" x .045 x 7/8	655998000	50	10,185	6" x .045 x 7/8	655352000	50	10,185
<b>Super Slicer - A60XP</b> • Contaminant Free • Extreme Performance • Stainless Steel/ Hardened Alloys • < .1% Iron, Sulfur and Chlorine							
4-1/2" x .045 x 7/8	655994000	50	15,000				
6" x .045 x 7/8	655995000	50	10,185				