



6536-21 13A Orbital Super SAWZALL®



FEATURES    

- 13 Amp Milwaukee Built Motor
- Orbital Cutting Action
- Variable Speed Trigger, 0-3000 SPM
- 1-1/4 in. Stroke
- QUIK-LOK™ Blade Clamp: Larger, heavy-duty, with new gripping ribs, provides fast and easy blade changes.
- Constant Power Technology™ – maintains constant speed under load for unmatched cutting performance
- 9-Position Orbit Selector*: Allows the user to set the degree of orbital versus straight reciprocating action.
- Counter Balanced*: For reduced vibration and smoother operation.
- Gear Protecting Clutch*: Unique gear clutch absorbs high impact forces caused by sudden blade lock-ups. Extends life of tool in extreme cutting applications.
- Heavy-Duty Double Bearing Wobble Plate Mechanism*: For extra long life.
- Reverse The Blade: For cutting with no starting hole
- Pivot Shoe*: For maximum support against work surface.

Includes: (1) 13 Amp Orbital Super Sawzall® Recip Saw (6536-21); (1) Carrying Case

SPECIFICATION

Length	18-3/4"
Weight	9.8 lbs
Voltage	120V AC
Tool Warranty	5 Years
Cord Type	8' Fixed
Clutch	Yes
Amps	13
Construction Type	Grounded
Adjustable Handle	No
Keyless Adjustable Shoe	Yes
Keyless Blade Clamp	Yes
Orbital Action	Yes
Stroke Length	1-1/4"
SPM	0-3,000

* Patented

6538-21 15A Super SAWZALL®



FEATURES     

- 15.0 Amp Milwaukee Motor – highest overload protection in the industry; prevents motor burn up / failure
- Constant Power Technology™ – maintains constant speed under load for unmatched cutting performance
- Gear Protecting Clutch* – extends gear and motor life by absorbing high impact forces caused by sudden blade lock-ups
- Counter Balanced Mechanism* – smoothest running, lowest vibrating reciprocating saw in the industry
- Variable Speed Trigger and Dial Speed Control – maximum speed control
- Quik-Lok™ Blade Clamp System – provides fast and easy blade changes
- Reverse The Blade: For cutting with no starting hole
- Heavy-Duty Double Bearing Wobble Plate Mechanism*: For extra long life.

Includes: (1) 15.0 Amp Super Sawzall® Recip Saw (6538-21); (1) Carrying Case

SPECIFICATIONS

Length	18-3/4"
Weight	9.8 lbs
Voltage	120V AC
Tool Warranty	5 Years
Amps	15
Adjustable Handle	No
Keyless Adjustable Shoe	Yes
Keyless Blade Clamp	Yes
Orbital Action	Yes
Stroke Length	1-1/4"
SPM	0-2,800

* Patented

SAWZALL® BLADE SELECTION GUIDE

- 1 Identify the material to be cut in the columns below
- 2 Follow the column down to find **BEST PERFORMANCE** or **ACCEPTABLE PERFORMANCE**
- 3 Follow the row to the left to identify the appropriate teeth per inch (TPI) or specialty blade

Note: Fewer TPI cut faster but rougher, while more TPI cut smoother but slower

WOOD CUTTING	4/6 TPI	FASTER/ ROUGHER	WOOD WITH NAILS				CLEAN WOOD		
	5 TPI		WOOD WITH NAILS				CLEAN WOOD	TIMBER & GREEN WOOD	
	6 TPI		WOOD WITH NAILS				CLEAN WOOD	TIMBER & GREEN WOOD	
GENERAL PURPOSE	8 TPI	↑	WOOD WITH NAILS	PVC & PLASTICS	ALUMINUM & OTHER NON-FERROUS METALS	80 THICK METAL (3/8" - 9/16")			
	8/12 TPI		WOOD WITH NAILS	PVC & PLASTICS	ALUMINUM & OTHER NON-FERROUS METALS	80 THICK METAL (3/8" - 9/16")			
METAL CUTTING	10 TPI	↓		PVC & PLASTICS	ALUMINUM & OTHER NON-FERROUS METALS	80 THICK METAL (3/8" - 9/16")	60 MEDIUM METAL (1/4" - 7/16")		
	14 TPI					80 THICK METAL (3/8" - 9/16")	60 MEDIUM METAL (1/4" - 7/16")	40 THIN METAL (1/8" - 5/16")	
	18 TPI						60 MEDIUM METAL (1/4" - 7/16")	40 THIN METAL (1/8" - 5/16")	40 SHEET METAL (1/16" - 3/16")
	24 TPI							40 THIN METAL (1/8" - 5/16")	40 SHEET METAL (1/16" - 3/16")
									40 THIN METAL (1/8" - 5/16")
SPECIALTY	PRUNING						CLEAN WOOD	TIMBER & GREEN WOOD	
	CLEAN WOOD						CLEAN WOOD	TIMBER & GREEN WOOD	
	PLASTER	PLASTER/ DRYWALL							
	CARBIDE GRIT	PLASTER/ DRYWALL	TILE	FIBERGLASS	BRICK				
	DIAMOND GRIT	PLASTER/ DRYWALL	TILE	FIBERGLASS	BRICK	CAST IRON			


- 4 Choose the Blade Length (Width of Material + 3" = Minimum Blade Length)

EXAMPLE

2x4

Schedule 40 PVC Pipe

Angle Iron



Width



Width



Width

- 5 Choose the Blade Profile



DEMO BLADES FOR TOUGH STRAIGHT CUTS:

MAXIMUM DURABILITY

- A thicker, more rigid blade body resists fracturing and bending.

STRAIGHTER CUTS

- The 1" tall blade body reduces blade twisting for straighter, more accurate cuts.



THIN KERF BLADES FOR FAST FLEXIBLE CUTS:

FASTER CUTS

- A thinner kerf and blade body allow for faster cutting through material.












FLEXIBLE CUTS

- The 3/4" tall blade body and thinner blade width allow for flexible cutting like flush or scroll cuts.

SAWZALL® BLADES



SPECIALTY SAWZALL® BLADES



Description	TPI	Length	Height	Width	1 Pack	3 Pack	5 Pack	50 Pack	Bulk (100)
 DUCTWORK	30	3.33"	0.75"	0.050"	—	—	48-00-1630	—	—
 DRYWALL ACCESS	—	2.5"	0.75"	0.062"	48-00-1640	—	—	—	—
 FLUSH CUT	5	12"	2-1/8"	0.062"	48-00-1600	—	—	—	—
 ROUGH-IN	5	7-3/8"	1/2"	0.062"	—	—	48-00-1610	—	—
 THE TORCH™ DIAMOND GRIT	GRIT	6"	1"	0.042"	48-00-1440	—	—	—	—
	GRIT	9"	1"	0.042"	48-00-1450	—	—	—	—
 CARBIDE GRIT	GRIT	6"	3/4"	0.032"	48-00-1421	48-00-1420	—	48-01-6420	—
	GRIT	9"	3/4"	0.032"	48-00-1431	48-00-1430	—	48-01-6430	—
 PRUNING	5	9"	3/4"	0.049"	48-00-1304	—	48-00-1301	—	—
	5	12"	3/4"	0.049"	48-00-1305	—	48-00-1303	—	—
	6	6"	3/4"	0.050"	—	—	48-00-5015	—	48-01-7015
 CLEAN WOOD	6	9"	3/4"	0.050"	—	—	48-00-5016	—	48-01-7016
	6	12"	3/4"	0.050"	—	—	48-00-5017	—	—
	6	5"	3/4"	0.050"	—	—	48-00-5052	—	—
 PLASTER	6	5"	3/4"	0.050"	—	—	48-00-5052	—	—
 METAL SCROLLING	10	3-5/8"	5/16"	0.035"	—	—	48-00-5161	—	—
	14	3-5/8"	5/16"	0.035"	—	—	48-00-5162	—	—
	18	3-5/8"	5/16"	0.035"	—	—	48-00-5163	—	—
 WOOD SCROLLING	4/6	6"	1/2"	0.050"	—	—	48-00-5041	—	—

DIAMOND GRIT THE TORCH™
48-00-1440 and 48-00-1450




IDEAL FOR CAST IRON

SCRAPER BLADES
49-00-5455, 49-00-5456 and 49-00-5463

IDEAL FOR MATERIAL REMOVAL

SAWZALL® / HACKZALL™ UTILITY BLADES

	Description	1 Pack		Description	1 Pack		Description	1 Pack	Bulk (5)		Description	1 Pack	Bulk (5)
	GROUT REMOVAL TOOL	49-00-5450		5" SCRAPER BLADE	49-00-5455		3" SCRAPER BLADE	49-00-5456	49-01-5456		1-1/2" SCRAPER BLADE	49-00-5463	49-01-5463

SAWZALL® BLADE SETS



Product No.	49-22-5403	49-22-0240	49-22-1145	49-22-0220
Description	3 PC MATERIAL REMOVAL SET	8 PC THIN KERF SAWZALL® BLADE SET	9 PC THIN KERF SAWZALL® BLADE SET	10 PC M12™ HACKZALL™ BLADE SET
Contents	(1) 1-1/2" scraper blade (1) 3" scraper blade (1) grout removal tool	(2) 6" 5TPI Thin Kerf wood blades (2) 9" 5TPI Thin Kerf wood blades (2) 6" 14TPI Thin Kerf Ice Hardened™ metal blades (2) 6" 18TPI Thin Kerf Ice Hardened™ metal blades	(3) 6" 24TPI Thin Kerf metal blades (3) 6" 14TPI Thin Kerf metal blades (2) 6" 5TPI Thin Kerf wood blades (1) 9" 5TPI Thin Kerf wood blade	(2) wood blades (3) EMT blades (2) duct blades (3) PVC blades