

#### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

**Coated Abrasive** Product Name:

MSDS Manufacturer Number: CA\_All

Manufacturer Name: Saint-Gobain Abrasives, Inc. 1 New Bond Street Address:

Worcester, MA 01615 General Phone Number:

508-795-5000

Emergency Phone Number: 508-795-5000 Website:

www.Nortonabrasives.com

MSDS Creation Date: August 15, 2009

MSDS Revision Date: July 01, 2013



| HMIS                   |   |  |  |  |
|------------------------|---|--|--|--|
| Health Hazard          | 1 |  |  |  |
| Fire Hazard            | 0 |  |  |  |
| Reactivity             | 0 |  |  |  |
| Personal<br>Protection | х |  |  |  |
|                        |   |  |  |  |

#### SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name               | CAS#                | Ingredient Percent | EC Num.   |
|-----------------------------|---------------------|--------------------|-----------|
| Calcium carbonate           | 1317-65-3           | 1 - 5 by weight    | 215-279-6 |
| Amorphous Silica, Fumed     | 112945-52-5         | 5 - 10 by weight   |           |
| Epoxy resin                 | 25068-38-6          | 10 - 30 by weight  |           |
| Backing (Cotton/Poly)       | ACTIOCAS_PolyCotton | 10 - 30 by weight  |           |
| Aluminum Oxide, Non-fibrous | 1344-28-1           | 5 - 10 by weight   | 215-691-6 |

## SECTION 3: HAZARDS IDENTIFICATION

Potential Health Effects:

Eye: Dust may cause slight irritation.

Skin: Dust from this product may cause temporary mechanical irritation.

Inhalation: Dusts from this product may cause mechanical irritation of the nose, throat and respiratory tract. Ingestion:

Ingestion of this product is unlikely. However, ingestion of product may produce gastrointestinal irritation and disturbances.

Chronic Health Effects: Chronic health effects are not expected as long as good hygiene and proper safety precautions are

## SECTION 4: FIRST AID MEASURES

Eye Contact: Immediately flush eyes with plenty of water for at least 15 to 20 minutes. Ensure adequate flushing of

the eyes by separating the eyelids with fingers. Get medical attention, if irritation or symptoms of overexposure persists.

Immediately wash skin with soap and plenty of water. Get medical attention if irritation develops or persists. Skin Contact:

Inhalation: If dust from cutting or drilling is inhaled, remove the affected person to fresh air. If symptoms persist,

get medical attention.

Accidental ingestion of this material is unlikely. If this does occur, watch person for several days to make sure intestinal blockage does not occur. If symptoms persist, call a physician. Ingestion:

Note to Physicians: No information available.

## SECTION 5: FIRE FIGHTING MEASURES

Flammable Properties: Non Flammable. Flash Point: Does not apply.

> Coated Abrasive Revision: 07/01/2013

UPC Number: 08834137470 CA\_AI

Auto Ignition Temperature: Not determined. Lower Flammable/Explosive Limit: Not available. Upper Flammable/Explosive Limit: Not available.

Extinguishing Media: Use any extinguishing media appropriate for the surrounding fires.

Unsuitable Media: None.

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or Protective Equipment:

equivalent) and full protective gear.

NFPA Ratings:

NFPA Health: NFPA Flammability: 0 NFPA Reactivity:

NFPA Other:

## SECTION 6: ACCIDENTAL RELEASE MEASURES

Methods for containment: Containment of this material should not be necessary.

Methods for cleanup: Shovel or sweep up for re-use or disposal. Avoid creating dusty conditions.

Evaluate residue to determine if it is a hazardous waste by characteristic. Dispose of in accordance with Local, State, Federal and Provincial regulations.

## SECTION 7: HANDLING and STORAGE

Handling: Handle with adequate ventilation for nuisance dust.

Storage: No special storage conditions required.

Hygiene Practices: Wear suitable gloves and eye/face protection.

## SECTION 8: EXPOSURE CONTROLS, PERSONAL PROTECTION - EXPOSURE GUIDELINES

General dilution ventilation and/or local exhaust ventilation should be provided as necessary to maintain exposures below occupational exposure limits. **Engineering Controls:** 

Eye/Face Protection: Always WEAR SAFETY GLASSES or some type of eye protection when grinding.

Skin Protection Description: Protective gloves

Long sleeved shirt and long pants.

Respiratory Protection: When workers are facing airborne particulate/dust concentrations above the exposure limit they must

use appropriate certified respirators. A properly fitted NIOSH approved disposable N 95 type dust respirator or better is recommended.

Use of this product may create elevated sound levels. Hearing protection should be worn where required (see OSHA 29 CFR 1910.134 and other applicable regulations). Other Protective:

General Hygiene Considerations:

Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Avoid getting dust into boots and gloves through wrist bands and pant tucks.

## **EXPOSURE GUIDELINES**

| Ingredient                      | Guideline OSHA  | Guideline A CGIH  | Quebec Canada                                       | Ontario Canada                                       | Alberta Canada    |
|---------------------------------|---|---|---|--|-------------------|
| Calcium carbonate               |   |   | VEMP-TWA: 10<br>mg/m3 Total<br>particulate/dust (T) |  | OEL-TWA: 10 mg/m3 |
| Aluminum Oxide, Non-<br>fibrous | PEL-TWA: 5 mg/m3<br>Respirable fraction (R)<br>PEL-TWA: 15 mg/m3<br>Total particulate/dust<br>(T) | TLV-TWA: 10 mg/m3   | VEMP-TWA: 10<br>mg/m3 Total<br>particulate/dust (T) | OEL-TWAEV: 10<br>mg/m3 Total<br>particulate/dust (T) | OEL-TWA: 10 mg/m3 |
| Ingredient                      | Mexico  | British Columbia<br>Canada  |   |  |                   |
| Calcium carbonate               |   | OEL-TWA: 10 mg/m3<br>Total particulate/dust<br>(T)<br>OEL-TWA: 3 mg/m3<br>Respirable fraction (R)<br>OEL-STEL: 20 mg/m3<br>Total particulate/dust<br>(T)                      |   |  |                   |
| Aluminum Oxide, Non-<br>fibrous | MPE-PPT: 0.1 mg/m3<br>Respirable fraction (R)   | OEL-TWA: 3 mg/m3<br>Respirable fraction (R)<br>OEL-TWA: 10 mg/m3<br>OEL-TWA: 10 mg/m3<br>Total particulate/dust<br>(T)<br>OEL-STEL: 20 mg/m3<br>Total particulate/dust<br>(T) |   |  |                   |

#### SECTION 9: PHYSICAL and CHEMICAL PROPERTIES

Physical State Appearance: Solid article. Odor: Odorless. Flash Point: Does not apply. Auto Ignition Temperature: Not determined.

#### SECTION 10: STABILITY and REACTIVITY

Chemical Stability: Stable under normal conditions.

Hazardous Polymerization: Hazardous polymerization does not occur. Conditions to Avoid: Keep away from heat, sparks, or open flame.

In use, dust and decomposing odors may be generated. In most cases, the material removed from the workplace will be significantly greater than the sandpaper components. Special Decomposition Products:

Coolants may produce other decomposition products. Thermal decomposition may produce trace amounts of ammonia and formaldehyde.

#### SECTION 11: TOXICOLOGICAL INFORMATION

Acute Toxicity: This product has not been tested for its toxicity.

Aluminum Oxide, Non-fibrous:

ACGIH: A4 Not Classifiable as a Human Carcinogen

NIOSH: No Data OSHA: No Data IARC: No Data NTP: No Data

<u>Calcium carbonate</u>:

RTECS Number: EV9580000

Amorphous Silica, Fumed:

RTECS Number: VV7310000

Oral - Rat LD50: 3160 mg/kg [Details of toxic effects not reported other than lethal dose value] Ingestion:

(RTECS)

**Epoxy resin**:

RTECS Number: SL6475000

Eye - Rabbit Standard Draize test.: 100 mg [mild] (RTECS) Eve:

Ingestion:

Oral - Rat LD50: 11400 mg/kg [Behavioral - Somnolence (general depressed activity) Lungs, Thorax, or Respiration - Dyspnea Nutritional and Gross Metabolic - Weight loss or decreased weight gain]
Oral - Mouse LD50: 15600 mg/kg [Behavioral - Somnolence (general depressed activity) Lungs,
Thorax, or Respiration - Dyspnea Nutritional and Gross Metabolic - Weight loss or decreased weight

gain] (RTECS)

Aluminum Oxide, Non-fibrous:

RTECS Number: BD1200000

Inhalation: Inhalation - Rat TCLo: 200 mg/m3/5H/28W (Intermittent) [Lungs, Thorax, or Respiration - Structural

or functional change in trachea or bronchi; Lungs, Thorax, or Respiration - Chronic pulmonary edema; Related to Chronic Data - death] (RTECS)

## SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity: No ecotoxicity data was found for the product.

#### SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal: Use standard landfill methods consistent with applicable Federal, State, Provincial and local laws.

### SECTION 14: TRANSPORT INFORMATION

DOT Shipping Name: Not regulated as hazardous material for transportation. DOT UN Number: Not regulated as hazardous material for transportation.

IATA Shipping Name: Not regulated as hazardous material for transportation.

> Coated Abrasive Revision: 07/01/2013

UPC Number: 08834137470 CA\_AI

## SECTION 15: REGULATORY INFORMATION

**Inventory Status** 

|                             | Canada NDSL | Canada DSL | TSCA Inventory |  |
|-----------------------------|-------------|------------|----------------|--|
|                             |             |            | Status         |  |
| Calcium carbonate           | Listed      |            | Listed         |  |
| Amorphous Silica, Fumed     |             | Listed     |                |  |
| Epoxy resin                 |             | Listed     | Listed         |  |
| Aluminum Oxide, Non-fibrous |             | Listed     | Listed         |  |

Canada Reg. Status: Controlled - Class: D2B

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by the Controlled Products

Regulations.

**Aluminum Oxide, Non-fibrous:** 

Canada IDL: Identified under the Canadian Hazardous Products Act Ingredient Disclosure List: 0.1%.50(1298)

<u>Calcium carbonate</u>:

EC Number: 215-279-6

<u>Aluminum Oxide, Non-fibrous</u>:

EC Number: 215-691-6

State Right To Know

|                             | RI     | MN     | IL      | PA     | MA     |
|-----------------------------|--------|--------|---------|--------|--------|
| Calcium carbonate           |        |        |         | Listed | Listed |
| Aluminum Oxide, Non-fibrous | Listed | Listed | No Data | Listed | Listed |

|                             | ŊĴ  |  |  |
|-----------------------------|---|--|--|
| Aluminum Oxide, Non-fibrous | Listed: NJ Hazardous<br>List; Substance<br>Number: 2891 |  |  |

# SECTION 16: ADDITIONAL INFORMATION

MSDS Creation Date: August 15, 2009
MSDS Revision Date: July 01, 2013

Copyright© 1996-2013 Actio Corporation. All Rights Reserved.

Coated Abrasive Revision: 07/01/2013