

PROFESSIONAL STRIKING,  
DIGGING & FIRE TOOLS

# PART 1

a quality brand of





# WHEN ONLY THE BEST WILL DO...

... **GO TO NUPLA CORPORATION**, the leader in U.S. manufacture of specialty industrial-grade hand tools. The pioneer and innovator of TCP pultruded Nuplaglas<sup>®</sup>, Nupla produces the strongest and safest fiberglass-handled striking, digging, cutting and fire tools available. In its 55,000 sq. ft. facility in Sun Valley, California, the company produces over 1600 hand tool products, including soft-face hammers, steel hammers, shovels, rakes, hoes, axes, non-conductive tools, and replacement handles.

As the industry leader in leader in TPC (Tension, Continuous, Parallel) fiberglass technology, Nupla's history is one of invention. Recognizing in the 1930's the opportunities presented by the development of plastics and related technologies, Nupla has been an innovator for over 70 years in the development of these technologies and has earned the reputation as the industry standard for fiberglass striking, cutting, digging & fire tools.

We've earned our stripes as the manufacturer of the **WORLDS STRONGEST HAND TOOLS** and we put that stripe on every tool we produce.



## GET THE STRIPE

### NUPLA "INNOVATIONS" IN FIBERGLASS

- **Nuplaglas<sup>®</sup> Composite Halligan & Pry Bar Handles** - Designed to provide the performance of steel bars while maintaining the flexibility and light weight advantage of Nuplaglas<sup>®</sup> built to perform like steel. (Patent Pending)
- **Integral Rebar** - Short lengths of solid fiberglass incorporated at critical stress points in the handle pultrusion process assure superior reinforcement while providing optimum strength-to-weight ratio. This patented process is used in all Nupla digging tool handles.
- **Ergonomic Handle and Grip Design** - Hammers and shovels alike are designed with the operator in mind. Molded handles in Ergo Power<sup>®</sup> digging products reduce fatigue and offer greater control of the load. Three grip designs in Classic<sup>®</sup> & Ergo Power<sup>®</sup> striking tools let you match the tool to operator and the job.
- **Impax Power Drive<sup>®</sup>** - Nupla's unique **Smart Hammer Technology<sup>®</sup>** delivers the very best surface protective, non-marring, Dead Blow and Quick Change hammers in the industry.
- **Power Pylon<sup>®</sup>** - A rivetless shovel connection structure, made from an engineering composite, molded to the end of a Nuplaglas handle produces an integral fusion of handle to an innovative designed shovel blade.
- **Guyrod** - An alternative to steel strand cable used in utility and communications towers around the world. Continuous lengths of pultruded structural Nuplaglas<sup>®</sup> Guyrod are used in major infrastructure projects.

**Call Nupla direct for a quotation.**

## ■ THE BEST IN QUALITY

Every Nupla tool comes with the assurance that you have purchased **The Best Tool in the industry**. Only the highest quality materials go into our tools. Nuplaglas® handles are manufactured in the USA to precise specifications and carry a Lifetime Warranty. Industrial grade steel and components designed by Nupla engineers undergo the highest level of scrutiny before they are matched to a Nuplaglas® handle.

## ■ THE BEST IN DESIGN


Each and every Nupla Tool has been engineered, tested and retested for balance, strength and durability. Available in the length and grip style you will need for every job, Nupla tools are designed to meet your needs on every job.

## ■ THE BEST IN PERFORMANCE

Manufacturing • Building • Construction • Roads and Highways • Automotive • Railroads Mining • Fire Utilities • Landscape • Safety • Hazmat • Aerospace • Wood working • Metal Working  
Telecommunications • Firearms • Custom designs and colors • OEM parts

Nupla can deliver the tools to maximize performance in every application. From a precise tap to the heaviest demolition project, we have the tool you need.

- Nuplaglas® Composite Pry Bars.
- Impax® Dead Blow hammers are non-marring and absorb recoil.
- Quick Change Hammers & Tips hammers give you up to eight tip density choices.
- Non-Sparking hammers for volatile environments.
- Steel Sledge hammers from 2 lbs to 20 lbs with 10" to 36" handles meet or exceed all federal standards.
- Safety Soft Steel Sledge hammers for striking extra hard metals.
- Cutting – Axes, mauls, bolt cutters and cable cutters.
- Auto Body Hammers & Dollies.
- Shovels – From general construction to heavy industrial, Nupla Classic, Ergo and Power Pylon handles and heavy duty blades will out perform all other shovels.
- Specialty Digging – picks, mattocks, digging bars, telegraph shovels, tampers, soil probes, trenching and cable tools.
- Certified Insulated Non-Conductive digging tools for maximum safety on the job site.
- Fire Tools – Axes, Pike Poles, Halligans and Wildland tools.



# NUPLA® ... "THE BEST COMPONENTS" INDUSTRIAL NUPLAGLAS® STRIKING TOOL HANDLES & GRIPS & HEADS

## ■ CLASSIC® HANDLES

Nuplaglas® Handles have been the standard of the industry for nearly 60 years. Thousands of strands of fiberglass encased in a proprietary resin deliver a Super Duty handle tough enough to carry the Nupla Lifetime Warranty.

## ■ ERGO-POWER® HANDLES

Same Super Duty Nuplaglas® with a mold injected protective covering. Protects and extends the life of the handles, grips become integral portion of the handle.

## ■ GRIPS



Super Grip (SG)

- Safest grip in the industry. Use in all weather conditions, with or without gloves.
- Classic rubber or integrated Ergo style



Cush-N-Grip (H)

- Long sleek grip
- Available in rubber



Circular Stripe (C)

- Comfortable standard grip & design
- Available in rubber or integrated molded design
- C & CS short sizes



Single Bit Grip (SB)

- Provides directional accuracy for single bit axes & mauls



Circular Stripe (CS), (CSL)

- Comfortable standard grip & design
- Available in rubber or integrated molded design
- CSL long sizes



Double Bit Grip (DB)

- For double bladed chopping tools

## ■ HEADS

Nupla molded striking heads are available in various hardnesses of non-marring plastic composites. Metal heads available in forged steel & brass and are heat treated for specific levels of hardness.

# TABLE OF CONTENTS

NUPLA®  
Since 1938

GET THE STRIPE

ASPHALT LUTE	46	QUICK CHANGE HAMMERS (HOLDERS)	9
AUTO BODY TOOL SETS	48	QUICK CHANGE HAMMERS (HOLDERS)	10
AUTO BODY TOOLS	47	QUICK CHANGE SLEDGE HAMMERS	8
AXES	24	RAKES	42
BALL PEIN HAMMERS & SET	16	RUBBER MALLETS	19
BALL PEINS - WOOD	17	SCRAPERS	42
BOLT CUTTERS	45	SLEDGE HAMMERS	20
BROOMS	46	SLEDGE HAMMERS	21
BUSH HOOKS	24	SLEDGE HAMMERS - WOOD	22
CABLE DROPS	41	SOFT STEEL SAFETY SLEDGE HAMMERS	23
CERTIFIED NON-CONDUCTIVE DIGGING TOOLS	38	SOIL PROBES	41
CERTIFIED NON-CONDUCTIVE DIGGING TOOLS	39	SPECIALTY STEEL HAMMERS	18
CLAW & RIPPING HAMMERS	16	SQUEEGEES	42
CLAW & RIPPING HAMMERS - WOOD	17	TAMPERS	46
CONCRETE PLACERS	46	TELEGRAPH SHOVELS & SCOOPS	40
CROSS PEIN HAMMERS	18	TRENCHERS	41
DEAD BLOW & QUICK CHANGE HAMMER SETS	11	WHEEL WEIGHT HAMMER	49
DEAD BLOW HAMMERS	6	WOOD - AXES, PICK & MAULS	25
DIGGING BARS	45		
DRIVE HAMMER	19	<b>SHOVELS</b>	
FORKS	42	ERGO POWER SHOVELS - ROUND & SQUARE POINT	27 & 29
HANDI-HAMMER	11	CLASSIC SHOVELS - ROUND & SQUARE POINT	28 & 30
HOES	42	SPADES	31
MATTOCKS	24	TRENCHING	32
MAULS	24	POWER PYLON	33
MICRO STRIKE HAMMERS & SETS	14	IRRIGATION & SPECIALTY	34
MORTER MIXER	46	SCOOPS	35 & 36
NON-SPARKING DEAD BLOW & IMPAX Q.C. HAMMERS	12		
NON-SPARKING QUICK CHANGE HAMMERS (HOLDERS)	13	<b>FIRE TOOLS</b>	
NON-SPARKING QUICK CHANGE SETS	14	PIKE POLES	51
NON-SPARKING QUICK CHANGE TIPS	13	CEILING WALL HOOKS	52
NUPOLE - DETACHABLE SHOVEL SYSTEM	40	PIKE POLE REPLACEMENT PARTS	52
NUPRO SHOVELS	50	ROOF VENT/TRASH HOOK POLES	52
NUPRO SLEDGE HAMMERS	50	NUPOLE FIRE TOOL SYSTEM	53
PICKS	24	PIKE POLES - 2 PC.KITS	53
POST HOLE DIGGERS	46	FIRE AXES	54
PRY BARS	43	HALLIGAN TOOLS	55
PRY BARS	44	WILDLAND FIRE TOOLS	56
QUICK CHANGE - DEAD BLOW HAMMERS (HOLDERS)	7		



# SOFT FACED HAMMERS NUPLA SMART HAMMER® TECHNOLOGY

**WHEN THE JOB REQUIRES MORE THAN JUST A HAMMER,  
NUPLA HAS THE TOOL YOU NEED**

**DEAD BLOW POWER DRIVES® - QUICK-CHANGE HAMMERS & TIPS  
IMPAX® - STRIKE PRO® - CBH - NON-SPARKING - HANDI-HAMMER®**

*Power Drive Dead Blow* hammers have shot-loaded composite interior cavities, fully encased in a tough polymer outer jacket. Free flowing inner shot concentrates striking power and increases driving force resulting in zero rebound and full energy transfer to the object being struck. Non-marring faces are abrasion resistant and withstand severe striking applications. *Extreme Power Drive* hammers have cut resistant 100% cast urethane face and optional metal face. All Power Drives have solid *Nuplaglas*® handles and ergonomic non-slip grips.



*Quick-Change Hammer/ HOLDERS* are engineered to out perform rubber or plastic face hammers. These *Dead Blow* or *Slug Loaded* hammers deliver the force of a steel hammer while protecting the job surface from damage. From 6 ounces to 13 pounds, you choose the right hammer, then select the exact durometric hardness for every job from **8 Replaceable Tips. (Super Soft to Extra Hard)** Tips sold separately.

All *Power Drive* and *Quick-Change* hammers are available in a *Non-Sparking* version. Non-ferrous brass replaces steel shot and fittings for an added level of safety when working around volatile or flammable materials.



STRIKING TOOLS - SOFT FACED

# POWER DRIVE® DEAD BLOW HAMMERS NON-MARRING - SMART HAMMER® TECHNOLOGY



**STRIKING TOOLS - SOFT FACED**

## STANDARD POWER DRIVE® DEAD BLOWS

Shot-loaded composite interior cavities are fully encased in a tough polymer outer jacket. When struck, the free flowing inner shot concentrates striking power and increases driving force. Non-marring face protects surface being struck. Available with a steel face for extra hard surfaces.

## EXTREME POWER DRIVE®

Dead Blows have a cast urethane face to protect the hammer from damage when striking unfinished or sharp metal surfaces. No other hammer offers this combination of surface protective force and durability. Also available with one steel face.



Strike Pro hammers have all the dead blow features of the Power Drive® in a lighter, more economical configuration. Available in two colors for dedicated job identification, these hammers are durable and non-marring.

DEAD BLOW POWER DRIVE® HAMMERS							
DEAD BLOW EXTREME POWER DRIVES®							
Part No.	Description	Nominal Wt.	Head Lgth.	Handle Length	Grip Style	Std. Pk	Std. Pk Wt.
10061	SDSF-1SG Extreme Power Drive	1 lb	4.50"	12.50"	SG	5	5.75 lb
10051	SDSF-1 Extreme Power Drive	1 lb	4.50"	12.50"	C	5	5.75 lb
10062	SDSF-2SG Extreme Power Drive	2 lb	5.00"	13.75"	SG	5	10.75 lb
10052	SDSF-2 Extreme Power Drive	2 lb	5.00"	13.75"	C	5	10.75 lb
10066	SDSF-4SG-S Extreme Power Drive, 1 Steel Face	2 lb	5.00"	13.75"	SG	2	4.40 lb
10063	SDSF-3SG Extreme Power Drive	3 lb	5.50"	14.50"	SG	2	6.30 lb
10053	SDSF-3 Extreme Power Drive	3 lb	5.50"	14.50"	C	2	6.30 lb
10064	SDSF-4SG Extreme Power Drive	4 lb	5.75"	15.50"	SG	2	8.30 lb
10054	SDSF-4 Extreme Power Drive	4 lb	5.75"	15.50"	C	2	8.30 lb
DEAD BLOW - STANDARD POWER DRIVES®							
10009	SF-8 oz Power Drive	5 lb	3.00"	11.00"	H	5	2.50 lb
10015	SF-1SG Power Drive	1 lb	4.50"	12.50"	SG	5	5.75 lb
10010	SF-1 Power Drive	1 lb	4.50"	12.50"	C	5	5.75 lb
10025	SF-2SG Power Drive	2 lb	5.00"	13.75"	SG	5	10.75 lb
10020	SF-2 Power Drive	2 lb	5.00"	13.75"	C	5	10.75 lb
10027	SFS-2SG Power Drive, 1 Steel Face	2 lb	5.00"	13.75"	SG	5	12.50 lb
10028	SFS Power Drive, 1 Steel Face	2 lb	5.00"	13.75"	C	5	12.50 lb
10022	SFB-2SG Power Drive, 1 Brass Face	2 lb	5.00"	13.75"	SG	5	12.50 lb
10021	SFB Power Drive, 1 Brass Face	2 lb	5.00"	13.75"	C	5	12.50 lb
10035	SF-3SG Power Drive	3 lb	5.50"	14.50"	SG	2	6.30 lb
10030	SF-3 Power Drive	3 lb	5.50"	14.50"	C	2	6.30 lb
10045	SF-4SG Power Drive	4 lb	5.75"	15.50"	SG	2	8.30 lb
10040	SF-4 Power Drive	4 lb	5.75"	15.50"	C	2	8.30 lb
DEAD BLOW STRIKE PRO POWER DRIVES®							
10135	STP16 Strike ProPower Drive, Yellow	1 lb	5.00"	12.00"	C	5	6.00 lb
10235	STPO16 Strike Pro Power Drive, Orange	1 lb	5.00"	12.00"	C	5	6.00 lb
10175	STP24 Strike Pro Power Drive, Yellow	1.5 lb	5.75"	12.25"	C	5	8.50 lb
10275	STPO24 Strike Pro Power Drive, Orange	1.5 lb	5.75"	12.25"	C	5	8.50 lb
10195	STP40 Strike Pro Power Drive, Yellow	2.5 lb	6.0"	12.25"	C	5	13.50 lb



GET THE STRIKE

# QUICK CHANGE (QC) IMPAX POWER DRIVE® DEAD BLOW HAMMERS

## NON-MARRING - SMART HAMMER® TECHNOLOGY



### QUICK CHANGE DEAD BLOW HAMMER/HOLDERS

Impax Power Drive® Dead Blow hammer/holders are engineered to out perform rubber or plastic face hammers. Patented Smart Hammer® technology. Shot-loaded composite cavity, fully encased in a tough polymer outer jacket. Replaceable tips available in eight durometric hardnesses from Super Soft to Extra Hard. Tips sold separately.

#### Quick-Change - DEAD BLOW - IMPAX POWER DRIVE® HAMMERS - Without Tips

Use Quick-Change ("QC") Tips - on Page 10

Part No.	Description	Nominal Wt.	Tip Dia.	Handle Length	Grip Style	Std. Pk.	Std. Pk Wt.
03306	SPI-106 Impax Power Drive, no tips	0.75 lb	1.00"	11.50"	C	6	6.00 lb
03356	SPI-156 Impax Power Drive, no tips	1.00 lb	1.50"	12.50"	C	6	7.00 lb
03360	SPI-206 Impax Power Drive, no tips	2.00 lb	2.00"	13.50"	C	4	9.00 lb
03366	SPI-256SG Impax Power Drive, no tips	4.00 lb	2.50"	14.50"	SG	4	17.00 lb
03365	SPI-256 Impax Power Drive, no tips	4.00 lb	2.50"	14.50"	C	4	17.00 lb
03371	SPI-256-18SG Impax Power Drive, no tips	4.00 lb	2.50"	18.00"	SG	4	17.50 lb
03370	SPI-256-18 Impax Power Drive, no tips	4.00 lb	2.50"	18.00"	C	4	17.50 lb
07607	SPI-306-SG Impax Power Drive, no tips	5.00 lb	3.00"	14.50"	SG	2	10.50 lb
07606	SPI-306 Impax Power Drive, no tips	5.00 lb	3.00"	14.50"	C	2	10.50 lb

STRIKING TOOLS - SOFT FACED

# QUICK CHANGE (QC) IMPAX POWER DRIVE® SLEDGE HAMMERS



**POWER DRIVE SLEDGE HAMMER/HOLDERS**  
 11 & 13 pound Power Drive® Dead Blow Sledge Hammers deliver the force of a steel sledge while protecting the struck surface from damage. Replaceable tips available in six durometric hardnesses from Soft to Extra Hard. Tips sold separately.

**STRIKING TOOLS - SOFT FACED**

## Quick-Change - DEAD BLOW - IMPAX POWER DRIVE® SLEDGE HAMMERS

*Without Tips Use Quick-Change ("QC") Tips - on Page 10*

Part No.	Description	Nominal Wt.	Tip Dia.	Handle Length	Grip Style	Std. Pk.	Std. Pk Wt.
07403	S-402SG Impax Sledge Power Drive Sledge Hammer, no tips	11.00 lb	4.00"	34.00"	SG	1	11.50 lb
07402	S-402 Impax Sledge Power Drive Sledge Hammer, no tips	11.00 lb	4.00"	34.00"	CS	1	11.50 lb
07405	S-404SG Impax Sledge Power Drive Sledge Hammer, no tips	13.00 lb	4.00"	34.00"	SG	1	13.50 lb
07404	S-404 Impax Sledge Power Drive Sledge Hammer, no tips	13.00 lb	4.00"	34.00"	CS	1	13.50 lb



## POWER DRIVE SLEDGE HAMMERS - WITH TIPS

5 lb, 8 lb & 11.5 lb Dead Blow Impax® Sledge Hammers are sized to fit every application. Strong yet light weight Nuplaglas® handles assure that 90% of the total hammer weight is at the head - 2 Hard (Black) Tips Included.

## Quick-Change - DEAD BLOW - IMPAX SLEDGE HAMMERS WITH TIPS

Part No.	Description	Nominal Wght	Tip Dia.	Handle Length	Grip Style	Std. Pk.	Std. Pk Wt.
07505	5 lb. Impax® Dead Blow Sledge Hammer, w/ two - 3" Hard tips	5 lbs	3.00"	20"	CS	1	5.35 lbs
07508	8 lb. Impax® Dead Blow Sledge Hammer, w/ two - 4" Hard tips	8 lbs	4.00"	30"	CS	1	8.55 lbs
07512	11.5 lb. Impax® Dead Blow Sledge Hammer, w/ two - 4" Hard tips	11.5 lbs	4.00"	36"	CS	1	12.05 lbs



# QUICK CHANGE (QC) HAMMERS REPLACEABLE TIP HOLDERS

Select the weight, the handle length and grip style. Then select the right tip for every job. Replaceable tips available in eight durometric hardnesses from Super Soft to Extra Hard. Tips sold separately.

Available in  
CS and SG grips

**STRIKING TOOLS - SOFT FACED**



Quick-Change "QC" HAMMERS - Without Tips							
Use Quick-Change ("QC") Super Soft to Extra Hard Striking Tips - on Page 10							
Part No.	Description	Nominal Wt.	Tip Dia.	Handle Length	Grip Style	Std. Pk.	Std. Pk Wt.
09600	SPS-100 Quick-Change Hammer, no tips	6 oz	1.0"	11.25"	C	6	3.00 lb
09605	SPS-105 Quick-Change Hammer, no tips	9 oz	1.0"	11.25"	C	6	4.20 lb
09550	SPS-150 Quick-Change Hammer, no tips	1.00 lb	1.5"	12.50"	C	6	6.90 lb
09555	SPS-155 Quick-Change Hammer, no tips	1.25 lb	1.5"	12.50"	C	6	8.40 lb
09500	SPS-200 Quick-Change Hammer, no tips	1.50 lb	2"	13.75"	C	6	9.90 lb
09505	SPS-205 Quick-Change Hammer, no tips	2.25 lb	2"	13.75"	C	6	14.40 lb
09511	SPS-250SG Quick-Change Hammer no tips	2.50 lb	2.5"	15.50"	SG	4	11.00 lb
09510	SPS-250 Quick-Change Hammer, no tips	2.50 lb	2.5"	15.50"	C	4	11.00 lb
09525	SPS-255SG Quick-Change Hammer no tips	4.25 lb	2.5"	15.50"	SG	4	18.00 lb
09520	SPS-255 Quick-Change Hammer, no tips	4.25 lb	2.5"	15.50"	C	4	18.00 lb
09401	SPS-300SG Quick-Change Hammer, no tips	4.00 lb	3"	15.50"	SG	2	8.50 lb
09400	SPS-300 Quick-Change Hammer, no tips	4.00 lb	3"	15.50"	C	2	8.50 lb
09406	SPS-305SG Quick-Change Hammer, no tips	5.00 lb	3"	15.50"	SG	2	10.50 lb
09405	SPS-305 Quick-Change Hammer, no tips	5.00 lb	3"	15.50"	C	2	10.50 lb
09419	SPS-305-18SG Quick-Change Hammer, no tips	5.00 lb	3"	18"	SG	2	10.50 lb
09418	SPS-305-18 Quick-Change Hammer, no tips	5.00 lb	3"	18"	C	2	10.50 lb
09420	SPS-305-32 Quick-Change Hammer, no tips	6.00 lb	3"	32"	CS	2	13.00 lb
09432	SPS-305-18 Quick-Change Hammer, no tips	6.00 lb	3"	18"	C	2	12.50 lb
09421	SPS-305-32SG Quick-Change Hammer, no tips	6.00 lb	3"	32"	SG	2	13.00 lb
09433	SPS-306-18SG Quick-Change Hammer, no tips	6.00 lb	3"	18"	SG	2	12.50 lb
09368	SPS-306-32 Quick-Change Hammer, no tips	6.00 lb	3"	32"	CS	2	13.00 lb
09373	SPS-307-18SG Quick-Change Hammer, no tips	6.50 lb	3"	18"	SG	2	13.00 lb
09375	SPS-307-32SG Quick-Change Hammer, no tips	6.50 lb	3"	32"	SG	2	14.00 lb
09374	SPS-307-32 Quick-Change Hammer, no tips	6.50 lb	3"	32"	CS	2	14.00 lb
Quick Change "QC" HAMMERS - With Tips							
09557	SPS150M/T Quick-Change Hammer w/ med. & tough tip	1.25 lb	1.5"	12.50"	C	6	6.00 lb
09503	SPS200M/T Quick-Change Hammer w/ med. & tough tip	2.00 lb	2.0"	13.75"	C	6	10.50 lb
09501	SPS205M/T Quick-Change Hammer w/ med. & tough tip	2.75 lb	2.0"	13.75"	C	6	15.00 lb
CUSHION-BLOW® "CBH" HAMMERS Without Tips (see CBH Tips Pg. 10)							
11525	CBH-125 Cushion-Blow Hammer	12 oz	1.25"	11.75"	C	6	5.00 lb
11535	CBH-135 Cushion-Blow Hammer	16 oz	1.375"	12.00"	C	6	7.00 lb
11575	CBH-175 Cushion-Blow Hammer	32 oz	1.75"	15.50"	C	6	13.00 lb
CUSHION-BLOW® "CBH" HAMMERS With Tips							
11225	CBH-125M/T Cushion-Blow Hammer w/ med. & tough tip	12 oz	1.25"	11.75"	C	6	6.00 lb
11235	CBH-135M/T Cushion-Blow Hammer w/ med. & tough tip	16 oz	1.375"	12.00"	C	6	8.00 lb
11275	CBH-175M/T Cushion-Blow Hammer w/ med. & tough tip	32 oz	1.75"	15.50"	C	6	14.50 lb

## CBH HAMMERS

Uniquely sized for specialty jobs. Use five replaceable tips.

# QUICK CHANGE (QC) REPLACEABLE TIPS



Wedge

1" to 4" Tips



Dome



Tip Extensions



## Replaceable Tips for Impax® Dead Blow & Quick Change Hammers

Part No.	Type	Color	Tip Dia.	Std. Pack	Std. Pack Wt.
15101	Supersoft	grey	1"	2	1.50 oz
15102	Soft	brown	1"	2	1.50 oz
15103	Medium	red	1"	2	1.50 oz
15104	Tough	green	1"	2	1.50 oz
15106	Medium Hard	cream	1"	2	1.50 oz
15108	Hard	black	1"	2	1.50 oz
15109	Extra Hard	yellow	1"	2	1.50 oz
15151	Supersoft	grey	1.5"	2	4.00 oz
15152	Soft	brown	1.5"	2	4.00 oz
15153	Medium	red	1.5"	2	4.00 oz
15154	Tough	green	1.5"	2	4.00 oz
15156	Medium Hard	cream	1.5"	2	4.00 oz
15158	Hard	black	1.5"	2	4.00 oz
15159	Extra Hard	yellow	1.5"	2	4.00 oz
15166	Medium Hard	cream	1.5"	2	4.00 oz
15168	Hard, Dome	black	1.5"	2	4.00 oz
15169	Extra Hard, Dome	yellow	1.5"	2	4.00 oz
15146	Medium Hard, Wedge	cream	1.5"	2	4.00 oz
15148	Hard, Wedge	black	1.5"	2	4.00 oz
15149	Extra Hard, Wedge	yellow	1.5"	2	4.00 oz
15160	Hardened Steel Face	steel	1.5"	2	8.00 oz
15161	Brass Face	brass	1.5"	2	6.00 oz
15201	Supersoft	grey	2"	2	8.00 oz
15202	Soft	brown	2"	2	8.00 oz
15203	Medium	red	2"	2	8.00 oz
15204	Tough	green	2"	2	8.00 oz
15206	Medium Hard	cream	2"	2	8.00 oz
15208	Hard	black	2"	2	8.00 oz
15209	Extra Hard	yellow	2"	2	8.00 oz
15210	Hardened Steel Face	steel	2"	2	12.00 oz
15211	Brass Face	brass	2"	2	10.00 oz
15216	Med-Hard, Dome	cream	2"	2	8.00 oz

Part No.	Type	Color	Tip Dia.	Std. Pack	Std. Pack Wt.
15218	Hard, Dome	black	2"	2	8.00 oz
15219	Extra Hard, Dome	yellow	2"	2	8.00 oz
15226	Medium Hard, Wedge	cream	2"	2	8.00 oz
15228	Hard, Wedge	black	2"	2	8.00 oz
15229	Extra Hard, Wedge	yellow	2"	2	8.00 oz
15251	Supersoft	grey	2.5"	2	1.00 lb
15252	Soft	brown	2.5"	2	1.00 lb
15253	Medium	red	2.5"	2	1.00 lb
15254	Tough	green	2.5"	2	1.00 lb
15256	Medium Hard	cream	2.5"	2	1.00 lb
15258	Hard	black	2.5"	2	1.00 lb
15259	Extra Hard	yellow	2.5"	2	1.00 lb
15301	Supersoft	grey	3"	2	1.50 lb
15302	Soft	brown	3"	2	1.50 lb
15303	Medium	red	3"	2	1.50 lb
15304	Tough	green	3"	2	1.50 lb
15306	Medium Hard	cream	3"	2	1.50 lb
15308	Hard	black	3"	2	1.50 lb
15309	Extra Hard	yellow	3"	2	1.50 lb
15402	Soft	brown	4"	2	2.25 lb
15403	Medium	red	4"	2	2.25 lb
15404	Tough	green	4"	2	2.25 lb
15406	Medium Hard	cream	4"	2	2.25 lb
15408	Hard	black	4"	2	2.25 lb
15409	Extra Hard	yellow	4"	2	2.25 lb

### TIP EXTENSIONS- for QC & IMPAX® Hammers

Part No.	Tip Dia.	Std. Pack	Std. Pack Wt.
09700	1" Ext. for 1" dia. Hammers	2	1.75 oz
09705	1" Ext. for 1.5" dia Hammers	2	4.50 oz
09530	1" Ext. for 2" dia. Hammers	2	9.00 oz
09535	1" Ext. for 2.5" dia Hammers	2	1.20 lb
09350	1" Ext. for 3" dia. Hammers	2	1.70 lb

### Tips for CUSHION-BLOW® "CBH" HAMMERS

Part No.	Type	Color	Tip Dia.	Std. Pack	Std. Pack Wt.
15122	Soft	brown	1.25"	1	0.75 oz
15123	Medium	red	1.25"	1	0.75 oz
15124	Tough	green	1.25"	1	0.75 oz
15126	Medium Hard	cream	1.25"	1	0.75 oz
15120	Hard	black	1.25"	1	0.75 oz
15132	Soft	brown	1.375"	1	1.00 oz
15133	Medium	red	1.375"	1	1.00 oz
15134	Tough	green	1.375"	1	1.00 oz

Part No.	Type	Color	Tip Dia.	Std. Pack	Std. Pack Wt.
15136	Medium Hard	cream	1.375"	1	1.00 oz
15130	Hard	black	1.375"	1	1.00 oz
15172	Soft	brown	1.75"	1	1.40 oz
15173	Medium	red	1.75"	1	1.40 oz
15174	Tough	green	1.75"	1	1.40 oz
15176	Medium Hard	cream	1.75"	1	1.40 oz
15170	Hard	black	1.75"	1	1.40 oz

**STRIKING TOOLS - SOFT FACED**



# DEAD BLOW & QUICK CHANGE SETS

Dead Blow Hammer and 1.5" QC tips with carry case



QC Hammer and 1.5" Tips with carry case."



STRIKING TOOLS - SOFT FACED

## Quick-Change - DEAD BLOW - IMPAX POWER DRIVE® SETS

Part	Description	Wt.	Dia.	Handle	Grip	Pk	Pk Wt.
02356	SPI-156-S6 Impax Power Drive Hammer	1.00 lb	1.50"	12.50"	C	1	3.00 lb
	With six 1.5" tips (soft, medium, medium-hard, hard, extra-hard, steel) & carrying case						
02358	SPI-156-S8 Impax Power Drive Hammer	1.00 lb	1.50"	12.50"	C	1	3.25 lb
	With eight 1.5" QC tips (super soft, soft, medium, tough, medium-hard, hard, extra-hard, steel) & carrying case						

## Quick-Change Hammer SETS

02550	SPS150-S6 1lb Quick-Change Hammer	1.00 lb	1.5"	12.50"	C	1	2.50 lb
	With six 1.5" dia QC Tips: (soft, med., med-hard, hard, extra-hard, steel) & carrying case						
02552	SPS150-S8 1lb Quick-Change Hammer	1.00 lb	1.5"	12.50"	C	1	2.75 lb
	With eight 1.5" dia QC Tips: (super-soft, soft, med., tough, med-hard, hard, extra-hard, steel) & carrying case						
02555	SPS155-S6 1.25lb Quick-Change Hammer	20 oz	1.5"	12.50"	C	1	2.75 lb
	With six 1.5" dia QC Tips: (soft, med., med-hard, hard, extra-hard, steel) & carrying case						
02558	SPS155-S8 1.25lb Quick-Change Hammer	20 oz	1.5"	12.50"	C	1	3.00 lb
	With eight 1.5" dia QC Tips: (super-soft, soft, med., tough, med-hard, hard, extra-hard, steel) & carrying case						

1 lb. QC Hammer Holder with four 1.5" replaceable tips. In clamshell pack.



## Quick-Change Hammer SET with 4 Tips

Part	Description	Wt.	Dia.	Handle	Grip	Pk	Pk Wt.
02549	SPS150 Clamshell Pack Quick-Change Hammer with four 1.5" QC Tips: soft, medium, hard, extra-hard. (Clam Shell Pack)	1.00 lb	1.5"	12.50"	C	1	1.2 lb

## HANDI-HAMMER® POWER DRIVE® HANDLELESS DEAD BLOW HAMMER

10oz & 14oz compact hammers fit in your pocket or tool box. The power of a dead blow for tight spaces or small jobs. One non-marring face & one steel face.



10 oz      14 oz




Single and Counter Pack

## HANDI-HAMMER® POWER DRIVES®

Part	Description	Wt.	Pk	Pk Wt.
89710	Light Duty, 10oz - 1 Non-Marring Soft Face, 1 Steel Face, Single Pack	10 oz.	4	2.75 lb
89714	Heavy Duty, 14oz - 1 Non-Marring Soft Face, 1 Steel Face, Single Pack	14 oz.	4	4.50 lb
89809	Light Duty, 10oz - 1 Non-Marring Soft Face, 1 Steel Face, Counter Display (6)	10 oz.	1	4.35 lb
89813	Heavy Duty, 14oz - 1 Non-Marring Soft Face, 1 Steel Face, Counter Display (6)	14 oz.	1	6.75 lb
89810	Light Duty, 10oz - 1 Non-Marring Soft Face, 1 Steel Face, Counter Display (12)	10 oz.	1	8.70 lb
89814	Heavy Duty, 14oz - 1 Non-Marring Soft Face, 1 Steel Face, Counter Display (12)	14 oz.	1	13.50 lb
89808	Light Duty, 10oz - 1 Non-Marring Soft Face, 1 Steel Face, Clip Strip Display (6)	10 oz.	1	4.35 lb
89812	Heavy Duty, 14oz - 1 Non-Marring Soft Face, 1 Steel Face, Clip Strip Display (12)	14 oz.	1	6.75 lb
89818	Heavy Duty, 14oz - 1 Non-Marring Soft Face, 1 Steel Face, Automotive Bulk Counter Display (6)	14 oz.	1	6.50 lb

# NON-SPARKING POWER DRIVE® & QUICK-CHANGE (QC) DEAD BLOW HAMMERS



## NON-MARRING - SMART HAMMER® TECHNOLOGY

### NON-SPARKING STANDARD & EXTREME POWER DRIVE® DEAD BLOWS

Shot-loaded composite interior cavities are fully encased in a tough polymer outer jacket. When struck, the free flowing non-ferrous inner shot concentrates striking power and increases driving force. Non-marring face protects surface being struck. Available with a brass face for hard surfaces.



Impax Power Drive®



Power Drives®



Extreme Power Drives®

Strike Pro®

### NON-SPARKING QUICK-CHANGE IMPAX® DEAD BLOW HAMMER/HOLDERS

Non-ferrous shot loaded composite cavity, fully encased in a tough polymer outer jacket. Replaceable tips available in eight durometric hardnesses from Super Soft to Extra Hard. Tips sold separately.

**STRIKING TOOLS - NON SPARK**

#### NON-SPARKING POWER DRIVE® DEAD BLOW HAMMERS

Part No.	Description	Nominal Wt.	Head Lgth.	Tip Dia.	Handle Length	Grip Style	Std. Pk	Std. Pk Wt.
<b>NON-SPARKING (NS) DEAD BLOW EXTREME POWER DRIVES®</b>								
10071	SDSFN-1SG NS Extreme Power Drive	1 lb	4.50"	-	12.50"	SG	5	5.75 lb
10072	SDSFN-2SG NS Extreme Power Drive	2 lb	5.00"	-	13.75"	SG	5	10.75 lb
10076	SDSFN-2SG-B NS Extreme Power Drive, 1 Brass Face	2 lb	5.00"	-	13.75"	SG	2	4.40 lb
10073	SDSFN-3SG NS Extreme Power Drive	3 lb	5.50"	-	14.50"	SG	2	6.30 lb
10074	SDSFN-4SG NS Extreme Power Drive	4 lb	5.75"	-	15.50"	SG	2	8.30 lb
<b>NON-SPARKING (NS) DEAD BLOW STANDARD POWER DRIVES®</b>								
10016	SFN-1SG NS Power Drive	1 lb	4.50"	-	12.50"	SG	5	5.75 lb
10026	SFN-2SG NS Power Drive	2 lb	5.00"	-	13.75"	SG	5	12.50 lb
10023	SFBN-2SG NS Power Drive, 1 Brass Face	2 lb	5.00"	-	13.75"	SG	5	12.50 lb
10036	SFN-3SG NS Power Drive	3 lb	5.50"	-	14.50"	SG	2	6.30 lb
10046	SFN-4SG NS Power Drive	4 lb	5.75"	-	15.50"	SG	2	8.30 lb
<b>NON-SPARKING (NS) DEAD BLOW STRIKE PRO® POWER DRIVES®</b>								
10140	STPN16 NS Strike Pro Power Drive, natural	1 lb	5.00"	-	12.00"	C	5	6.00 lb
10180	STPN24 NS Strike Pro Power Drive, natural	1.5lb	5.00"	-	12.00"	C	5	6.00 lb
10200	STPN40 NS Strike Pro Power Drive, natural	2.50 lb	6.00"	-	12.00"	C	5	13.00 lb
<b>NON-SPARKING (NS) DEAD BLOW QUICK-CHANGE IMPAX POWER DRIVES®</b>								
Use only with Nupla Non-Sparking QC Tips. Order Non-Sparking tips separately on next page								
03307	SPI-106N NS Impax Power Drive, no tips	12 oz	-	1.00"	11.50"	C	6	6.00 lb
03357	SPI-156N NS Impax Power Drive, no tips	1.00 lb	-	1.50"	12.50"	C	6	7.00 lb
03361	SPI-206N NS Impax Power Drive, no tips	2.00 lb	-	2.00"	13.50"	C	4	9.00 lb
03367	SPI-256N NS Impax Power Drive, no tips	4.00 lb	-	2.50"	18.00"	C	4	17.50 lb
03368	SPI-256NSG NS Impax Power Drive, no tips	4.00 lb	-	2.50"	14.50"	SG	4	17.00 lb
03372	SPI-256N-18 NS Impax Power Drive, no tips	4.00 lb	-	2.50"	18.00"	C	4	17.50 lb
03373	SPI256N-18SG NS Impax Power Drive, no tips	4.00 lb	-	2.50"	18.00"	SG	4	17.50 lb
03608	SPI306N NS Impax Power Drive, no tips	5.00 lb	-	3.00"	14.50"	C	2	10.50 lb
03609	SPI306NSG NS Impax Power Drive, no tips	5.00 lb	-	3.00"	14.50"	SG	2	10.50 lb



# NON-SPARKING QUICK-CHANGE HAMMER/HOLDERS & NON-SPARKING TIPS

**STRIKING TOOLS - NON SPARK**



**NON-SPARKING (NS) QUICK-CHANGE HAMMERS - Without Tips**  
**WARNING: Use only Nupla Non-Sparking QC Tips. Use Only with Non-Sparking QC tips below.**

Part No.	Description	Nominal Wt.	Tip Dia.	Handle Length	Grip Style	Std. Pk	Std. Pk Wt.
09601	SPS-100N NS Quick-Change Hammer, no tips	6.00 oz	1.0"	11.25"	C	6	3.00 lb
09606	SPS-105N NS Quick-Change Hammer, no tips	9.00 oz	1.0"	11.25"	C	6	4.20 lb
09551	SPS-150N NS Quick-Change Hammer, no tips	1.00 lb	1.5"	12.50"	C	6	6.90 lb
09554	SPS-155N NS Quick-Change Hammer, no tips	1.25 lb	1.5"	12.50"	C	6	8.40 lb
09499	SPS-200N NS Quick-Change Hammer, no tips	1.50 lb	2"	13.75"	C	6	9.90 lb
09506	SPS-205N NS Quick-Change Hammer, no tips	2.25 lb	2"	13.75"	C	6	14.40 lb
09512	SPS-250N NS Quick-Change Hammer, no tips	2.50 lb	2.5"	15.50"	C	4	11.00 lb
09521	SPS-255N NS Quick-Change Hammer, no tips	4.25 lb	2.5"	15.50"	C	4	18.00 lb
09403	SPS300NSG NS Quick-Change Hammer, no tips	4.00 lb	3"	15.50"	SG	2	8.50 lb
09526	SPS-255NSG NS Quick-Change Hammer, no tips	4.25 lb	3"	15.50"	SG	4	18.00 lb
09407	SPS305N NS Quick-Change Hammer, no tips	5.00 lb	3"	15.50"	C	2	10.50 lb
09423	SPS305N-18SG NS Quick-Change Hammer, no tips	5.00 lb	3"	18.00"	SG	2	10.75 lb
09435	SPS306N-18SG NS Quick-Change Hammer, no tips	6.00 lb	3"	18.00"	SG	2	10.75 lb
09425	SPS305N-32SG NS Quick-Change Hammer, no tips	6.00 lb	3"	32.00"	SG	2	13.00 lb
09370	SPS306N-32SG NS Quick-Change Hammer, no tips	6.00 lb	3"	32.00"	SG	2	13.00 lb
09367	SPS306N-32 NS Quick-Change Hammer, no tips	6.00 lb	3"	32.00"	C	2	13.00 lb
09376	SPS307N-18 NS Quick-Change Hammer, no tips	6.50 lb	3"	18.00"	C	2	13.50 lb
09379	SPS307N-32SG NS Quick-Change Hammer, no tips	6.50 lb	3"	32.00"	SG	2	14.00 lb

**NON-SPARKING CBH CUSHION-BLOW® HAMMERS - With Tips**

11228	CBHN-125 NS Cushion-Blow Hammer, w/ 2 Tough tips	12 oz	1.25"	11.75"	C	6	6.00 lb
11236	CBHN-135 NS Cushion-Blow Hammer, w/ 2 Tough tips	16 oz	1.375"	12.00"	C	6	8.00 lb
11276	CBHN-175 NS Cushion-Blow Hammer, w/ 2 Tough tips	32 oz	1.75"	15.50"	C	6	14.50 lb

**NON-SPARKING (NS) QUICK-CHANGE TIPS**

No.	Type	Color	Dia.	Pk	Pk Wt.	No.	Type	Color	Dia.	Pk	Pk Wt.
15091	Supersoft	grey	1"	2	1.50 oz	15241	Supersoft	grey	2.5"	2	1.00 lb
15092	Soft	brown	1"	2	1.50 oz	15242	Soft	brown	2.5"	2	1.00 lb
15093	Medium	red	1"	2	1.50 oz	15243	Medium	red	2.5"	2	1.00 lb
15094	Tough	green	1"	2	1.50 oz	15244	Tough	green	2.5"	2	1.00 lb
15096	Medium Hard	cream	1"	2	1.50 oz	15246	Medium Hard	cream	2.5"	2	1.00 lb
15098	Hard	black	1"	2	1.50 oz	15248	Hard	black	2.5"	2	1.00 lb
15099	Extra Hard	yellow	1"	2	1.50 oz	15249	Extra Hard	yellow	2.5"	2	1.00 lb
15140	Supersoft	grey	1.5"	2	4.00 oz	15291	Supersoft	grey	3"	2	1.50 lb
15141	Soft	brown	1.5"	2	4.00 oz	15292	Soft	brown	3"	2	1.50 lb
15142	Medium	red	1.5"	2	4.00 oz	15293	Medium	red	3"	2	1.50 lb
15143	Tough	green	1.5"	2	4.00 oz	15294	Tough	green	3"	2	1.50 lb
15144	Medium Hard	cream	1.5"	2	4.00 oz	15296	Medium Hard	cream	3"	2	1.50 lb
15147	Hard	black	1.5"	2	4.00 oz	15298	Hard	black	3"	2	1.50 lb
15150	Extra Hard	yellow	1.5"	2	4.00 oz	15299	Extra Hard	yellow	3"	2	1.50 lb
15163	Brass Face	brass	1.5"	2	6.00 oz	<b>CBH NON-SPARKING TIPS</b>					
15191	Supersoft	grey	2"	2	8.00 oz	15125	Tough	green	1.25"	2	2.00 oz
15192	Soft	brown	2"	2	8.00 oz	15135	Tough	green	1.375"	2	3.00 oz
15193	Medium	red	2"	2	8.00 oz	15175	Tough	green	1.75"	2	3.50 oz
15194	Tough	green	2"	2	8.00 oz	<b>NS QC TIP EXTENSIONS- for NS Hammers</b>					
15196	Medium Hard	cream	2"	2	8.00 oz	09701	1" Ext. for 1.5" dia Hammers	1"	2	1.50 oz	
15198	Hard	black	2"	2	8.00 oz	09706	1" Ext. for 1.5" dia Hammers	1.5"	2	4.50 oz	
15199	Extra Hard	yellow	2"	2	8.00 oz	09531	1" Ext. for 2" dia. Hammers	2"	2	9.00 oz	
15212	Brass Face	brass	2"	2	10.00 oz	09536	1" Ext. for 2.5" dia Hammers	2.5"	2	1.20 lb	
						09351	1" Ext. for 3" dia. Hammers	3"	2	1.70 lb	



# NON-SPARKING IMPAX DEAD BLOW & QUICK-CHANGE HAMMER SETS



**STRIKING TOOLS - NON SPARK**

<b>NON-SPARKING (NS) QUICK-CHANGE HAMMER SETS</b>								
Part No.	Description	Nominal Wt.	Tip Dia.	Handle Length	Grip Style	Std. Pk	Std. Pk Wt.	
02551	SPS150-S6 NS 1lb Quick-Change Hammer with <b>six</b> 1.5" dia. NS Tips: (soft, med., med-hard, hard, extra-hard, brass) & carrying case	1.00 lb	1.5"	12.50"	C	1	2.50 lb	
02553	SPS150-S8 1lb NS Quick-Change Hammer with <b>eight</b> 1.5" dia Tips: (super-soft, soft, med., tough, med-hard, hard, extra-hard, brass) & carrying case	1.00 lb	1.5"	12.50"	C	1	2.75 lb	
02554	SPS155-S6 NS 1.25lb Quick-Change Hammer with <b>six</b> 1.5" dia QC Tips: (soft, med., med-hard, hard, extra-hard, brass) & carrying case	20 oz	1.5"	12.50"	C	1	2.75 lb	
02556	SPS155-S8 NS 1.25lb Quick-Change Hammer with <b>eight</b> 1.5" dia QC Tips: (super-soft, soft, med., tough, med-hard, hard, extra-hard, brass) & carrying case	20 oz	1.5"	12.50"	C	1	3.00 lb	
<b>NON-SPARKING (NS) Quick-Change IMPAX® DEAD BLOW POWER DRIVE® SETS</b>								
02357	SPI-156N-S6 NS Impax Power Drive Set <b>six</b> NS tips: (soft, med, med-hard, hard, extra-hard) & carrying case	1.00 lb	1.50"	12.50"	C	1	3.00 lb	
02359	SPI-156N-S8 NS Impax Power Drive Set <b>eight</b> NS tips: (super-soft, soft, med, tough med-hard, hard, extra-hard) & carrying case	1.00 lb	1.50"	12.50"	C	1	3.25 lb	
<b>NON-SPARKING MICRO-STRIKE® (MS) MINIATURE MALLET SETS</b>								
02314	MSS-1 Micro-Strike Mallet, w/ <b>three</b> ½" heads: (soft, medium, hard) & carrying case	-	.5"	9.50"	MS	1	1.90 lb	
02326	MSS-2 Micro-Strike Mallet, w/ <b>three</b> ½" heads: (copper, brass, aluminum) & carrying case	-	.5"	9.50"	MS	1	2.00 lb	
02612	MSS-4 Micro-Strike Mallet with <b>six</b> ½" heads; (soft, medium, tough, medium-hard, hard, extra-hard) & carrying case	-	.5"	9.50"	MS	1	2.60 lb	
02636	MSS-6 Micro-Strike Mallet with <b>six</b> ½" heads; (medium, hard, extra-hard, aluminum, brass, copper) & carrying case	-	.5"	9.50"	MS	1	2.90 lb	

<b>NON-SPARKING MICRO-STRIKE® (MS) REPLACEMENT HEADS and HANDLE</b>						
Part No.	Type	Color	Tip Dia.	Std. Pk	Std. Pk Wt.	
02012	MS head, soft faces	brown	.5"	1	6.00 oz	
02014	MS head, medium faces	red	.5"	1	6.00 oz	
02016	MS head, tough faces	green	.5"	1	6.00 oz	
02018	MS head, medium hard faces	cream	.5"	1	6.00 oz	
02020	MS head, hard faces	black	.5"	1	6.00 oz	
02022	MS head, extra hard faces	yellow	.5"	1	6.00 oz	
02026	MS head, copper faces	copper	.5"	1	7.00 oz	
02028	MS head, brass faces	brass	.5"	1	7.00 oz	
02030	MS head, aluminum faces	aluminum	.5"	1	7.00 oz	
02001	<b>MSH-1 Microstrike Classic Handle</b>	Length 9.5"		1	4.00 oz	





GET THE STRIPE

# STEEL HAMMERS

## NUPLA STEEL HAMMERS

Nuplaglas® handles and carbon steel forged heads combined under tightly controlled specifications deliver the highest quality industrial hammers available in the market today. Nupla "Smart Hammer Technology" is used in every step of the design and manufacture of these tools.

High carbon steel content, precision forging and heat treating, assure a durable and safe striking head.

Resin rich fiberglass pultrusion used in the manufacture of Nuplaglas® delivers a handle stronger than wood, chemical resistant and unaffected by moisture. Weather and insect resistant Nupla handles will out perform wood and other fiberglass hammers.

All Nuplaglas® handles carry a Lifetime Warranty

**SLEDGES - HAND DRILLING - CROSS PEINS - SLUGGING - BALL PEINS - CLAWS - FRAMERS & MORE...**

### CLASSIC NUPLAGLAS®

Handles with CS and SG slip resistant grips.



### ERGO POWER®

Design handles. Injection molded cover protects fiberglass from over strikes. Molded CS or SG grips.



# BALL PEIN & CLAW HAMMERS



Classic® Ball Peins



Ergo Power®  
Ball Pein



Classic® Claw  
Hammer



Ergo Power®  
Ripping Hammer



Steel Impax®  
Framing Hammer

STRIKING TOOLS - STEEL

BALL PEIN & CLAW HAMMERS						
Part No.	Description	Nominal Wt.	Handle Length	Grip Style	Std. Pk	Std. Pk Wt.
<b>CLASSIC® BALL PEIN HAMMERS</b>						
21004	M-4, Ball Pein, Classic Handle	4 oz	11"	H	6	3.00 lb
21008	M-8, Ball Pein, Classic Handle	8 oz	11"	H	6	4.50 lb
21012	M-12, Ball Pein, Classic Handle	12 oz	12"	H	6	6.00 lb
21016	M-16, Ball Pein, Classic Handle	16 oz	13"	H	6	7.50 lb
21017	M-16SG, Ball Pein, Classic Handle	16 oz	13"	SG	6	7.50 lb
21020	M-20, Ball Pein, Classic Handle	20 oz	13"	H	6	9.00 lb
21022	M-20SG, Ball Pein, Classic Handle	20 oz	13"	SG	6	9.00 lb
21024	M-24, Ball Pein, Classic Handle	24 oz	14"	H	6	10.50 lb
21025	M-24SG, Ball Pein, Classic Handle	24 oz	14"	SG	6	10.50 lb
21324	M-24-13, Ball Pein, Classic Handle	24 oz	13"	H	6	10.75 lb
21032	M-32, Ball Pein, Classic Handle	32 oz	14"	H	6	13.50 lb
21033	M-32SG, Ball Pein, Classic Handle	32 oz	14"	SG	6	13.50 lb
21040	M-40, Ball Pein, Classic Handle	40 oz	16"	H	4	11.00 lb
21041	M-40SG, Ball Pein, Classic Handle	40 oz	16"	SG	4	11.00 lb
21048	M-48, Ball Pein, Classic Handle	48 oz	16"	CS	4	13.00 lb
21049	M-48SG, Ball Pein, Classic Handle	48 oz	16"	SG	4	13.00 lb
05064	Ball Pein Set, Includes 8-12-16-24 oz Ball Peins w/ Carry Case				1	10.58 lb
<b>ERGO® POWER BALL PEIN HAMMERS</b>						
21516	M16-ESG, Ball Pein, Ergo Handle	16 oz	14"	SG	6	9.50 lb
21520	M20-ESG, Ball Pein, Ergo Handle	20 oz	14"	SG	6	11.00 lb
21524	M24-ESG, Ball Pein, Ergo Handle	24 oz	14"	SG	6	12.50 lb
21532	M32-ESG, Ball Pein, Ergo Handle	32 oz	14"	SG	6	15.00 lb
21540	M40-ESC, Ball Pein, Ergo Handle	40 oz	16"	SG	4	12.50 lb
21548	M48-ESG, Ball Pein, Ergo Handle	48 oz	16"	SG	4	14.50 lb
<b>CLAW HAMMERS</b>						
17007	C-7 Claw Hammer Classic Handle	7 oz	12"	H	6	4.20 lb
17013	C-13 Claw Hammer Classic Handle	13 oz	13"	H	6	6.00 lb
17014	C-13SG Claw Hammer Classic Handle	13 oz	13"	SG	6	6.00 lb
17016	C-16 Claw Hammer Classic Handle	16 oz	13"	H	6	7.50 lb
17017	C-16SG Claw Hammer Classic Handle	16oz	13"	SG	6	7.50 lb
17020	C-20 Claw Hammer Classic Handle	20 oz	14"	H	6	9.00 lb
17021	C-20SG Claw Hammer Classic Handle	20 oz	14"	SG	6	9.00 lb
17513	C-13ESG Claw Hammer Ergo Handle	13 oz	14"	SG	6	8.50 lb
17516	C-16ESG Claw Hammer Ergo Handle	16 oz	14"	SG	6	9.50 lb
17520	C-20ESG Claw Hammer Ergo Handle	20 oz	14"	SG	6	11.00 lb
<b>RIPPING HAMMERS</b>						
19016	R-16 Ripping Hammer Classic Handle	16 oz	13"	H	6	7.50 lb
19017	R-16SG Ripping Hammer Classic Handle	16 oz	13"	SG	6	7.50 lb
19020	R-20 Ripping Hammer Classic Handle	20 oz	14"	H	6	9.00 lb
19021	R-20SG Ripping Hammer Classic Handle	20 oz	14"	SG	6	9.00 lb
19220	R-20-16SG Ripping Hammer Classic Handle	20 oz	16"	SG	6	9.50 lb
19022	R-22 Ripping Hammer Classic Handle	22 oz	16"	H	6	9.60 lb
19023	R-22SG Ripping Hammer Classic Handle	22 oz	16"	SG	6	9.60 lb
19516	R16-ESG Ripping Hammer Handle	16 oz	14"	SG	6	9.50 lb
19520	R20-ESG Ripping Hammer Ergo Handle	20 oz	14"	SG	6	11.00 lb
19522	R22-ESG Ripping Hammer Ergo Handle	22 oz	16"	SG	6	11.75 lb
<b>STEEL-IMPAX® POWER DRIVE FRAMING HAMMER</b>						
19028	Steel-Impax, Milled Face	28 oz	16"	SI	5	13.00 lb
19029	Steel-Impax, Smooth Face	28 oz	16"	SI	5	13.00 lb



# WOOD BALL PEINS & CLAWS

**STRIKING TOOLS - STEEL**



**Claw & Ripping Hammers**

**Ball Pein Hammers**

## AMERICAN HICKORY HANDLED HAMMERS

Part No.	Description	Nominal Wt.	Handle Length	Std. Pk	Std. Pk Wt.
<b>BALL PEIN HAMMERS</b>					
06004	Ball Pein Hammer, 4oz. Drop Forged w/ American Hickory Handle	4 oz.	11"	6	3.00 lb.
06008	Ball Pein Hammer, 8oz. Drop Forged w/ American Hickory Handle	8 oz.	11.25"	6	4.50 lb.
06012	Ball Pein Hammer, 12oz. Drop Forged w/ American Hickory Handle	12 oz.	12"	6	6.00 lb.
06016	Ball Pein Hammer, 16oz. Drop Forged w/ American Hickory Handle	16 oz.	13"	6	7.50 lb.
06020	Ball Pein Hammer, 20oz. Drop Forged w/ American Hickory Handle	20 oz.	13"	6	9.00 lb.
06024	Ball Pein Hammer, 24oz. Drop Forged w/ American Hickory Handle	24 oz.	14"	6	10.50 lb.
06032	Ball Pein Hammer, 32oz. Drop Forged w/ American Hickory Handle	32 oz.	14"	6	13.50 lb.
06040	Ball Pein Hammer, 40oz. Drop Forged w/ American Hickory Handle	40 oz.	16"	4	11.00 lb.
06048	Ball Pein Hammer, 48oz. Drop Forged w/ American Hickory Handle	48 oz.	16"	4	13.00 lb.
<b>CLAW &amp; RIPPING HAMMERS</b>					
06100	Curved Claw Hammer, 16oz. Drop Forged w/ American Hickory Handle	16 oz.	13"	6	7.50 lb.
06101	Curved Claw Hammer, 20oz. Drop Forged w/ American Hickory Handle	20 oz.	14"	6	9.00 lb.
06102	Rip Claw Hammer, 16oz. Drop Forged w/ American Hickory Handle	16 oz.	13"	6	7.50 lb.
06103	Rip Claw Hammer, 20oz. Drop Forged w/ American Hickory Handle	20 oz.	14"	6	9.00 lb.
<b>HICKORY REPLACEMENT HANDLES</b>					
06153	Replacement Handle Kit, Hickory, Fits Ball Pein 4 oz	2 oz	11"	1	2.3 oz
06154	Replacement Handle Kit, Hickory, Fits Ball Pein 8 oz	2 oz	11.25"	1	2.3 oz
06155	Replacement Handle Kit, Hickory, Fits Ball Pein 12 oz	2.2 oz	12"	1	2.5 oz
06152	Replacement Handle Kit, Hickory, Fits Ball Peins 16-32 oz	2.4 oz	14"	1	2.7 oz
06156	Replacement Handle Kit, Hickory, Fits Ball Peins 40-48 oz	2.6 oz	16"	1	2.9 oz

# INDUSTRIAL SPECIALTY HAMMERS



**STRIKING TOOLS - STEEL**

INDUSTRIAL SPECIALTY HAMMERS						
Part No.	Description	Nominal Wt.	Handle Length	Grip Style	Std. Pk	Std. Pk Wt.
<b>HAND DRILLING HAMMERS</b>						
28025	HD-2SG Hand Drilling Hammer Classic Handle	2 lb	10"	SG	2	4.50 lb
28020	HD-2 Hand Drilling Hammer Classic Handle	2 lb	10"	C	2	4.50 lb
28035	HD-3SG Hand Drilling Hammer Classic Handle	3 lb	10"	SG	2	6.50 lb
28030	HD-3 Hand Drilling Hammer Classic Handle	3 lb	10"	C	2	6.50 lb
28045	HD-4SG Hand Drilling Hammer Classic Handle	4 lb	10"	SG	2	8.50 lb
28040	HD-4 Hand Drilling Hammer Classic Handle	4 lb	10"	C	2	8.50 lb
28043	HD-4 Hand Drilling Hammer Classic Handle	4 lb	15"	C	2	8.75 lb
28525	HD2-ESG Hand Drilling Hammer Ergo Handle	2 lb	10"	SG	2	5.50 lb
28535	HD3-ESG Hand Drilling Hammer Ergo Handle	3 lb	10"	SG	2	7.50 lb
28545	HD4-ESG Hand Drilling Hammer Ergo Handle	4 lb	10"	SG	2	9.50 lb
<b>BLACKSMITHS CROSS PEIN SLEDGE HAMMERS</b>						
29020	BC-2 Cross Pein Hammer Classic Handle	2 lb	14"	C	2	4.50 lb
29035	BC-3SG Cross Pein Hammer Classic Handle	3 lb	14"	SG	2	6.50 lb
29030	BC-3 Cross Pein Hammer Classic Handle	3 lb	14"	C	2	6.50 lb
29033	BC-3-15 Cross Pein Hammer Classic Handle	3 lb	15"	C	2	6.75 lb
29045	BC-4SG Cross Pein Hammer Classic Handle	4 lb	14"	SG	2	8.50 lb
29040	BC-4 Cross Pein Hammer Classic Handle	4 lb	14"	C	2	8.50 lb
29125	BC2-ESG Cross Pein Hammer Ergo Handle	2 lb	14"	SG	2	4.50 lb
29135	BC3-ESG Cross Pein Hammer Ergo Handle	3 lb	14"	SG	2	7.50 lb
29136	BC3-ESG Cross Pein Hammer Ergo Handle	3 lb	16"	SG	2	7.75 lb
29235	BC3-ESG Cross Pein Hammer Ergo Handle	3 lb	14"	CS	2	7.50 lb
29145	BC4-ESG Cross Pein Hammer Ergo Handle	4 lb	14"	SG	2	9.50 lb
29245	BC4-ESG Cross Pein Hammer Ergo Handle	4 lb	14"	CS	2	9.50 lb
<b>BRICKLAYERS HAMMER</b>						
70018	BL-16 Bricklayers Hammer, Classic Handle	16 oz	12"	C	2	2.50 lb
70026	BL-25 Bricklayers Hammer, Classic Handle	24 oz	12"	SG	4	9.40 lb
<b>PROSPECTORS PICK</b>						
70240	PP-24 Prospectors Pick, Classic Handle	24 oz	12"	C	2	5.50 lb
<b>WELDERS CHIPPING HAMMER</b>						
70320	Welders Chipping Cone & Chisel, Classic Handle	16 oz	13"	SG	2	3.50 lb
70330	Welders Chipping Cone & Cross Chisel, Classic Handle	16 oz	13"	SG	2	3.50 lb



# INDUSTRIAL SPECIALTY HAMMERS

**STRIKING TOOLS - STEEL**

## DRIVE HAMMER

Multi-function soft face hammer with a 3/8" drive

Fits all SAE & metric sockets (not included)

Performs like a breaker bar w/non-marring hammer face  
Tighten bolts and tap parts into place with one tool.  
More torque than a nut driver or short breaker bar.  
Replaceable tips available from soft to extra hard.



**Brass Hammer**



**Rubber Mallet**



**Engineers Straight Pein Hammer**



**Engineers Cross Pein**

### THE DRIVE HAMMER

Part No.	Description	Nominal Wt.	Handle Length/ Tip Size	Grip Style	Std. Pk	Std. Pk Wt
<b>3/8" FIXED SOCKET DRIVE WITH NON-MARRING REPLACEABLE HAMMER FACE</b>						
05035	3/8" Drive Hammer w/ Non-Marring Replaceable Tip	2.2 lbs	12"	C	2	5.10 lbs
<b>Replaceable Tips for Drive Hammer</b>						
15172	CBH Soft Face Tip, Brown, Soft	1.4 oz	1.75"	—	1	1.9 oz
15173	CBH Soft Face Tip, Red, Medium	1.4 oz	1.75"	—	1	1.9 oz
15174	CBH Soft Face Tip, Green, Tough	1.4 oz	1.75"	—	1	1.9 oz
15176	CBH Soft Face Tip, Cream, Medium-Hard (Included)	1.4 oz	1.75"	—	1	1.9 oz
15170	CBH Soft Face Tip, Black, Hard	1.4 oz	1.75"	—	1	1.9 oz

### INDUSTRIAL SPECIALTY HAMMERS

Part No.	Description	Nominal Wt.	Handle Length	Grip Style	Std. Pk	Std. Pk Wt
<b>BRASS HAMMERS - NON SPARKING</b>						
30015	BRS1.5 Brass Hammer, Classic Handle	1.5 lb	12"	SG	5	8.75 lb
30025	BRS2.5 Brass Hammer, Classic Handle	2.5 lb	12"	SG	2	5.50 lb
30040	BRS4 Brass Hammer, Classic handle	4 lb	12"	SG	2	8.30 lb
30515	BRS1.5-ESG Brass Hammer, Ergo Handle	1.5 lb	12"	SG	5	10.50 lb
30525	BRS2.5-ESG Brass Hammer, Ergo Handle	2.5 lb	12"	SG	2	6.50 lb
30540	BRS4-ESG Brass Hammer, Ergo Handle	4 lb	12"	SG	2	9.50 lb
<b>RUBBER MALLETS</b>						
13110	RM1 Rubber Mallet, Classic Handle	1 lb	12 5/8"	H	5	5.75 lb
13120	RM2 Rubber Mallet, Classic Handle	2 lb	16"	H	5	10.75 lb
<b>MACHINISTS HAMMER</b>						
70128	MH28 Machinists Hammer, Classic Handle	28 oz	13"	H	4	9.40 lb
<b>ENGINEERS CROSS PEIN</b>						
70212	EC12 Engineers Cross Pein, Classic Handle	12 oz	12"	SG	4	5.50 lb
<b>ENGINEERS STRAIGHT PEIN</b>						
70312	ES12 Engineers Straight Pein, Classic Handle	12 oz	12"	SG	4	5.50 lb

# SLEDGE HAMMERS



Ergo Power®  
SG Super Grip



Ergo Power® CS  
Comfort Grip

**SLEDGE HAMMERS**



Ergo Power® CS  
Comfort Grip



Ergo Power® SG  
Slugging Hammers



Classic® SG  
& CS Short Hammers

NUPLA SLEDGE HAMMERS						
Part No.	Description	Nominal Wt.	Handle Length	Grip Style	Std. Pk	Std. Pk Wt.
<b>BLACKSMITHS DOUBLE-FACE ERGO POWER® SLEDGE HAMMERS</b>						
27520	BD2-ESG Ergo Power Sledge	2 lb	14"	SG	2	5.50 lb
27620	BD2-ECS Ergo Power Sledge	2 lb	14"	CS	2	5.50 lb
27530	BD3-ESG Ergo Power Sledge	3 lb	14"	SG	2	7.50 lb
27630	BD3-ECS Ergo Power Sledge	3 lb	14"	CS	2	7.50 lb
27540	BD4-ESG Ergo Power Sledge	4 lb	14"	SG	2	9.50 lb
27640	BD4-ECS Ergo Power Sledge	4 lb	14"	CS	2	9.50 lb
27806	BD-6ESG Ergo Power Sledge	6 lb	32"	SG	2	16.50 lb
27706	BD-6ECS Ergo Power Sledge	6 lb	32"	CS	2	16.50 lb
27808	BD-8ESG Ergo Power Sledge	8 lb	32"	SG	2	20.00 lb
27708	BD-8ECS Ergo Power Sledge	8 lb	32"	CS	2	20.00 lb
27810	BD-10ESG Ergo Power Sledge	10 lb	32"	SG	2	24.50 lb
27710	BD-10ECS Ergo Power Sledge	10 lb	32"	CS	2	24.50 lb
27814	BD-10ESG Ergo Power Sledge	10 lb	36"	SG	2	24.50 lb
27812	BD-12ESG Ergo Power Sledge	12 lb	32"	SG	2	28.40 lb
27712	BD-12ECS Ergo Power Sledge	12 lb	32"	CS	2	28.40 lb
27816	BD-16ESG Ergo Power Sledge	16 lb	32"	SG	2	36.50 lb
27716	BD-16ECS Ergo Power Sledge	16 lb	32"	CS	2	36.50 lb
27818	BD-16LESG Ergo Power Sledge	16 lb	36"	SG	2	36.50 lb
27718	BD-16LECS Ergo Power Sledge	16 lb	36"	CS	2	36.50 lb
27820	BD-20ESG Ergo Power Sledge	20 lb	32"	SG	2	44.50 lb
27720	BD-20ECS Ergo Power Sledge	20 lb	32"	CS	2	44.50 lb
27822	BD-20LESG Ergo Power Sledge	20 lb	36"	SG	2	44.50 lb
27722	BD-20LECS Ergo Power Sledge	20 lb	36"	CS	2	44.50 lb
<b>ERGO POWER® - SLUGGING HAMMERS</b>						
27805	BD6-E16SG Ergo Power Slugging Hammer	6 lb	16"	SG	2	13.75 lb
27804	BD8-E16SG Ergo Power Slugging Hammer	8 lb	16"	SG	2	17.25 lb
27092	BD10-E16SG Ergo Power Slugging Hammer	10 lb	16"	SG	2	21.50 lb
<b>DOUBLE-FACE SLEDGE HAMMERS - CLASSIC® 2 - 4 LB</b>						
27021	BD-2SG Classic Sledge	2 lb	14"	SG	2	4.50 lb
27020	BD-2 Classic Sledge	2 lb	14"	CS	2	4.50 lb
27023	BD-2-15 Classic Sledge	2 lb	15"	CS	2	4.75 lb
27030	BD-3 Classic Sledge	3 lb	14"	CS	2	6.50 lb
27035	BD-3SG Classic Sledge	3 lb	14"	SG	2	6.50 lb
27045	BD-4SG Classic Sledge	4 lb	14"	SG	2	8.50 lb
27040	BD-4 Classic Sledge	4 lb	14"	CS	2	8.50 lb
27043	BD-4-15 Classic Sledge	4 lb	15"	CS	2	8.50 lb
27046	BD-4-16 Classic Sledge	4 lb	16"	CS	2	8.50 lb



**NUPLA®**  
Since 1938

GET THE STRIPE

# CLASSIC NUPLAGLAS® SLEDGE HAMMERS 6 - 20 LB

## CLASSIC® BLACKSMITHS DOUBLE-FACE SLEDGE HAMMERS

Part No.	Description	Nominal Wt.	Handle Length	Grip Style	Std. Pk	Std. Pk Wt.
27062	BD-6-14 Classic Sledge	6 lb	14"	CS	2	13.15 lb
27059	BD-6-14SG Classic Sledge	6 lb	14"	SG	2	13.15 lb
27066	BD-6-15 Classic Sledge	6 lb	15"	CS	2	13.15 lb
27036	BD-6-16 Classic Sledge	6 lb	16"	CS	2	13.15 lb
27047	BD-6-16SG Classic Sledge	6 lb	16"	SG	2	13.15 lb
27068	BD-6-18 Classic Sledge	6 lb	18"	CS	2	13.30 lb
27072	BD-6-18SG Classic Sledge	6 lb	18"	SG	2	13.30 lb
27069	BD-6-24 Classic Sledge	6 lb	24"	CS	2	13.35 lb
27071	BD-6-24SG Classic Sledge	6 lb	24"	SG	2	13.35 lb
27064	BD-6-26 Classic Sledge	6 lb	26"	CS	2	13.40 lb
27077	BD-6-28SG Classic Sledge	6 lb	28"	SG	2	15.00 lb
27060	BD-6-32 Classic Sledge	6 lb	32"	CS	2	13.50 lb
27081	BD-6SG Classic Sledge	6 lb	32"	SG	2	13.50 lb
27082	BD-8-14 Classic Sledge	8 lb	14"	CS	2	17.15 lb
27073	BD-8-14SG Classic Sledge	8 lb	14"	SG	2	17.15 lb
27085	BD-8-15 Classic Sledge	8 lb	15"	CS	2	17.15 lb
27074	BD-8-15SG Classic Sledge	8 lb	15"	SG	2	17.15 lb
27086	BD-8-16 Classic Sledge	8 lb	16"	CS	2	17.15 lb
27087	BD-8-16SG Classic Sledge	8 lb	16"	SG	2	17.15 lb
27088	BD-8-18 Classic Sledge	8 lb	18"	CS	2	17.30 lb
27090	BD-8-18SG Classic Sledge	8 lb	18"	SG	2	17.30 lb
27083	BD-8-24SG Classic Sledge	8 lb	24"	SG	2	17.35 lb
27084	BD-8-24 Classic Sledge	8 lb	24"	CS	2	17.35 lb
27112	BD-8-28SG Classic Sledge	8 lb	28"	SG	2	17.50 lb
27111	BD-8-28 Classic Sledge	8 lb	28"	CS	2	17.50 lb
27091	BD-8-32SG Classic Sledge	8 lb	32"	SG	2	17.50 lb
27080	BD-8-32 Classic Sledge	8 lb	32"	CS	2	17.50 lb
27089	BD-8-36 Classic Sledge	8 lb	36"	CS	2	17.60 lb
27075	BD-8-36SG Classic Sledge	8 lb	36"	SG	2	17.60 lb
27105	BD-10-15 Classic Sledge	10 lb	15"	CS	2	21.15 lb
27106	BD-10-16 Classic Sledge	10 lb	16"	CS	2	21.15 lb
27108	BD-10-18 Classic Sledge	10 lb	18"	CS	2	21.30 lb
27104	BD-10-24 Classic Sledge	10 lb	24"	CS	2	21.35 lb
27103	BD-10-24SG Classic Sledge	10 lb	24"	SG	2	21.35 lb
27117	BD-10-28SG Classic Sledge	10 lb	28"	SG	2	21.40 lb
27116	BD-10-28 Classic Sledge	10 lb	28"	CS	2	21.40 lb
27101	BD-10-32SG Classic Sledge	10 lb	32"	SG	2	21.50 lb
27100	BD-10-32 Classic Sledge	10 lb	32"	CS	2	21.50 lb
27110	BD-10-32SG Classic Sledge Dbl. Grip	10 lb	32"	SG	2	21.45 lb
27109	BD-10-36 Classic Sledge	10 lb	36"	CS	2	21.55 lb
27102	BD-10-36SG Classic Sledge	10 lb	36"	SG	2	21.55 lb
27125	BD-12-15 Classic Sledge	12 lb	15"	CS	2	25.05 lb
27126	BD-12-16SG Classic Sledge	12 lb	16"	SG	2	25.15 lb
27128	BD-12-18 Classic Sledge	12 lb	18"	CS	2	25.20 lb
27124	BD-12-24 Classic Sledge	12 lb	24"	CS	2	25.25 lb
27129	BD-12-28 Classic Sledge	12 lb	28"	CS	2	25.35 lb
27130	BD-12-28SG Classic Sledge	12 lb	28"	SG	2	25.35 lb
27120	BD-12-32 Classic Sledge	12 lb	32"	CS	2	25.40 lb
27121	BD-12-32SG Classic Sledge	12 lb	32"	SG	2	25.40 lb
27122	BD-12-36 Classic Sledge	12 lb	36"	CS	2	25.45 lb
27123	BD-12-36SG Classic Sledge	12 lb	36"	SG	2	25.45 lb
27165	BD-16-15 Classic Sledge	16 lb	15"	CS	2	33.15 lb
27167	BD-16-16SG Classic Sledge	16 lb	16"	SG	2	33.25 lb
27164	BD-16-24 Classic Sledge	16 lb	24"	CS	2	33.35 lb
27160	BD-16-32 Classic Sledge	16 lb	32"	CS	2	33.50 lb
27161	BD-16-32SG Classic Sledge	16 lb	32"	SG	2	33.50 lb
27162	BD-16-36 Classic Sledge	16 lb	36"	CS	2	33.55 lb
27169	BD-16-36SG Classic Sledge	16 lb	36"	SG	2	33.55 lb
27216	BD-20-16 Classic Sledge	20 lb	16"	CS	2	41.15 lb
27204	BD-20-24 Classic Sledge	20 lb	24"	CS	2	41.00 lb
27200	BD-20-36 Classic Sledge	20 lb	36"	CS	2	41.50 lb
27201	BD-20-36SG Classic Sledge	20 lb	36"	SG	2	41.50 lb

Classic Nuplaglas® handles with Lifetime Warranty



Industrial Grade Heads



Cushion Grip (CS)



Super Grip (SG)

**SLEDGE HAMMERS**

# WOOD SLEDGES



## HICKORY HANDLED SLEDGE HAMMERS

Sledge Hammers - Long & Short Handled  
Cross Pein & Hand Drilling

**SLEDGE HAMMERS**

Hand Drilling & Cross Pein

Sledge Hammers

<b>HICKORY HANDLED SLEDGE HAMMERS</b>					
Part No.	Description	Nominal Wt.	Handle Length	Std. Pk	Std. Pk Wt.
06111	Double Face Sledge, 6lb, Drop Forged w/ American Hickory Handle	6 lb.	32"	2	13.50 lb
06112	Double Face Sledge, 8lb, Drop Forged w/ American Hickory Handle	8 lb.	32"	2	17.50 lb
06121	Double Face Sledge, 8lb, Drop Forged w/ American Hickory Handle	8 lb.	36"	2	17.60 lb
06113	Double Face Sledge, 10lb, Drop Forged w/ American Hickory Handle	10 lb.	32"	2	21.50 lb
06114	Double Face Sledge, 10lb, Drop Forged w/ American Hickory Handle	10 lb.	36"	2	21.55 lb
06115	Double Face Sledge, 12lb, Drop Forged w/ American Hickory Handle	12 lb.	32"	2	25.40 lb
06118	Double Face Sledge, 12lb, Drop Forged w/ American Hickory Handle	12 lb.	36"	2	25.45 lb
06116	Double Face Sledge, 16lb, Drop Forged w/ American Hickory Handle	16 lb.	32"	2	33.50 lb
06117	Double Face Sledge, 16lb, Drop Forged w/ American Hickory Handle	16 lb.	36"	2	33.55 lb
06119	Double Face Sledge, 2lb, Drop Forged w/ American Hickory Handle	2 lb.	16"	2	4.75 lb
06110	Double Face Sledge, 4lb, Drop Forged w/ American Hickory Handle	4 lb.	16"	2	8.50 lb
06120	Hand Drilling Hammer, 3lb, Drop Forged w/ American Hickory Handle	3 lb.	10.5"	2	6.50 lb
06105	Cross Pein Hammer, 3lb, Drop Forged w/ American Hickory Handle	3 lb.	15"	2	6.75 lb
<b>HICKORY REPLACEMENT HANDLES</b>					
06150	36" Replacement Handle Kit, Hickory, Fits 6-16 lb Sledge	1.75 lb	36"	1	2.25 lb
06151	16" Replacement Handle Kit, Hickory, Fits 2-4 lb Hammers	.75 lb	16"	1	1.25 lb
06157	10.5" Replacement Handle Kit, Hickory, Fits 3 lb Hand Drilling	.55 lb	10.5"	1	1.05 lb
06158	32" Replacement Handle Kit, Hickory, Fits 6-16 lb Sledge	1.55 lb	32"	1	2.05 lb



# SOFT STEEL SAFETY SLEDGE HAMMERS

**SLEDGE HAMMERS**



## FOR STRIKING EXTREMELY HARD METAL SURFACES: HARDENED PINS, RAILROAD SPIKES & CUTTING TOOLS

- Ideal for Mining Equipment and Rail Applications
- Similar hardness to brass
- Can replace brass when non-sparking is not required
- Maximum - 30 Rockwell C Hardness
- Reduces shearing when striking hardened steel
- Blue Heads marked "S" for "soft"
- Ergo Power® Super Grip black handles

### SOFT SAFETY STEEL - ERGO® SLEDGE HAMMERS

Part No.	Description	Nominal Wt.	Handle Length	Grip Style	Std. Pk	Std. Pk Wt.
26500	BDS-2-14 ESG Ergo Soft Safety Steel Sledge Hammer	2 lb	14"	SG	2	5.50 lb
26501	BDS-3-14 ESG Ergo Soft Safety Steel Sledge Hammer	3 lb	14"	SG	2	7.50 lb
26502	BDS-4-14 ESG Ergo Soft Safety Steel Sledge Hammer	4 lb	14"	SG	2	9.50 lb
26503	BDS-6-32 ESG Ergo Soft Safety Steel Sledge Hammer	6 lb	32"	SG	2	16.00 lb
26504	BDS-8-32 ESG Ergo Soft Safety Steel Sledge Hammer	8 lb	32"	SG	2	20.00 lb
26505	BDS-10-32 ESG Ergo Soft Safety Steel Sledge Hammer	10 lb	32"	SG	2	24.00 lb
26506	BDS-12-32 ESG Ergo Soft Safety Steel Sledge Hammer	12 lb	32"	SG	2	28.00 lb
26507	BDS-16-32 ESG Ergo Soft Safety Steel Sledge Hammer	16 lb	32"	SG	2	36.00 lb
26508	BDS-20-32 ESG Ergo Soft Safety Steel Sledge Hammer	20 lb	32"	SG	2	44.50 lb
26510	BDS-6-ESG-S Ergo Soft Safety Steel Slugging Hammer	6 lb	16"	SG	2	15.50 lb
26511	BDS-8-ESG-S Ergo Soft Safety Steel Slugging Hammer	8 lb	16"	SG	2	19.00 lb

# AXES - MAULS - PICKS - MATTOCKS



**AXES - MAULS - PICKS**



**Ergo Power® Michigan Double Bit**

**Ergo Power® Michigan Single Bit**

**Classic® Michigan Double Bit**

**Campers Axe**

**Campers Utility Axe**

**Ergo Power® Splitting Maul**

**Ergo Power® Mattock**

**Classic® Bush Hook, Single Blade**

<b>AXES - MAULS - PICKS - MATTOCKS</b>						
Part No.	Description	Nominal Wt.	Handle Length	Grip Style	Std. Pk	Std. Pk Wt.
<b>ERGO POWER® AXES</b>						
22400	DB3.5ESG Ergo Power Michigan Double Bit	3.5 lb	32"	SG	2	8.50 lb
22402	DB3.5ECS Ergo Power Michigan Double Bit	3.5 lb	32"	CS	2	8.50 lb
22401	DB3.5LESG Ergo Power Michigan Double Bit	3.5 lb	36"	SG	2	8.75 lb
22404	DB3.5LECS Ergo Power Michigan Double Bit	3.5 lb	36"	CS	2	8.75 lb
22410	NSB3.5ESG Ergo Power Michigan Single Bit	3.5 lb	32"	SG	2	8.50 lb
22411	NSB3.5LESG Ergo Power Michigan Single Bit	3.5 lb	36"	SG	2	8.75 lb
22416	Slim Line Ergo Power Michigan Single Bit	3.5 lb	32"	NA	2	8.25 lb
22412	Slim Line Ergo Power Michigan Single Bit	3.5 lb	36"	NA	2	8.50 lb
<b>CLASSIC® AXES</b>						
22200	DB3.5 Classic Michigan Double Bit	3.5 lb	36"	DB	2	8.50 lb
22201	SB3.5 Classic Michigan Single Bit	3.5 lb	36"	SB	2	8.50 lb
<i>See Fire Tools Section for Additional Axes</i>						
<b>CLASSIC® CAMP AXES</b>						
22210	Campers Axe	2.0 lb	14"	SB	2	4.2 lb
22211	Campers/Utility Axe	3.7 lb	16"	SB	2	7.6 lb
22212	Sheath (fits 22210 axe)	0.3 lb	-	-	2	.75 lb
22213	Sheath (fits 22211 axe)	.04 lb	-	-	2	.85 lb
<b>ERGO POWER® MAULS</b>						
22806	SM-6-ESG Ergo Power Splitting Maul	6 lb	32"	SG	2	16.50 lb
22706	SM-6-ECS Ergo Power Splitting Maul	6 lb	32"	CS	2	16.50 lb
22808	SM-8-ESG Ergo Power Splitting Maul	8 lb	32"	SG	2	22.50 lb
22708	SM-8-ECS Ergo Power Splitting Maul	8 lb	32"	CS	2	22.50 lb
<b>CLASSIC® MAULS</b>						
22060	SM-6 Classic Splitting Maul	6 lb	32"	CS	2	13.50 lb
22080	SM-8 Classic Splitting Maul	8 lb	32"	CS	2	17.80 lb
22082	SM-8SG Classic Splitting Maul	8 lb	32"	SG	2	17.80 lb
24340	SHW-4 Splitting Wedge	4 lb	-	-	5	20.75 lb
<b>ERGO POWER® PICKS &amp; MATTOCKS</b>						
24551	CM-5H-ESG Ergo Power Cutter Mattock	5 lb	36"	SG	1	9.00 lb
24557	CM-5H-ECS Ergo Power Cutter Mattock	5 lb	36"	CS	1	9.00 lb
24552	PM-5H-ESG Ergo Power Pick Mattock	5 lb	36"	SG	1	9.00 lb
24560	PM-5H-ECS Ergo Power Pick Mattock	5 lb	36"	CS	1	9.00 lb
24553	RP-5H-ESG Ergo Power Railroad Pick	5 lb	36"	SG	1	9.00 lb
24563	RP-5H-ECS Ergo Power Railroad Pick	5 lb	36"	CS	1	9.00 lb
24554	RP-6H-ESG Ergo Power Railroad Pick	6 lb	36"	SG	1	10.00 lb
24566	RP-6H-ECS Ergo Power Railroad Pick	6 lb	36"	CS	1	10.00 lb
<b>CLASSIC® PICKS &amp; MATTOCKS</b>						
24051	CM-5H Classic Cutter Mattock	5 lb	36"	DB	1	9.00 lb
24052	CM-5H140 Classic Cutter Mattock	5 lb	36"	CS	1	9.50 lb
24151	PM-5H Classic Pick Mattock	5 lb	36"	DB	1	9.00 lb
24152	PM-5H140 Classic Pick Mattock	5 lb	36"	CS	1	9.50 lb
24251	RP-5H Classic Railroad Pick	5 lb	36"	DB	1	9.00 lb
24261	RP-6H Classic Railroad Pick	6 lb	36"	DB	1	10.00 lb
24252	RP-5H140 Classic Railroad Pick	5 lb	36"	CS	1	9.50 lb
24262	RP-6H140 Classic Railroad Pick	6 lb	36"	CS	1	10.50 lb
<b>PICK &amp; MATTOCK HEADS</b>						
24050	CM-5 Cutter Mattock Head	5 lb	-	-	1	5.50 lb
24150	PM-5 Pick Mattock Head	5 lb	-	-	1	5.50 lb
24260	RP-6 Railroad Pick Head	6 lb	-	-	1	6.50 lb
<b>ERGO POWER® BUSH HOOKS &amp; DITCH BANK BLADES</b>						
72940	BHD-10E Ergo Power Bush Hook, Double Edge	3 lb	36"	SG	2	11.30 lb
72950	DBB-16ESG Ergo Power Ditch Bank Blade	3 lb	36"	SG	2	11.50 lb
<b>CLASSIC® BUSH HOOK &amp; DITCH BANK BLADES</b>						
33140	BHD-10 Classic Bush Hook, Double Edge	3 lb	36"	DB	2	9.00 lb
33145	BHS-32 Classic Bush Hook, Single Edge	3 lb	36"	SB	2	9.00 lb
33150	DBB-16 Classic Ditch Bank Blade	3 lb	40"	DB	2	10.00 lb



# AXES - MAULS - PICKS

**AXES - MAULS - PICKS**



**Axes & Mauls**

**Picks & Mattocks**

## HICKORY HANDLED CUTTING & DIGGING TOOLS

Axes & Mauls  
Picks & Mattocks

### CUTTING & DIGGING TOOLS WITH HICKORY HANDLES

Part Number	Description	Nominal Wt.	Handle Length	Std. Pk	Std. Pk Wt.
33790	3.5 lb Michigan Double Bit Axe, 32" Straight Hickory Handle	4.5 lb	32"	2	9.5 lb
33791	3.5 lb Michigan Double Bit Axe, 36" Straight Hickory Handle	4.5 lb	36"	2	9.5 lb
33792	3.5 lb Michigan Single Bit Axe, 32" Contoured Hickory Handle	4.5 lb	32"	2	9.5 lb
33793	3.5 lb Michigan Single Bit Axe, 36" Contoured Hickory Handle	4.5 lb	36"	2	9.5 lb
33794	6 lb Splitting Maul, 32" Straight Hickory Handle	7.0 lb	32"	2	14.5 lb
33795	8 lb Splitting Maul, 32" Straight Hickory Handle	9.0 lb	32"	2	18.5 lb.
33796	5 lb Cutter Mattock, 36" Straight Hickory Pick Handle	6.0 lb	36"	1	12.5 lb.
33797	5 lb Pick Mattock, 36" Straight Hickory Pick Handle	6.0 lb	36"	1	12.5 lb.
33798	5 lb Railroad Pick, 36" Straight Hickory Pick Handle	6.0 lb	36"	1	12.5 lb.
REPLACEMENT HANDLES					
06159	32" Replacement Handle Kit, Hickory, Fits Double Bit Axe	1.55 lb	32"	1	2.05 lb
06160	36" Replacement Handle Kit, Hickory, Fits Double Bit Axe	1.75 lb	36"	1	2.25 lb
06161	32" Replacement Handle Kit, Hickory, Fits Single Bit Axe	1.55 lb	32"	1	2.05 lb
06162	36" Replacement Handle Kit, Hickory, Fits Single Bit Axe	1.75 lb	36"	1	2.25 lb
06163	36" Replacement Handle Kit, Hickory, Fits Mattocks & Railroad Pick	2.0 lb	36"	1	2.50 lb