

Osborn crimped wire wheel brushes are filled with steel or stainless steel wire in a variety of gages for applications from aggressive material removal and deburring, to surface conditioning and polishing. Arbor holes are easily adapted to any spindle or drive arbor with Osborn adapters.

**Ideal for:** buffing, cleaning, light deburring, flash removal, surface finishing, polishing, paint & varnish removal, rust & oxide removal, weld preparation, weld cleaning, and much more.

## CRIMPED WIRE WIDE FACE WHEEL BRUSH

Osborn Wide Face Wheels are heavily filled with the highest quality steel wire, in a range of wire sizes. Their wide face construction provides fast, efficient brushing on production work and general maintenance jobs. These wheels fit directly onto 2" diameter arbors, without adapters.

*Applications: Deburring, Rust Removal, Surface Finishing, General Cleanup of Tools, Bench Motor Brush*



Brush Dia.	Plain Arbor Hole	Fill Dia.	Fill Material	Trim Length	Face Width	Max RPM	Item No.
4-1/4	2	0.010	Stainless Steel	3/4	1	6000	22098
4-1/4	2	0.010	Steel	3/4	1	6000	22000
4-1/4	2	0.012	Steel	3/4	1	6000	22003
4-1/4	2	0.014	Stainless Steel	3/4	1	6000	22099
4-1/4	2	0.014	Steel	3/4	1	6000	22004
6	2	0.006	Steel	1	1-1/4	6000	22005
6	2	0.008	Stainless Steel	1	1-1/4	6000	22100
6	2	0.008	Steel	1	1-1/4	6000	22006
6	2	0.010	Stainless Steel	1	1-1/2	6000	22009
6	2	0.010	Steel	1	1-1/4	6000	22060
6	2	0.012	Steel	1	1-1/4	6000	22007
6	2	0.014	Brass	1	1-1/4	6000	22057
6	2	0.014	Stainless Steel	1	1-1/4	6000	22101
6	2	0.014	Steel	1	1-1/4	6000	22008
8	2	0.006	Steel	1-1/2	1-1/2	4500	22010
8	2	0.008	Stainless Steel	1-1/2	1-1/2	4500	22102
8	2	0.008	Steel	1-1/2	1-1/2	4500	22025
8	2	0.010	Steel	1-1/2	1-1/2	4500	22080
8	2	0.012	Stainless Steel	1-1/2	1-1/2	4500	22103
8	2	0.012	Steel	1-1/2	1-1/2	4500	22026
8	2	0.014	Steel	1-1/2	1-1/2	4500	22012
8	2	0.020	Stainless Steel	1-1/2	1-1/2	4500	22104
8	2	0.020	Steel	1-1/2	1-1/2	4500	22013
10	2	0.010	Steel	2-1/8	2	3600	22014
10	2	0.012	Steel	2-1/8	2	3600	22030
10	2	0.014	Stainless Steel	2-1/8	2	3600	22027
10	2	0.014	Steel	2-1/8	2	3600	22029
10	2	0.020	Steel	2-1/8	2	3600	22015
12	2	0.012	Steel	3-1/4	2	3600	22016
12	2	0.014	Steel	3-1/4	2	3600	22038
12	2	0.020	Steel	1-7/8	2	3000	22225
12	2	0.020	Steel	3-1/4	2	3600	22017
15	2	0.012	Steel	3-3/8	2-1/4	2400	22018