


## NEEDLE-NOSE PLIERS - LONG REACH


- › Extra-long handle allows greater access to confined, restricted areas.
- › Improved fulcrum point provides more holding power at the tip with less gripping effort.
- › Plastisol grips for added comfort.



Product #	Overall Length (in) (L)	Jaw Length (in) (A)	Jaw Width (in) (B)	Jaw Thickness (in) (C)	Weight (lbs)
<b>J2406</b>	11-9/16	2-13/16	23/32	13/32	0.63

## NEEDLE-NOSE PLIERS - LONG


- › Diamond serrated jaws.
- › Plastisol grips for added comfort.

**J2286****J2226****J2236**

Product #	Description	Overall Length (in) (L)	Jaw Length (in) (A)	Jaw Width (in) (B)	Jaw Thickness (in) (C)	Weight (lbs)	ASME Spec
<b>J2286</b>	<b>Long</b> - Long handle for added leverage.	7-25/32	1-9/16	17/32	7/16	0.38	ASME B107.13
<b>J2226</b>	<b>Long Thin</b> - Very thin nose allows access into minimum clearance areas.	7	2-1/8	11/16	11/32	0.28	ASME B107.13
<b>J2236</b>	<b>Long Extra Thin</b> - Extra slim-nose pliers for light precision work. Designed for gripping, looping, and twisting wire in confined areas.	6-5/32	2-5/32	1/2	9/32	0.20	ASME B107.20

## BENT NOSE NEEDLE-NOSE PLIERS

- › 78° angle to reach around obstructions.
- › Thin nose allows access into tight areas.
- › Diamond serrated jaws.
- › Plastisol grips for added comfort.



Product #	Overall Length (in) (L)	Jaw Length (in) (A)	Jaw Width (in) (B)	Jaw Thickness (in) (C)	Weight (lbs)
<b>J2256</b>	6-1/2	1-5/8	3/4	3/8	0.42

 ASME B107.500