# **453 PC INTERMEDIATE TOOL SET**

### **Product #: J99720**

- ▶ 453 Pieces.
- ▶ 1/4", 3/8", 1/2", 3/4" Drive Tools.
- Designed for fastener sizes 3/16" 2-3/8".
- ▶ Tools only.

- ▶ Contains: 212 Sockets and Accessories, 105 Wrenches, 34 Striking and Struck Tools, 32 Pliers, 32 Screwdrivers, 38 Miscellaneous Tools.
- > Weight: 280.0 lbs.









| Contents  | Description                      | Contents    | Description   |
|-----------|----------------------------------|-------------|---|
| J4770A    | Adapter, Universal Joint 1/4" DR | J4785       | Handle, Sliding T 1/4" DR                             |
| J5270A    | Adapter, Universal Joint 3/8" DR | J5285       | Handle, Sliding T 3/8" DR                             |
| J5470A    | Adapter, Universal Joint 1/2" DR | J5485       | Handle, Sliding T 1/2" DR                             |
| J5670     | Adapter, Universal Joint 3/4" DR | J5685       | Handle, Sliding T 3/4" DR                             |
| J2126     | Bar, 12" Long 1/2" Tip           | J4780G      | Handle, Speed 1/4" DR                                 |
| J2130     | Bar, 16" Long 5/8" Tip           | J5280G      | Handle, Speed 3/8" DR                                 |
| J2120     | Bar, Pry Aligning 18"            | J5480G      | Handle, Speed 1/2" DR                                 |
| J2124     | Bar, Pry Aligning 24"            | J4980       | Hex Key, 13 PC Standard Set                           |
| J47707/64 | Bit, 1/4" DR 7/64" Hex           | J2108       | Holder, Punch and Chisel                              |
| J404      | C-Clamps, Capacity 0"-4", 2 Each | J95218      | Knife, Folding Blade                                  |
| J86A3/16  | Chisel, Cold 1/4"                | J18545B     | Knife, Lockback 5"                                    |
| J86A1/4   | Chisel, Cold 5/16"               | 10-099      | Knife, Stanley® Classic 99® Retractable Blade Utility |
| J86A5/16  | Chisel, Cold 3/8"                | J1368       | Mallet, Rubber  |
| J86A7/16  | Chisel, Cold 1/2"                | J308        | Miniature Snips                                       |
| J86A1/2   | Chisel, Cold 5/8"                | J2373       | Mirror, Rectangular Telescoping 2-1/8"                |
| J86A5/8   |                                  | J9206       | Nut Driver, 3/16"                                     |
|           | Chisel, Cold 3/4"                |             |   |
| J86A3/4X8 | Chisel, Cold 7/8"                | J9207       | Nut Driver, 7/32"                                     |
| J86A7/8X8 | Chisel, Cold 1"                  | J9208       | Nut Driver, 1/4"                                      |
| J86A1X8   | Chisel, Cold 1-3/16"             | J9209       | Nut Driver, 9/32"                                     |
| J4769     | Driver, 1/4" DR                  | J9210       | Nut Driver, 5/16"                                     |
| J9521     | Extractor, Screw 1/8"            | J9211       | Nut Driver, 11/32"                                    |
| J9522     | Extractor, Screw 3/16"           | J9212       | Nut Driver, 3/8"                                      |
| J9523     | Extractor, Screw 15/64"          | J9214       | Nut Driver 7/16"                                      |
| J9524     | Extractor, Screw 5/16"           | J9216       | Nut Driver, 1/2"                                      |
| J9525     | Extractor, Screw 3/8"            | J9218       | Nut Driver, 9/16"                                     |
| J9525B    | Extractor, Screw 15/32"          | J9220       | Nut Driver, 5/8"                                      |
| J9526     | Extractor, Screw 9/16"           | J206G       | Pliers, Diagonal Cutting with Grip 6-1/16"            |
| J9527     | Extractor, Screw 21/32"          | J209G       | Pliers, Diagonal Cutting with Grip 7-5/16"            |
| J9528     | Extractor, Screw 13/16"          | J227G       | Pliers, Duckbill with Grip 7-25/32"                   |
| J9529     | Extractor, Screw 1-1/16"         | J272G       | Pliers, End Cutting High Leverage 8-1/4"              |
| J4759     | Extension, 1/4" DR 2"            | J268G       | Pliers, Lineman's with Grip 8-5/8"                    |
| J4760     | Extension, 1/4" DR 3"            | J292NC      | Pliers, Locking Curved 10"                            |
| J4761     | Extension, 1/4" DR 6"            | J286LNXL    | Pliers, Locking Mini Long Nose 6-29/32"               |
| J5260     | Extension, 3/8" DR 3"            | J291NC      | Pliers, Locking Straight 7"                           |
| J5260-06  | Extension, 3/8" DR 6"            | J225G       | Pliers, Needle-Nose Bent Nose 6-5/16"                 |
| J5262     | Extension, 3/8" DR 12"           | J222G       | Pliers, Needle-Nose Long Thin 6-1/16"                 |
| J5460     | Extension, 1/2" DR 2-1/2"        | J226G       | Pliers, Needle-Nose with Cutter 6-5/8"                |
| J5461     | Extension, 1/2" DR 5"            | J360B       | Pliers, 12 PC Set Convertible Retaining Ring          |
| J5463     | Extension, 1/2" DR 10"           | J276G       | Pliers, Slip-Joint with Grip 6-9/16"                  |
| J5660     | Extension, 3/4" DR 4"            | J278G       | Pliers, Slip-Joint with Grip 8-1/16"                  |
| J5661     | Extension, 3/4" DR 8"            | J261SG      | Pliers, Tongue and Groove 5" with Grip                |
| J5663     | Extension, 3/4" DR 16"           | J262SG      | Pliers, Tongue and Groove 6-1/2" with Grip            |
| J4765     | Extension, Flex 1/4" DR 6-1/4"   | J260SG      | Pliers, Tongue and Groove 10-3/16" with Grip          |
| J5268     | Extension, Flex 3/8" DR 8"       | J265SG      | Pliers, Tongue and Groove 16" with Grip               |
| J5260W    | Extension, Wobble 3/8" DR 3"     | J298        | Pliers, Wire Strippers 8-1/4"                         |
| J5260-06W | Extension, Wobble 3/8" DR 6"     | J2306       | Puller, Cotter Pin Tool                               |
| J5696     | Box, Extra Heavy-Duty Set        | J4056-4     | Puller, Jaw Reversible 4 R                            |
| 15-265    | Hacksaw, 3-7/8"                  | J4250N      | Puller, Nut Adjustable Reversible                     |
| J1430-HB  | Hammer Head                      | J4056PN     | Puller, Pin Pivot                                     |
| J1308PD   | Hammer, Ball Pein 8 oz.          | J4205S      | Puller, Screw Forcing Acme                            |
| J1316PD   | Hammer, Ball Pein 16 oz.         | J4022T      | Puller, Tip Detachable Standard                       |
| J1332PD   | Hammer, Ball Pein 32 oz.         | J4255B      | Puller, Yoke 3 Way Jaw ACM                            |
| 57-532    | Hammer, Compo-Cast® 21 oz.       | J413/8      | Punch, Center 3/8"                                    |
| 57-534    | Hammer, Compo-Cast® 52 oz.       | J411/2      | Punch, Center 1/2"                                    |
| J4766     | Handle, Hinge 1/4" DR 5-3/4"     | J965/16     | Punch, Drift 1/8"                                     |
| J5265     | Handle, Hinge 3/8" DR 8-1/2"     | J963/8      | Punch, Drift 3/16"                                    |
| J5468     | Handle, Hinge 1/2" DR            | J961/2      | Punch, Drift 1/4"                                     |
| J5668     | Handle, Hinge 3/4" DR 20"        | J471/4X3/32 | Punch, Pin 3/32"                                      |
|           |                                  |             |   |

(CONTINUED ON NEXT PAGE)



# **453 PC INTERMEDIATE TOOL SET (CONTINUED)**

### Product #: J99720

| Contents         | Description   | Contents       | <br>Description  |
|------------------|---|----------------|--|
| J475/16X1/8      | Punch, Pin 1/8"   | J4706L         | Socket, 1/4" DR 3/16" 6 PT Deep                            |
| J475/16X5/32     | Punch, Pin 5/32"  | J4707L         | Socket, 1/4" DR 7/32" 6 PT Deep                            |
| J473/8X3/16      | Punch, Pin 3/16"  | J4708L         | Socket, 1/4" DR 1/4" 6 PT Deep                             |
| J477/16X7/32     | Punch, Pin 7/32"  | J4709L         | Socket, 1/4" DR 9/32" 6 PT Deep                            |
| J471/2X1/4       | Punch, Pin 1/4"   | J4710L         | Socket, 1/4" DR 5/16" 6 PT Deep                            |
| J445/16          | Punch, Prick 5/16"  | J4711L         | Socket, 1/4" DR 11/32" 6 PT Deep                           |
| J501/4           | Punch, Starting 3/32"   | J4712L         | Socket, 1/4" DR 3/8" 6 PT Deep                             |
| J505/16          | Punch, Starting 1/8"  | J4714L         | Socket, 1/4" DR 7/16" 6 PT Deep                            |
| J503/8           | Punch, Starting 3/16"   | J4716L         | Socket, 1/4" DR 1/2" 6 PT Deep                             |
| J507/16          | Punch, Starting 7/32"   | J4718L         | Socket, 1/4" DR 9/16" 6 PT Deep                            |
| J501/2           | Punch, Starting 1/4"  | J4708S         | Socket, 1/4" DR 1/4" 8 PT                                  |
| J5247            | Ratchet Adapter 3/8" DR 2-1/16"   | J4710S         | Socket, 1/4" DR 5/16" 8 PT                                 |
| J5447            | Ratchet Adapter 1/2" DR 2-21/32"  | J4712S         | Socket, 1/4" DR 3/8" 8 PT                                  |
| J4749            | Ratchet, 1/4" DR  | J5208S         | Socket, 3/8" DR 1/4" 8 PT                                  |
| J5249            | Ratchet, 3/8" DR  | J5210S         | Socket, 3/8" DR 5/16" 8 PT                                 |
| J5449            | Ratchet, 1/2" DR  | J5212S         | Socket, 3/8" DR 3/8" 8 PT                                  |
| J5450            | Ratchet, 1/2" DR (Long Handle)  | J5216S         | Socket, 3/8" DR 1/2" 8 PT                                  |
| J5649            | Ratchet, 3/4" DR  | J5214S         | Socket, 3/8" DR 7/16" 8 PT                                 |
| J5257F           | Ratchet, 3/8" DR Flex-Head 2-1/16"  | J5208          | Socket, 3/8" DR 1/4" 12 PT                                 |
| J5457F           | Ratchet, 1/2" DR Flex-Head 17-3/32"   | J5210          | Socket, 3/8" DR 5/16" 12 PT                                |
| J2375            | Retrieval Tool, Pocket Magnetic   | J5212          | Socket, 3/8" DR 3/8" 12 PT                                 |
| 28-240           | Scraper, Flexible Nylon 1-1/4"  | J5214          | Socket, 3/8" DR 7/16" 12 PT                                |
| 28-540           | Scraper, Flexible 1-1/4" Wood Handle  | J5216          | Socket, 3/8" DR 1/2" 12 PT                                 |
| J2336            | Scapers, Gasket and Carbon  | J5218          | Socket, 3/8" DR 9/16" 12 PT                                |
| J9884            | Screw Starter, Phillips® Tip  | J5220          | Socket, 3/8" DR 5/8" 12 PT                                 |
| J9853            | Screw Starter, Standard Tip   | J5222          | Socket, 3/8" DR 11/16" 12 PT                               |
| J88203           | Screwdriver, Slotted Cabinet, Round 1/8" x 3"   | J5224          | Socket, 3/8" DR 3/4" 12 PT                                 |
| J88204<br>J88208 | Screwdriver, Slotted Cabinet, Round 1/8" x 4" Screwdriver, Slotted Cabinet, Round 1/8" x 8" | J5226<br>J5228 | Socket, 3/8" DR 13/16" 12 PT                               |
| J88214           | Screwdriver, Slotted Cabinet, Round 3/16" x 4"  | J5230          | Socket, 3/8" DR 7/8" 12 PT<br>Socket, 3/8" DR 15/16" 12 PT |
| J88218           | Screwdriver, Slotted Cabinet, Round 3/16" x 8"  | J5232          | Socket, 3/8" DR 1" 12 PT                                   |
| J88393           | Screwdriver, Phillips® #0   | J5008          | Socket, 3/8" DR 1/4" 12 PT Deep                            |
| J88313           | Screwdriver, Phillips® #1   | J5010          | Socket, 3/8" DR 5/16" 12 PT Deep                           |
| J88318           | Screwdriver, Phillips® #1   | J5012          | Socket, 3/8" DR 3/8" 12 PT Deep                            |
| J88322           | Screwdriver, Phillips® #2   | J5014          | Socket, 3/8" DR 7/16" 12 PT Deep                           |
| J88324           | Screwdriver, Phillips® #2   | J5016          | Socket, 3/8" DR 1/2" 12 PT Deep                            |
| J88328           | Screwdriver, Phillips® #2   | J5018          | Socket, 3/8" DR 9/16" 12 PT Deep                           |
| J88336           | Screwdriver, Phillips® #3   | J5020          | Socket, 3/8" DR 5/8" 12 PT Deep                            |
| J88348           | Screwdriver, Phillips® #4   | J5022          | Socket, 3/8" DR 11/16" 12 PT Deep                          |
| J88102           | Screwdriver, Slotted Keystone, Square 1/4" x 2"   | J5024          | Socket, 3/8" DR 3/4" 12 PT Deep                            |
| J88104           | Screwdriver, Slotted Keystone, Square 1/4" x 4"   | J5026          | Socket, 3/8" DR 13/16" 12 PT Deep                          |
| J88106           | Screwdriver, Slotted Keystone, Square 1/4" x 6"   | J5028          | Socket, 3/8" DR 7/8" 12 PT Deep                            |
| J88108           | Screwdriver, Slotted Keystone, Square 1/4" x 8"   | J5030          | Socket, 3/8" DR 15/16" 12 PT Deep                          |
| J88112           | Screwdriver, Slotted Keystone, Square 1/4" x 12"  | J5032          | Socket, 3/8" DR 1" 12 PT Deep                              |
| J88002           | Screwdriver, Slotted Keystone, Round 1/4" x 1-1/2"  | J5412S         | Socket, 1/2" DR 3/8" 8 PT                                  |
| J303S            | Snips, Aviation Straight  | J5414S         | Socket, 1/2" DR 7/16" 8 PT                                 |
| J4706            | Socket, 1/4" DR 3/16" 6 PT  | J5416S         | Socket, 1/2" DR 1/2" 8 PT                                  |
| J4707            | Socket, 1/4" DR 7/32" 6 PT  | J5418S         | Socket, 1/2" DR 9/16" 8 PT                                 |
| J4708            | Socket, 1/4" DR 1/4" 6 PT   | J5420S         | Socket, 1/2" DR 5/8" 8 PT                                  |
| J4709            | Socket, 1/4" DR 9/32" 6 PT  | J5422S         | Socket, 1/2" DR 11/16" 8 PT                                |
| J4710            | Socket, 1/4" DR 5/16" 6 PT  | J5424S         | Socket, 1/2" DR 3/4" 8 PT                                  |
| J4711            | Socket, 1/4" DR 11/32" 6 PT   | J5426S         | Socket, 1/2" DR 13/16" 8 PT                                |
| J4712            | Socket, 1/4" DR 3/8" 6 PT   | J5428S         | Socket, 1/2" DR 7/8" 8 PT                                  |
| J4714            | Socket, 1/4" DR 7/16" 6 PT  | J5432S         | Socket, 1/2" DR 1" 8 PT                                    |
| J4716            | Socket, 1/4" DR 1/2" 6 PT   | J5412          | Socket, 1/2" DR 3/8" 12 PT                                 |
| J4718            | Socket, 1/4" DR 9/16" 6 PT  | J5414          | Socket, 1/2" DR 7/16" 12 PT                                |

156

| Contents       | Description                        | Contents  | Description   |
|----------------|------------------------------------|-----------|---|
| J5416          | Socket, 1/2" DR 1/2" 12 PT         | J4738     | Socket, Bit 1/4" DR #2 Phillips®  |
| J5418          | Socket, 1/2" DR 9/16" 12 PT        | J4743     | Socket, Bit 1/4" DR Slotted 1/4" 1-3/16"  |
| J5419          | Socket, 1/2" DR 19/32" 12 PT       | J4745     | Socket, Bit 1/4" DR Slotted 1/4" 1-13/64"   |
| J5420          | Socket, 1/2" DR 5/8" 12 PT         | J5241     | Socket, Bit 3/8" DR #2 Phillips®  |
| J5422          | Socket, 1/2" DR 11/16" 12 PT       | J5242     | Socket, Bit 3/8" DR #3 Phillips®  |
| J5424          | Socket, 1/2" DR 3/4" 12 PT         | J5243     | Socket, Bit 3/8" DR #4 Phillips®  |
| J5425          | Socket, 1/2" DR 25/32" 12 PT       | J5246     | Socket, Bit 3/8" DR Slotted   |
| J5426          | Socket, 1/2" DR 13/16" 12 PT       | J47701/16 | Socket, Hex Bit 1/4" DR 1/16"   |
| J5429          | Socket, 1/2" DR 29/32" 12 PT       | J47705/64 | Socket, Hex Bit 1/4" DR 5/64"   |
| J5428          | Socket, 1/2" DR 7/8" 12 PT         | J47703/32 | Socket, Hex Bit 1/4" DR 3/32"   |
| J5430          | Socket, 1/2" DR 15/16" 12 PT       | J47707/64 | Socket, Hex Bit 1/4" DR 7/64"   |
| J5432          | Socket, 1/2" DR 1" 12 PT           | J47701/8  | Socket, Hex Bit 1/4" DR 1/8"  |
| J5434          | Socket, 1/2" DR 1-1/16" 12 PT      | J47709/64 | Socket, Hex Bit 1/4" DR 9/64"   |
| J5436          | Socket, 1/2" DR 1-1/8" 12 PT       | J47705/32 | Socket, Hex Bit 1/4" DR 5/32"   |
| J5438          | Socket, 1/2" DR 1-3/16" 12 PT      | J47703/16 | Socket, Hex Bit 1/4" DR 3/16"   |
| J5440          | Socket, 1/2" DR 1-1/4" 12 PT       | J47707/32 | Socket, Hex Bit 1/4" DR 7/32"   |
| J5442          | Socket, 1/2" DR 1-5/16" 12 PT      | J47701/4  | Socket, Hex Bit 1/4" DR 1/4"  |
| J5444          | Socket, 1/2" DR 1-3/8" 12 PT       | J47705/16 | Socket, Hex Bit 1/4" DR 5/16"   |
| J5446          | Socket, 1/2" DR 1-7/16" 12 PT      | J49901/8  | Socket, Hex Bit 3/8" DR 1/8"  |
| J5448          | Socket, 1/2" DR 1-1/2" 12 PT       | J49901/4  | Socket, Hex Bit 3/8" DR 1/4"  |
| J5316          | Socket, 1/2" DR 1/2" 12 PT Deep    | J49903/8  | Socket, Hex Bit 3/8" DR 3/8"  |
| J5318          | Socket, 1/2" DR 9/16" 12 PT Deep   | J54411/4  | Socket, Hex Bit 1/2" DR 1/4"  |
| J5320          |                                    |           | •   |
| J5320<br>J5322 | Socket, 1/2" DR 5/8" 12 PT Deep    | J54413/8  | Socket, Hex Bit 1/2" DR 3/8"  |
|                | Socket, 1/2" DR 11/16" 12 PT Deep  | J54415/16 | Socket, Hex Bit 1/2" DR 5/16"   |
| J5324          | Socket, 1/2" DR 3/4" 12 PT Deep    | J54417/16 | Socket, Hex Bit 1/2" DR 7/16"   |
| J5326          | Socket, 1/2" DR 13/16" 12 PT Deep  | J54411/2  | Socket, Hex Bit 1/2" DR 1/2"  |
| J5328          | Socket, 1/2" DR 7/8" 12 PT Deep    | J54419/16 | Socket, Hex Bit 1/2" DR 9/16"   |
| J5330          | Socket, 1/2" DR 15/16" 12 PT Deep  | J54415/8  | Socket, Hex Bit 1/2" DR 5/8"  |
| J5332          | Socket, 1/2" DR 1" 12 PT Deep      | J49905/32 | Socket, Hex Bit 3/8" DR 5/32"   |
| J5334          | Socket, 1/2" DR 1-1/16" 12 PT Deep | J49903/16 | Socket, Hex Bit 3/8" DR 3/16"   |
| J5336          | Socket, 1/2" DR 1-1/8" 12 PT Deep  | J49907/32 | Socket, Hex Bit 3/8" DR 7/32"   |
| J5340          | Socket, 1/2" DR 1-1/4" 12 PT Deep  | J49905/16 | Socket, Hex Bit 3/8" DR 5/16"   |
| J5444A         | Socket, 1/2" DR Drag Link 3/4"     | J4771TA   | Socket, Universal 1/4" DR 1/4" 12 PT  |
| J5446A         | Socket, 1/2" DR Drag Link 15/16"   | J4773TA   | Socket, Universal 1/4" DR 3/8" 12 PT  |
| J5528          | Socket, 3/4" DR 7/8" 12 PT         | J4772TA   | Socket, Universal 1/4" DR 5/16" 12 PT   |
| J5530          | Socket, 3/4" DR 15/16" 12 PT       | J4774TA   | Socket, Universal 1/4" DR 7/16" 12 PT   |
| J5532          | Socket, 3/4" DR 1" 12 PT           | J5475A    | Socket, Universal 1/2" DR 1/2" 12 PT  |
| J5534          | Socket, 3/4" DR 1-1/16" 12 PT      | J5476A    | Socket, Universal 1/2" DR 9/16" 12 PT   |
| J5536          | Socket, 3/4" DR 1-1/8" 12 PT       | J5477A    | Socket, Universal 1/2" DR 5/8" 12 PT  |
| J5538          | Socket, 3/4" DR 1-3/16" 12 PT      | J5273A    | Socket, Universal 3/8" DR 3/8" 12 PT  |
| J5540          | Socket, 3/4" DR 1-1/4" 12 PT       | J5274A    | Socket, Universal 3/8" DR 7/16" 12 PT   |
| J5542          | Socket, 3/4" DR 1-5/16" 12 PT      | J5275A    | Socket, Universal 3/8" DR 1/2" 12 PT  |
| J5544          | Socket, 3/4" DR 1-3/8" 12 PT       | J5276A    | Socket, Universal 3/8" DR 9/16" 12 PT   |
| J5546          | Socket, 3/4" DR 1-7/16" 12 PT      | J5277A    | Socket, Universal 3/8" DR 5/8" 12 PT  |
| J5548          | Socket, 3/4" DR 1-1/2" 12 PT       | J5278A    | Socket, Universal 3/8" DR 11/16" 12 PT  |
| J5550          | Socket, 3/4" DR 1-9/16" 12 PT      | J5279A    | Socket, Universal 3/8" DR 3/4" 12 PT  |
| J5552          | Socket, 3/4" DR 1-5/8" 12 PT       | 33-212    | Tape Rule, Stanley <sup>®</sup> Powerlock <sup>®</sup> with Metal Case 1/2" x 12' |
| J5554          | Socket, 3/4" DR 1-11/16" 12 PT     | J706      | Wrench, Adjustable 6"   |
| J5556          | Socket, 3/4" DR 1-3/4" 12 PT       | J708      | Wrench, Adjustable 8"   |
| J5558          | Socket, 3/4" DR 1-13/16" 12 PT     |           | •   |
| J5560          | Socket, 3/4" DR 1-7/8" 12 PT       | J710      | Wrench, Adjustable 10" Wrench, Adjustable 12"                                     |
| J5568          | Socket, 3/4" DR 2-1/8" 12 PT       | J712      | Wrench, Adjustable 12"  |
| J5570          | Socket, 3/4" DR 2-3/16" 12 PT      | J715      | Wrench, Adjustable 15"  |
| J5572          | Socket, 3/4" DR 2-1/4" 12 PT       | J3314     | Wrench, Angle 15/64"  |
| J5576          | Socket, 3/4" DR 2-3/8" 12 PT       | J3315     | Wrench, Angle 15/64"  |
| J5564          | Socket, 3/4" DR 2" 12 PT           | J3316     | Wrench, Angle 1/4"  |
| J4744          | Socket, Bit 1/4" DR Slotted 3/16"  | J3318     | Wrench, Angle 9/32"   |
| J4737          | Socket, Bit 1/4" DR #1 Phillips®   |           | Wrench, Angle 11/32"  |
|                |                                    |           | (CONTINUED ON NEXT PAGE   |

(CONTINUED ON NEXT PAGE)



# 453 PC INTERMEDIATE TOOL SET (CONTINUED)

#### Product #: J99720





