# 2411





UPC Code: 07847780811

Country of Origin: United States - \*Eligible for ARRA funded projects





\*May include one or more globally sourced components.



# LEVITON

#### **Brand Features**

Leviton's industry leading locking devices, such as our Black & White line of industrial grade plugs and connectors and receptacles, offer superior performance, long lasting reliability and other features that are backed by a lifetime warranty.

#### **Item Description**

20 Amp, 125/250 Volt, NEMA L14-20P, 3P, 4W, Locking Plug, Industrial Grade, Grounding - BLACK-WHITE

#### **Technical Information**

AC Horsepower Ratings At Rated Voltage: 2 HP L-L / 1 HP L-N

Electrical Specifications Grounding: Grounding Amperage: 20 Amp Voltage: 125/250 Volt NEMA: L14-20P Pole: 3 Wire: 4 Dielectric Voltage: Withstands 2000V per UL498 Current Interrupting: Certified for current interrupting at full rated current Temperature Rise: Max 30C after 250 cycles OL at 200 percent rated current

Environmental Specifications Flammability: Rated HB or better UL94 Operating Temperature: -40C to 60C

### Material Specifications


Body Material: Impact Modified Nylon Back Cover: Thermoplastic Wire Module: Nylon Cord-Clamp: Nylon Clamp Insert: Nylon Blades/Contacts: Solid Brass Terminal Screws: Brass Assembly Screws: Steel, Zinc Plated Color: Black-White Mechanical Specifications Terminal ID: Brass-Hot, Green-Ground, Silver-Neutral Terminal Accom.: 18-10 AWG Product ID: Ratings are permanently marked on device Cord Range: .595 - .895

Wire Gauge: 14-10 AWG

Product Features NEMA: L14-20P Color: Black-White

Standards and Certifications NEMA: WD-6 ANSI: C-73 UL498: File E13393 UL Fed Spec WC-596: File E13393 CSA C22.2 No. 42: File LR-406 NOM: 057 Warranty: Lifetime Warranty

## **Dimensional Diagram**



## SPECIFICATION SUBMITTAL

| JOB NAME:   | CATALOG NUMBERS: |  |
|-------------|------------------|--|
|             |                  |  |
| JOB NUMBER: |                  |  |

Leviton Manufacturing Co., Inc. 201 North Service Road, Melville, NY 11747 Telephone: 1-800-323-8920 · FAX: 1-800-832-9538 · Tech Line (8:30AM-7:30PM E.S.T. Monday-Friday): 1-800-824-3005

Leviton Manufacturing of Canada, Ltd. 165 Hymus Boulevard, Pointe Claire, Quebec H9R 1E9 · Telephone: 1-800-469-7890 · FAX: 1-800-824-3005 · www.leviton.com/canada

### Leviton S. de R.L. de C.V.

Lago Tana 43, Mexico DF, Mexico CP 11290 · Tel.: (+52)55-5082-1040 · FAX: (+52)5386-1797 · www.leviton.com.mx

#### Visit our Website at: www.leviton.com

© 2012-2016 Leviton Manufacturing Co., Inc. All rights reserved. Subject to change without notice.

#### Leviton has a global presence.

If you would like to know where your local Leviton office is located please go to: www.leviton.com/international/contacts/

\*Buy American Compliant Logo -- The American Recovery And Reinvestment Act of 2009 ("ARRA") provides federal grants and loans for projects throughout the country. Section 1605 of the Act, named the "Buy American" provision, requires that certain materials and manufactured products used in projects funded by the Act be manufactured in the United States. The appearance of the Recovery Act Logo in relation to a Leviton product is only intended to reflect that such product may be used in an ARRA funded project. It does not mean that such product or Leviton is sponsored or endorsed by, or that Leviton receives funds from, the federal government or the Recovery Accountability and Transparency Board. Nothing in Leviton's use of the logo is intended to suggest anything regarding the requirements for funding under ARRA.

