


## ML1-PER





UPC Code: 07847798728

Country of Origin: United States - \*Eligible for ARRA funded projects

#### Configuration:





\*May include one or more globally sourced components.

## **Locking Wiring Devices**

#### **Brand Features**

Leviton's Black & White Midget line of industrial grade locking blade plugs and connectors are feature rugged construction that resists impact, sunlight, chemicals and rough use. All contacts are solid one-piece construction for superior conductivity. The ergonomic, fluted-body design with radial gripping edge is ideal for gripping and pulling. The unique cord clamp accepts a wide range of cord sizes, providing a secure grip without damaging the cord. And, they are backed by a limited lifetime warranty.

#### **Item Description**

15 Amp, 125 Volt, NEMA ML-1R, 2P, W, Flanged Outlet Locking Receptacle, Industrial Grade, Non-Grounding, MiniLock - WHITE

#### **Technical Information**

**Electrical Specifications Grounding:** Non-Grounding

Amperage: 15 Amp Voltage: 125 Volt NEMA: ML1R

Pole: 2 Wire: 2

Dielectric Voltage: Withstands 2000V per Termination: Back

Current Limiting: Full Rated Current Temperature Rise: Max 30C after 250 cycles OL at 200 percent rated current

**Environmental Specifications** 

Flammability: Rated HB or better UL94 Operating Temperature: -40C to 60C

Material Specifications Face Material: Nylon

Body Material: Impact Modified Nylon Line Contacts: Brass .035 Thick Terminal Screws: Brass 10-32 Grounding Screw: Brass 8-32 Strap Material: Thermoplastic Nylon

Color: White

Mechanical Specifications

Terminal ID: Brass-Hot, Green-Ground,

White-Neutral

Terminal ID: Brass-Hot, Green-Ground,

Silver-Neutral

Terminal Accom.: 18-14 AWG **Product ID:** Ratings and NEMA I.D. permanently marked on device

**Product Features** NEMA: ML-1R Color: White

Standards and Certifications

NEMA: WD-6 **ANSI:** C-73

**UL498:** File E13399


UL Fed Spec WC-596: File E13399 CSA C22.2 No. 42: File LR-406


**NOM:** 057

Warranty: Lifetime Warranty



# **Dimensional Diagram**





### SPECIFICATION SUBMITTAL

JOB NAME:	CATALOG NUMBERS:	
JOB NUMBER:		

Leviton Manufacturing Co., Inc.
201 North Service Road, Melville, NY 11747
Telephone: 1-800-323-8920 · FAX: 1-800-832-9538 · Tech Line (8:30AM-7:30PM E.S.T. Monday-Friday): 1-800-824-3005

**Leviton Manufacturing of Canada, Ltd.**165 Hymus Boulevard, Pointe Claire, Quebec H9R 1E9 · Telephone: 1-800-469-7890 ·

FAX: 1-800-824-3005 · www.leviton.com/canada

Leviton S. de R.L. de C.V.

Lago Tana 43, Mexico DF, Mexico CP 11290 · Tel.: (+52)55-5082-1040 · FAX: (+52)5386-1797 · www.leviton.com.mx

Visit our Website at: www.leviton.com

© 2012-2016 Leviton Manufacturing Co., Inc. All rights reserved. Subject to change without notice.

Leviton has a global presence.

If you would like to know where your local Leviton office is located please go to: www.leviton.com/international/contacts/

\*Buy American Compliant Logo -- The American Recovery And Reinvestment Act of 2009 ("ARRA") provides federal grants and loans for projects throughout the country. Section 1605 of the Act, named the "Buy American" provision, requires that certain materials and manufactured products used in projects funded by the Act be manufactured in the United States. The appearance of the Recovery Act Logo in relation to a Leviton product is only intended to reflect that such product may be used in an ARRA funded project. It does not mean that such product or Leviton is sponsored or endorsed by, or that Leviton receives funds from, the federal government or the Recovery Accountability and Transparency Board. Nothing in Leviton's use of the logo is intended to suggest anything regarding the requirements for funding under ARRA.

