

1.	Product and Company Identification		
Product Name	LYSOL® Power & Free™ Bathroom Cleaner - Trigger		
CAS #	Mixture		
Product use	Bathroom cleaner		
Distributed by	Reckitt Benckiser Morris Corporate Center IV 399 Interpace Parkway P.O. Box 225 Parsippany, NJ 07054-0225 In Case of Emergency: 1-800-338-6167 Transportation Emergencies: 24 Hour Number: North America: CHEMTREC: 1-800-424-9300 Outside North America: 1-703-527-3887		
LEGEND	Health * 1		
HMIS/NFPA			
Severe 4	Flammability 1		
Serious 3			
Moderate 2	Physical Hazard 0		
Slight 1	Personal Protection		
Minimal 0	Personal Protection B		
	2. Hazards Identification		
Emergency overview	This product is regulated by the US EPA as a disinfectant.		
	KEEP OUT OF REACH OF CHILDREN.		
Potential short term health effects			
Routes of exposure	Eye, Skin contact, Inhalation, Ingestion.		
Eyes	Mildly irritating to the eyes.		
Skin	Slightly irritating to the skin. Not expected to be a skin sensitizer.		
Inhalation	None expected during normal conditions of use.		
Ingestion	Health injuries are not known or expected under normal use.		
Target organs	Eyes. Respiratory system. Skin.		
Chronic effects	The finished product is not expected to have chronic health effects.		
Signs and symptoms	Symptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.		
OSHA Regulatory Status	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.		
Potential environmental effects	Components of this product have been identified as having potential environmental concerns.		

3. Composition / Information on Ingredients

Ingredient(s)	CAS #	Percent
Dipropylene glycol monobutyl ether	29911-28-2	1 - 2.5
Citric Acid	77-92-9	0.1 - 1
Hydrogen peroxide	7722-84-1	0.1 - 1

4. First Aid Measures		
First aid procedures		
Eye contact	Check for and remove any contact lenses. If in eyes, IMMEDIATELY rinse eyes with water. Remove any contact lenses and continue rinsing eyes for at least 15 minutes. Get medical attention immediately.	
Skin contact	Get medical attention immediately. In case of contact, immediately flush skin with plenty of water while removing contaminated clothing and shoes. Wash clothing before reuse.	
Inhalation	Move exposed person to fresh air. Get medical attention immediately.	
Ingestion	Call medical doctor or poison control center immediately. Wash out mouth with water.	
Notes to physician	Treat patient symptomatically.	
General advice	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.	

5. Fire Fighting Measures

Flammable properties	Not flammable by OSHA criteria.	
Extinguishing media		
Suitable extinguishing media	Treat for surrounding material.	
Unsuitable extinguishing media	Not available	
Protection of firefighters		
Specific hazards arising from the chemical	Not available	
Protective equipment for firefighters	Firefighters should wear full protective clothing including self contained breathing apparatus.	
Hazardous combustion products	May include and are not limited to: Oxides of carbon. Oxides of nitrogen. Oxides of sulphur.	
Explosion data		
Sensitivity to mechanical impact	Not available	
Sensitivity to static discharge	Not available	

6. Accidental Release Measures

Personal precautions	Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.
Environmental precautions	Do not discharge into lakes, streams, ponds or public waters.
Methods for containment	Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.
Methods for cleaning up	Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. Never return spills to original containers for re-use.

7. Handling and Storage

Handling

Ensure adequate ventilation. Use good industrial hygiene practices in handling this material. When using do not eat or drink. Avoid contact with skin and clothing. Avoid contact with eyes.
Avoid breathing vapors or mists of this product.
Do not ingest.
Keep container tightly closed.
Wash thoroughly after handling.

Store in areas inaccessible to small children. Keep securely closed. Refillable. Refill trigger bottle only with this product. If not refilling, discard in trash or offer for recycle. Do not reuse this trigger for any other purpose. Store in a closed container away from incompatible materials. Store in original container, protected from direct sunlight, in a dry, cool, well ventilated area, and away from food and drink. Do not freeze.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

8. Exposure Controls / Personal Protection

Exposure limits		
Ingredient(s)	Exposure Limits	
Citric Acid	ACGIH-TLV	
	TWA: 10 mg/m3	
	OSHA-PEL	
	TWA: 10 mg/m3	
Dipropylene glycol monobutyl ether	ACGIH-TLV	
	Mist: 10 mg/m3	
	OSHA-PEL	
	Not established	
Hydrogen peroxide	ACGIH-TLV	
	TWA: 1 ppm	
	OSHA-PEL	
	TWA: 1 ppm	
Engineering controls	General ventilation normally adequate.	
Personal protective equipment		
Eye / face protection	Wear safety glasses with side shields. Emergency responders should wear full eye and face protection.	
Hand protection	Rubber gloves. Confirm with a reputable supplier first. Emergency responders should wear impermeable gloves.	
Skin and body protection	As required by employer code. Usual safety precautions while handling the product will provide adequate protection against injury or irritation. Emergency responders should wear impermeable clothing and footwear when responding to a situation where contact with the liquid is possible.	
Respiratory protection	Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Emergency responders should wear self-contained breathing apparatus (SCBA) to avoid inhalation of vapours generated by this product during a spill or other clean-up operations.	
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. Wash hands before breaks and immediately after handling the product.	

9. Physical and Chemical Properties

Appearance	Liquid	
Color	Clear	
Form	aqueous solution	
Odor	Characteristic	
Odor threshold	Not available	
Physical state	Liquid	
рН	2.1 - 3.5	
Freezing point	Not available	
Boiling point	Not available	
Pour point	Not available	
Evaporation rate	Not available	

Flash point	> 199.94 °F (> 93.3 °C) Closed Cup
Auto-ignition temperature	Not available
Flammability limits in air, lower, % by volume	Not available
Flammability limits in air, upper, % by volume	Not available
Vapor pressure	Not available
Vapor density	Not available
Specific gravity	1.000 - 1.005
Octanol/water coefficient	Not available
Solubility (H2O)	Complete

10. Stability and Reactivity

Reactivity	This product may react with oxidizing agents.	
Possibility of hazardous reactions	Hazardous polymerization does not occur.	
Chemical stability	Stable under recommended storage conditions.	
Conditions to avoid	Do not freeze. Exposure to moisture. Keep away from extreme heat. DO NOT MIX WITH BLEACH or use in conjunction with other household products.	
Incompatible materials	Caustics. Acids. Oxidizers. CORROSIVE TO METALS	
Hazardous decomposition products	May include and are not limited to: Oxides of carbon. Oxides of nitrogen. Oxides of sulphur.	

11. Toxicological Information

Component analysis - LC50		
Ingredient(s)		LC50
Citric Acid		Not available
Dipropylene glycol monobutyl ether		Not available
Hydrogen peroxide		Not available
Component analysis - Oral LD50		
Ingredient(s)		LD50
Citric Acid		5040 mg/kg mouse; 3000 mg/kg rat
Dipropylene glycol monobutyl ether		3700 mg/kg rat
Hydrogen peroxide		75 mg/kg rat; 2000 mg/kg mouse
Effects of acute exposure		
Eye	Mildly irritating to the eyes.	
Skin	Slightly irritating to the skin. Not expected to be a skin sensitizer.	
Inhalation	None expected during normal conditions of use.	
Ingestion	Health injuries are not known or expected under normal use.	
Sensitization	The finished product is not expected to have chronic health effects.	
Chronic effects	The finished product is not expected to have chronic health effects.	
Carcinogenicity	The finished product is not expected to have chronic health effects.	
ACGIH - Threshold Limit Values - Ca	rcinogens	
Hydrogen peroxide 772 IARC - Group 3 (Not Classifiable)	7722-84-1 A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans able)	
Hydrogen peroxide 772	2-84-1 Monograpi	n 71 [1999]; Supplement 7 [1987]; Monograph 36 [1985]
Mutagenicity	The finished product is not expected to have chronic health effects.	
Reproductive effects	The finished product is not expected to have chronic health effects.	
Teratogenicity	The finished product is not expected to have chronic health effects.	
Name of Toxicologically Synergistic Products	ically Synergistic Not available	

12. Ecological Information

Ecotoxicity	See below		
Ecotoxicity - Freshwater Algae - Acute Toxicity Data			
Hydrogen peroxide	7722-84-1	72 Hr EC50 Chlorella vulgaris: 2.5 mg/L	
Ecotoxicity - Freshwater Fish - A	Acute Toxicity Data		
Citric Acid Dipropylene glycol monobutyl ether	77-92-9 29911-28-2	96 Hr LC50 Lepomis macrochirus: 1516 mg/L [static] 96 Hr LC50 Poecilia reticulata: 841 mg/L [static]	
Hydrogen peroxide	7722-84-1	96 Hr LC50 Pimephales promelas: 16.4 mg/L; 96 Hr LC50 Lepomis macrochirus: 18-56 mg/L [static]; 96 Hr LC50 Oncorhynchus mykiss: 10.0-32.0 mg/L [static]	
Ecotoxicity - Water Flea - Acute	Toxicity Data		
Citric Acid	77-92-9	72 Hr EC50 Daphnia magna: 120 mg/L	
Hydrogen peroxide	7722-84-1	24 Hr EC50 Daphnia magna: 7.7 mg/L; 48 Hr EC50 Daphnia magna: 18 - 32 mg/L [Static]	
Persistence / degradability	Not available		
Bioaccumulation / accumulation	Not available		
Mobility in environmental media	Not available		
Environmental effects	Not available	e	
Aquatic toxicity	Not available	e	
Partition coefficient	Not available		
Chemical fate information	Not available	e	
	13. Dis	sposal Considerations	
Disposal instructions	Dispose in accordance with all applicable regulations.		
Waste from residues / unused products	Not available		
Contaminated packaging	Not available		
	14. Ti	ransport Information	

U.S. Department of Transportation (DOT)

UN 1760, Corrosive liquids, N.O.S. (Citric acid, Hydrogen peroxide), Class 8, PG III, Limited Quantity

Transportation of Dangerous Goods (TDG - Canada)

UN 1760, CORROSIVE LIQUID, N.O.S. (CITRIC ACID, HYDROGEN PEROXIDE), Class 8, PG III, Limited Quantity

UN 1760, CORROSIVE LIQUID, N.O.S. (Citric acid, Hydrogen peroxide), Class 8, PG III, Limited Quantity

IATA/ICAO (Air)

UN 1760, Corrosive liquid, N.O.S. (Citric acid, Hydrogen peroxide), Class 8, PG III

15. Regulatory Information				
Occupational Safety and Health Administration (OSHA)				
29 CFR 1910.1200 hazardous chemical	Yes			
US Federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.			
	Product Registration: Registered with EPA, EPA Reg. No. 777-117			
U.S CERCLA/SARA - Section 302	Extremely Hazardous Substances EPCRA RQs			
	722-84-1 1000 Lb EPCRA RQ (concentration >52%) P Extremely Hazardous Substances TPQs			
Hydrogen peroxide 77	722-84-1 1000 Lb TPQ (concentration >52%)			
CERCLA (Superfund) reportable qu	lantity			
Methanol: 5000.0000				
Superfund Amendments and Reaut	thorization Act of 1986 (SARA)			
Hazard categories	Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No			
Section 302 extremely hazardous substance	No			
Section 311 hazardous chemica	al Yes			
Clean Air Act (CAA)	Not available			
Clean Water Act (CWA)	Not available			

State regulations		uct does not contain a chemical known to the State rth defects or other reproductive harm.	e of California to cause
U.S California - 8 CCR Section	n 339 - Director's	List of Hazardous Substances	
Hydrogen peroxide U.S Massachusetts - Right To	7722-84-1 Know List	Present	
Hydrogen peroxide U.S Minnesota - Hazardous S	7722-84-1 ubstance List	Extraordinarily hazardous	
Hydrogen peroxide U.S New Jersey - Right to Kno	7722-84-1 ow Hazardous Su	Present (including Hydrogen peroxide [90%]) bstance List	
Hydrogen peroxide U.S New York - Reporting of I	7722-84-1 Releases Part 597	sn 1015 - List of Hazardous Substances	
Hydrogen peroxide U.S Ohio - Extremely Hazardo	7722-84-1 ous Substances -	1 Lb RQ (air); 1 lb RQ (land/water) Threshold Quantities	
Hydrogen peroxide U.S Pennsylvania - RTK (Rig ł	7722-84-1 It to Know) List	500 Lb TQ (concentration >52%)	
Hydrogen peroxide U.S Rhode Island - Hazardous	7722-84-1 Substance List	Environmental hazard (concentration >52%); Presen	t
Hydrogen peroxide U.S Texas - Tier II Chemical R	7722-84-1 eporting - Extren	Toxic; Flammable nely Hazardous Substances - Reportable Quantities	
Hydrogen peroxide U.S Texas - Tier II Chemical R	7722-84-1 eporting - Extren	1000 Lb RQ nely Hazardous Substances - Threshold Planning Qu	antities
Hydrogen peroxide	7722-84-1	1000 Lb TPQ (concentration >52%)	
Inventory status			
Country(s) or region	Inventory	v name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Sub	stances Control Act (TSCA) Inventory	Yes
A "Yes" indicates that all compon	ents of this produc	t comply with the inventory requirements administered by	y the governing country(s)

16. Other Information

Disclaimer	This product should only be used as directed on the label and for the purpose intended. To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All
	materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.
Further information	LYSOL® Power & Free™ Bathroom Cleaner - Cool Spring Breeze - 22 fl. oz (1 pt. 6 fl. oz.) (650 mL) - 0270327 v1.0
Issue date	19-Jun-2012
Effective date	15-May-2012
Prepared by	Reckitt Benckiser Regulatory Department 800-333-3899
Other information	For an updated MSDS, please contact the supplier/manufacturer listed on the first page of the document.

This MSDS conforms to the ANSI Z400.1/Z129.1-2010 Standard.