

**SALISBURY
INSULATED
PRODUCTS**

SALISBURY



**Your complete source for
Insulated Tools and
Insulated Tool Kits**

MADE IN U.S.A.

INSULATED TOOLS



Insulated Tool Kits



Screwdrivers, Nutdrivers & Wrenches



Pliers



Sockets & Accessories

SALISBURY

Setting standards since 1855.

ISO 9001:2000 Registered arcsafety.com

CONTENTS

SALISBURY INSULATED TOOLS

Every insulated hand tool is rated for exposure up to 1000VAC and dielectrically tested at 10,000VAC. These tools meet or exceed ASTM F1505-01 and IEC 900 Standards for Insulated Hand Tools. These tools are necessary for compliance with OSHA 1910.333 (c)(2), and NFPA 70E 2004.

The insulating material used is impact resistant and flame retardant. Two-color insulation makes inspection easier which adds to the overall safety. If the yellow under layer is showing, the tool may no longer be insulated properly and should be considered for replacement and shall be removed from service.


- Meets IEC 900 Standard for Insulated Hand Tools
- Exceed ASTM F1505-01 Standards for Insulated Hand Tools
- Helps Meet OSHA Requirements
- Meets NFPA 70E Requirements
- Tested to 10,000 VAC and Rated for 1,000 VAC Maximum Exposure
- Impact Resistant & Flame Retardant Two-Color Insulating Material
- Made in U.S.A.

© Salisbury Printed in USA 2004

TOOL KITS	3-7
SCREWDRIVERS & NUTDRIVERS	8-11
SETS	12
WRENCHES	13-19
SETS	20-23
PLIERS	24-30
SOCKETS & RATCHETS	31-40
SETS	41-42
SPECIALIZED TOOLS.....	43



Tool Markings



INSULATED TOOL KITS

TELECOMMUNICATION TOOL BOX

CAT. NO.	DESCRIPTION
S101	<p>16 PCS. INCLUDES:</p> <ul style="list-style-type: none"> • 3/8"DR RATCHET • 3/8"DRIVE TORQUE RATCHET 10"LONG 30-150 IN/LB • 3" EXTENSION • REGULAR SOCKETS 12PT: 3/8", 7/16", 1/2", 9/16" • 5/8" DEEP SOCKET 3/8"DRIVE • 9" LINESMAN PLIER • 6" NEEDLE NOSE PLIER • 8" SLIP JOINT PLIER • SLOTTED SCREWDRIVERS: 3/16 X 4", 1/4 X 6", 5/16 X 6", 3/8 X 8" • #2 X 6" PHILLIPS SCREWDRIVER • IN A HIGH IMPACT PLASTIC TOOL BOX



TELECOMMUNICATION TOOL POWER CONNECTING KIT

CAT. NO.	DESCRIPTION
S10TK23	<p>23 PCS. INCLUDES:</p> <ul style="list-style-type: none"> • CLOSE QUARTERS SOCKET SET 3/8"DRIVE WITH RATCHET • 3" EXTENSION • REGULAR SOCKETS 12PT: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1" • 6" ADJUSTABLE WRENCH • NUT DRIVER SET 3": 3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2" • IN A HIGH IMPACT PLASTIC TOOL BOX



THIS SET IS DESIGNED FOR USE IN TIGHT WORK SPACES.

• Contact your local Salisbury Representative for your tool needs not seen here. Our tool line is capable of customizing and supplying almost any tool with protection up to 1000V.

• Salisbury can also supply customized tool kits and insulate almost any customer tools if necessary.

BASIC ELECTRICIAN ROLL

CAT. NO.	DESCRIPTION
TK9	<p>9 PCS. INCLUDES:</p> <ul style="list-style-type: none"> • SLOTTED SCREWDRIVERS: 3/16 X 4", 3/16 X 6", 1/4 X 6" • PHILLIPS SCREWDRIVERS: #1 X 3", #2 X 4" • 7" NEEDLE NOSE PLIER • 7-1/2" DIAGONAL CUTTING PLIER • 9" LINESMAN'S PLIER • COMBINATION STRIPPER / CRIMPER PLIER • IN A ROLL.



OUTSIDE MAINTENANCE BOX

CAT. NO.	DESCRIPTION
S10TK25	<p>25 PCS. INCLUDES:</p> <ul style="list-style-type: none"> • 1/4 X 6" NARROW TIP SCREWDRIVER • #2 X 8" PHILLIPS SCREWDRIVER • NUTDRIVERS: 3/8 X 3", 7/16 X 3", 1/2 X 3", 9/16 X 3" • TORQUE WRENCH 30 - 150 IN/LB • REVERSIBLE RATCHET 3/8" DRIVE • 3", 6" AND 12" EXTENSIONS, 3/8" DRIVE • 8PCS. 3/8" TO 13/16" DEEP 12 PT. SOCKET SET • 6" TYPE "L" HEX WRENCHES, LONG ARM: 3/16", 1/4", 5/16", 3/8" • 10" WATER PUMP PLIER • IN A PLASTIC BOX.



INSULATED TOOL KITS

INSIDE MAINTENANCE BOX

CAT. NO.

S10TK40

DESCRIPTION

40PCS. INCLUDES:

- NARROW TIP SCREWDRIVERS:
3/16 X 6", 1/4 X 6"
- SLOTTED TIP SCREWDRIVER: 3/8 X 6"
- PHILLIPS SCREWDRIVERS:
#1 X 3", #2 X 6"
- NUTDRIVERS:
3/16 X 3", 1/4 X 3", 5/16 X 3", 11/32 X 3",
3/8 X 3", 7/16 X 3", 1/2 X 3", 9/16 X 3"
- TORQUE WRENCH 30 - 150 IN/LB
- 3/8"DRIVE REVERSIBLE RATCHET
- 3", 6" AND 12" EXTENSIONS, 3/8"DRIVE
- 8PCS. 3/8" TO 13/16" DEEP 12 PT. SCKT SET
- 8PCS. 3/8" TO 13/16" BOX END WRENCH SET
- 6" TYPE "L"HEX WRENCHES, LONG ARM:
3/16", 1/4", 5/16", 3/8"
- 10" WATER PUMP PLIER
- IN A PLASTIC BOX.



• Contact your local Salisbury Representative for your tool needs not seen here. Our tool line is capable of customizing and supplying almost any tool with protection up to 1000V.

• Salisbury can also supply customized tool kits and insulate almost any customer tools if necessary.

DELUXE MAINTENANCE TOOL KIT

CAT. NO.

DESCRIPTION

TK30

30PCS. INCLUDES:



- SLOTTED SCREWDRIVERS:
1/8 X 2", 3/16 X 4", 1/4 X 6"
- PHILLIPS SCREWDRIVER:
#1 X 3", #2 X 4"
- TORQUE WRENCH 30 - 150 IN/LB
- 3/8" DRIVE REVERSIBLE RATCHET
- 3" AND 6" EXTENSIONS, 3/8" DRIVE
- 8PCS. 3/8" TO 13/16" DEEP 12 PT. SOCKET SET,
3/8" DRIVE
- 8 PCS. 3/8" TO 13/16" BOX END WRENCH SET
- 7-1/2" DIAGONAL CUTTING PLIER
- 8" NEEDLE NOSE PLIER
- 9" LINESMAN'S PLIER
- MINI FLASHLIGHT
- IN A PLASTIC BOX.

ELECTRICIAN'S TOOL KIT

CAT. NO.

DESCRIPTION

TK30ETK

30PCS. INCLUDES:



- 9" LINESMAN PLIER
- 8" HD SLIP JOINT PLIER WITH CUTTING SHEAR
- CRIMPING TOOL
- 10" TONGUE AND GROOVE PLIER (WATERPUMP)
 - SLOTTED SCREWDRIVERS:
3/16" X 4", 1/4" X 4", 1/4" X 6", 5/16" X 6",
3/8" X 8", 3/16" X 6";
- PHILLIPS SCREWDRIVERS: #1 X 3", #2 X 4"
- NUT DRIVERS:
1/4" X 3", 5/16" X 3", 3/8" X 3", 7/16" X 3",
1/2" X 3", 3/16" X 3", 11/32" X 3";
 - 8" LONG NEEDLE NOSE PLIER WITH SIDE CUTTER
 - 7" BOX JOINT CUTTING PLIER
 - 9-1/2" PLIER CUTTING PLIER
 - 12" TONG AND GROOVE (WATERPUMP)
 - 6" FLAT NOSE PLIER
- LONG ARM, TYPE "T" HEX WRENCHES:
3/16" 6", 1/4" 6", 5/16" 6",
3/8" 6", 7/16" 6", 1/2" 6"
- IN A PLASTIC BOX.

INSULATED TOOL KITS

HOT BOX TOOL KIT

CAT. NO.
TK60

DESCRIPTION

60 PCS. INCLUDES:

- SLOTTED SCREWDRIVERS:
1/8 X 2", 3/16 X 4", 3/16 X 6",
1/4 X 6", 5/16 X 6"
- PHILLIPS SCREWDRIVERS: #2 X 4", #2 X 8"
- 6" LONG NUTDRIVERS:
3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2"
- TORQUE WRENCH 30 - 150 IN/LB;
- 3/8"DR, REVERSIBLE RATCHET
- 3" AND 6" EXTENSIONS, 3/8"DR
- 10 PCS. 5/16" TO 7/8", 3/8"DR SOCKET SET
- 11 PCS. 3/8" TO 1" BOX END WRENCH SET
- 14 PCS. 1/16" TO 1/2", 6" LONG ARM, TYPE "L" HEX WRENCH SET
- 7-1/2" DIAGONAL CUTTING PLIER,
- 8" NEEDLE NOSE PLIER,
- 9" LINESMAN'S PLIER,
- 9-1/2" CABLE CUTTING PLIER,
- 10" WATER PUMP PLIER,
- COMBINATION STRIPPER / CRIMPER PLIER
- IN A PLASTIC BOX, INCLUDING TOOL ROLLS.



HOT BOX TOOL KIT WITHOUT TORQUE WRENCH

CAT. NO. **DESCRIPTION**

TK60E

60 PCS. INCLUDES:

- SLOTTED SCREWDRIVERS: 1/8 X 2", 3/16 X 4", 3/16 X 6", 1/4 X 6", 5/16 X 6"
- PHILLIPS SCREWDRIVER: #2 X 4", #2 X 8"
- 6" LONG NUTDRIVERS: 3/16, 1/4, 5/16, 11/32, 3/8, 7/16, 1/2
- REVERSIBLE RATCHET, 3/8"DR
- 3" AND 6" EXTENSIONS, 3/8"DR
- 10PCS 5/16" TO 7/8", 3/8"DR SOCKET SET
- 11PCS 3/8" TO 1" BOX END WRENCH SET
- 14 PCS. 1/16" TO 1/2", 6" LONG ARM, TYPE "L" HEX WRENCH SET
- 7-1/2" DIAGONAL CUTTING PLIER
- 8" NEEDLE NOSE PLIER
- 9" LINESMAN'S PLIER,
- 9-1/2" CABLE CUTTING PLIER,
- 10" WATER PUMP PLIER,
- COMBINATION STRIPPER / CRIMPER PLIER.
- IN A PLASTIC BOX, INCLUDING TOOL ROLLS.

• Contact your local Salisbury Representative for your tool needs not seen here. Our tool line is capable of customizing and supplying almost any tool with protection up to 1000V.

• Salisbury can also supply customized tool kits and insulate almost any customer tools if necessary.

SCREWDRIVERS & NUTDRIVERS

All Salisbury Insulated Screwdrivers are two color insulated for added safety. High alloy steel blade for maximum strength and ergonomic handle for comfort.

INSULATED SLOTTED SCREWDRIVERS

WITH CUSHION GRIP

Available in these sizes:

- 1/8" X 2"
- 3/16" X 4"
- 3/16" X 6"
- 3/16" X 10"
- 1/4" X 4"
- 1/4" X 6"
- 5/16" X 6"
- 3/8" X 8"
- 3/8" X 10"
- 3/8" X 12"



INSULATED SLOTTED SCREWDRIVERS

WITH CUSHION GRIP

CAT. NO.	DESCRIPTION
S2376802	1/8" X 2"
S2375904	3/16" X 4"
S2375906	3/16" X 6"
S2375910	3/16" X 10"
S2375704	1/4" X 4"
S2375705	1/4" X 6"
S2375706	5/16" X 6"
S2375708	3/8" X 8"
S2375710	3/8" X 10"
S2375712	3/8" X 12"

INSULATED TORX SCREWDRIVERS

Available in these size ranges:

- T15- T50



INSULATED TORX SCREWDRIVERS

CAT. NO.	DESCRIPTION
S2341410	T10 X 3" BLADE
S2341415	T15 X 3" BLADE
S2341420	T20 X 3" BLADE
S2341425	T25 X 3" BLADE
S2341427	T27 X 4" BLADE
S2341430	T30 X 4" BLADE
S2341440	T40 X 6" BLADE
S2341445	T45 X 6" BLADE
S2341450	T50 X 6" BLADE

A wide variety of Torx Screwdrivers are available upon request.



SCREWDRIVERS & NUTDRIVERS



INSULATED PHILLIPS OR ROBERTSON SCREWDRIVERS

WITH CUSHION GRIP

Phillips available in these sizes:

- #0 X 2"
- #1 X 3"
- #2 X 1-1/2"
- #2 X 4"
- #2 X 6"
- #3 X 6"
- #4 X 8"



Robertson available in these sizes:

- #1 X 4"
- #2 X 4"
- #2 X 8"
- #3 X 4"



INSULATED PHILLIPS OR ROBERTSON SCREWDRIVERS


WITH CUSHION GRIP

CAT. NO.	DESCRIPTION
S2376302	#0 X 2" PHILLIPS
S2376103	#1 X 3" PHILLIPS
S2376102	#2 X 1-1/2" PHILLIPS
S2376104	#2 X 4" PHILLIPS
S2376105	#2 X 6" PHILLIPS
S2376106	#3 X 6" PHILLIPS
S2376108	#4 X 8" PHILLIPS
S2377610	#1 X 4" ROBERTSON
S2377620	#2 X 4" ROBERTSON
S2377621	#2 X 8" ROBERTSON
S2377630	#3 X 4" ROBERTSON



MAGNETIC BIT TIP SCREWDRIVER

CAT. NO.	DESCRIPTION
S2742614	3/16", 1/4", #1, #2 BITS




INSULATED NUTDRIVERS

WITH CUSHION GRIP

All Salisbury Insulated Nutdrivers are two color insulated for added safety. High alloy steel blade for maximum strength and ergonomic handle for comfort.

3" lengths available in these sizes:

- | | |
|----------|--------|
| • 3/16" | • 5MM |
| • 1/4" | • 6MM |
| • 5/16" | • 7MM |
| • 11/32" | • 8MM |
| • 3/8" | • 9MM |
| • 7/16" | • 10MM |
| • 1/2" | • 11MM |
| • 9/16" | • 12MM |
| • 5/8" | |



6" lengths available in these sizes:

- | | |
|----------|--------|
| • 3/16" | • 5MM |
| • 1/4" | • 6MM |
| • 5/16" | • 7MM |
| • 11/32" | • 8MM |
| • 3/8" | • 9MM |
| • 7/16" | • 10MM |
| • 1/2" | • 11MM |
| • 9/16" | • 12MM |
| • 5/8" | |



SCREWDRIVERS & NUTDRIVERS

INSULATED NUTDRIVERS

WITH CUSHION GRIP

CAT. NO.	DESCRIPTION
S2542010	3/16" X 3"
S2542030	1/4" X 3"
S2542050	5/16" X 3"
S2542060	11/32" X 3"
S2542070	3/8" X 3"
S2542080	7/16" X 3"
S2542090	1/2" X 3"
S2542100	9/16" X 3"
S2542110	5/8" X 3"
S2542710	5MM X 3"
S2542730	6MM X 3"
S2542750	7MM X 3"
S2542760	8MM X 3"
S2542770	9MM X 3"
S2542780	10MM X 3"
S2542790	11MM X 3"
S2542800	12MM X 3"
S2542010L	3/16" X 6"
S2542030L	1/4" X 6"
S2542050L	5/16" X 6"
S2542060L	11/32" X 6"
S2542070L	3/8" X 6"
S2542080L	7/16" X 6"
S2542090L	1/2" X 6"
S2542100L	9/16" X 6"
S2542110L	5/8" X 6"
S2542710L	5MM X 6"
S2542730L	6MM X 6"
S2542750L	7MM X 6"
S2542760L	8MM X 6"
S2542770L	9MM X 6"
S2542780L	10MM X 6"
S2542790L	11MM X 6"
S2542800L	12MM X 6"



- Contact your local Salisbury Representative for your tool needs not seen here. Our tool line is capable of customizing and supplying almost any tool with protection up to 1000V.
- Salisbury can also supply customized tool kits and insulate almost any customer tools if necessary.

SCREWDRIVER & NUTDRIVER SETS

NUTDRIVER 3" LENGTH SETS WITH CUSHION GRIP

CAT. NO.	DESCRIPTION
----------	-------------

S25921	7 TOOLS + ROLL: 3/16"; 1/4"; 5/16"; 11/32"; 3/8"; 7/16"; 1/2"
---------------	---

S25922	9 TOOLS + ROLL:
---------------	------------------------

	3/16"; 1/4"; 5/16"; 11/32"; 3/8"; 7/16"; 1/2", 9/16"; 5/8"
--	--

S25925	METRIC SET, 8 TOOLS + ROLL:
---------------	------------------------------------

	5MM; 6MM; 7MM; 8MM; 9MM; 10MM; 11MM; 12MM
--	---



NUTDRIVER 6" LENGTH SETS WITH CUSHION GRIP

CAT. NO.	DESCRIPTION
----------	-------------

S25922L	9 TOOLS + ROLL: 3/16"; 1/4"; 5/16"; 11/32"; 3/8"; 7/16"; 1/2", 9/16"; 5/8"
----------------	--

S25925L	METRIC SET, 8 TOOLS + ROLL:
----------------	------------------------------------

	5MM; 6MM; 7MM; 8MM; 9MM; 10MM; 11MM; 12MM
--	---

SCREWDRIVER SETS WITH CUSHION GRIP

CAT. NO.	DESCRIPTION
----------	-------------

S23871	6 TOOLS + ROLL: #1 X 3"; #2 X 4"; 1/8" X 2"; 3/16" X 6"; 1/4" X 4"; 5/16" X 6"
---------------	---

S23869	8 TOOLS + ROLL:
---------------	------------------------

	#1 X 3"; #2 X 4"; 1/8" X 2"; 3/16" X 6"; 3/16" X 10"; 1/4" X 4"; 5/16" X 6"; 3/8" X 8"
--	---

S23870	10 TOOLS + ROLL:
---------------	-------------------------

	#1 X 3"; #2 X 4"; #3 X 6"; 1/8" X 2"; 3/16" X 6"; 3/16" X 10"; 1/4" X 4"; 5/16" X 6"; 3/8" X 8"; 3/8" X 12"
--	--



WRENCHES

OPEN END WRENCH

AVAILABLE IN BOTH SAE & METRIC SIZES

SAE sizes from 1/4" - 2"

Metric sizes from 7mm - 36mm



OPEN END WRENCH

SAE SIZES

CAT. NO.	DESCRIPTION
S2488408	1/4"
S2488410	5/16"
S2488412	3/8"
S2488414	7/16"
S2488416	1/2"
S2488418	9/16"
S2488420	5/8"
S2488422	11/16"
S2488424	3/4"
S24C26	13/16"
S24C28	7/8"
S24C30	15/16"
S24C32	1"
S24C34	1-1/16"
S24C36	1-1/8"
S24C40	1-1/4"
S24C42	1-5/16"
S24C44	1-3/8"
S24C46	1-7/16"
S24C48	1-1/2"
S24C52	1-5/8"
S24C54	1-11/16"
S24C56	1-3/4"
S24C58	1-13/16"
S24C60	1-7/8"
S24C64	2"

OPEN END WRENCH

METRIC SIZES

CAT. NO.	DESCRIPTION
S248307	7 MM
S248308	8 MM
S248309	9 MM
S248310	10 MM
S248311	11 MM
S248312	12 MM
S248313	13 MM
S248314	14 MM
S248315	15 MM
S248316	16 MM
S248317	17 MM
S248318	18 MM
S248319	19 MM
S248320	20 MM
S248321	21 MM
S248322	22 MM
S248323	23 MM
S248324	24 MM
S248325	25MM
S248326	26 MM
S248327	27 MM
S248329	29 MM
S248330	30 MM
S248332	32 MM
S248336	36 MM


BOX END WRENCH

AVAILABLE IN BOTH SAE & METRIC SIZES

12 point

SAE sizes from 1/4" - 2"

Metric sizes from 7mm - 36mm



BOX END WRENCH

SAE SIZES - 12 point

CAT. NO.	DESCRIPTION
S2488408-B	1/4"
S2488410-B	5/16"
S2488412-B	3/8"
S2488414-B	7/16"
S2488416-B	1/2"
S2488418-B	9/16"
S2488420-B	5/8"
S2488422-B	11/16"
S2488424-B	3/4"
S24C26-B	13/16"
S24C28-B	7/8"
S24C30-B	15/16"
S24C32-B	1"
S24C34-B	1-1/16"
S24C36-B	1-1/8"
S24C40-B	1-1/4"
S24C42-B	1-5/16"
S24C44-B	1-3/8"
S24C46-B	1-7/16"
S24C48-B	1-1/2"
S24C52-B	1-5/8"
S24C54-B	1-11/16"
S24C56-B	1-3/4"
S24C58-B	1-13/16"
S24C60-B	1-7/8"
S24C64-B	2"

BOX END WRENCH

METRIC SIZES - 12 point

CAT. NO.	DESCRIPTION
S248307-B	7 MM
S248308-B	8 MM
S248309-B	9 MM
S248310-B	10 MM
S248311-B	11 MM
S248312-B	12 MM
S248313-B	13 MM
S248314-B	14 MM
S248315-B	15 MM
S248316-B	16 MM
S248317-B	17 MM
S248318-B	18 MM
S248319-B	19 MM
S248320-B	20 MM
S248321-B	21 MM
S248322-B	22 MM
S248323-B	23 MM
S248324-B	24 MM
S248325-B	25 MM
S248326-B	26 MM
S248327-B	27 MM
S248329-B	29 MM
S248330-B	30 MM
S248332-B	32 MM
S248336-B	36 MM

WRENCHES

RATCHETING BOX END WRENCH

AVAILABLE IN BOTH SAE & METRIC SIZES (METRIC AVAILABLE ON NEXT PAGE)

12 point
SAE sizes from 1/4" - 2-1/8"



SAE SIZES

CAT. NO.	DESCRIPTION
S249008	1/4"
S249010	5/16"
S249012	3/8"
S249014	7/16"
S249016	1/2"
S249018	9/16"
S249020	5/8"
S249022	11/16"
S249024	3/4"
S249026	13/16"
S249028	7/8"
S249030	15/16"
S249032	1"
S249034	1-1/16"
S249036	1-1/8"
S249038	1-1/4"
S24RB-42	1-5/16"
S24RB-44	1-3/8"
S24RB-46	1-7/16"
S24RB-48	1-1/2"
S24RB-50	1-9/16"
S24RB-52	1-5/8"
S24RB-54	1-11/16"
S24RB-56	1-3/4"
S24RB-58	1-13/16"
S24RB-60	1-7/8"
S24RB-64	2"
S24RB-68	2-1/8"

RATCHETING BOX END WRENCH

AVAILABLE IN BOTH SAE & METRIC SIZES (SAE AVAILABLE ON PREVIOUS PAGE)

12 point available in:
Metric sizes from 15mm - 36mm

6 point available in:
Metric sizes from 7mm - 14mm

RATCHETING BOX END WRENCH

12 POINT METRIC SIZES

CAT. NO.	DESCRIPTION
S249115	15MM 12 POINT
S249116	16MM 12 POINT
S249117	17MM 12 POINT
S249118	18MM 12 POINT
S249119	19MM 12 POINT
S249120	20MM 12 POINT
S249121	21MM 12 POINT
S249122	22MM 12 POINT
S249123	23MM 12 POINT
S249124	24MM 12 POINT
S249125	25MM 12 POINT
S249126	26MM 12 POINT
S249127	27MM 12 POINT
S249129	29MM 12 POINT
S249130	30MM 12 POINT
S249132	32MM 12 POINT
S249134	34MM 12 POINT
S249136	36MM 12 POINT

RATCHETING BOX END WRENCH

6 POINT METRIC SIZES

CAT. NO.	DESCRIPTION
S249106	6MM 6 POINT
S249107	7MM 6 POINT
S249108	8MM 6 POINT
S249109	9MM 6 POINT
S249110	10MM 6 POINT
S249111	11MM 6 POINT
S249112	12MM 6 POINT
S249113	13MM 6 POINT
S249114	14MM 6 POINT



ADJUSTABLE WRENCH

Available in sizes from 4" - 24"

CAT. NO.	DESCRIPTION
S24804	4"; 1/2" JAW OPENING
S24806	6"; 15/16" JAW OPENING
S24808	8"; 1-1/8" JAW OPENING
S24810	10"; 1-5/16" JAW OPENING
S24812	12"; 1-1/2" JAW OPENING
S24815	15"; 1-11/16" JAW OPENING
S24818	18"; 2-1/16" JAW OPENING
S24824	24"; 2-7/16" JAW OPENING



WRENCHES



6" LONG "T" HANDLE HEX WRENCH

AVAILABLE IN BOTH SAE & METRIC SIZES

SAE sizes from 5/64" - 9/16"

Metric sizes from 2mm - 12mm

6" LONG "T" HANDLE HEX WRENCH

SAE SIZES

CAT. NO.	DESCRIPTION
S2631605	5/64"
S2631606	3/32"
S2631607	7/64"
S2631608	1/8"
S2631609	9/64"
S2631610	5/32"
S2631612	3/16"
S2631614	7/32"
S2631616	1/4"
S2631620	5/16"
S2631624	3/8"
S2631628	7/16"
S2651632	1/2"
S2651634	9/16"

6" LONG "T" HANDLE HEX WRENCH

METRIC SIZES

CAT. NO.	DESCRIPTION
S2634620	2MM
S2634625	2.5MM
S2634630	3MM
S2634640	4MM
S2634650	5MM
S2634660	6MM
S2634680	8MM
S2634690	10MM
S2654691	11MM
S2654692	12MM

• Contact your local Salisbury Representative for your tool needs not seen here. Our tool line is capable of customizing and supplying almost any tool with protection up to 1000V.


• Salisbury can also supply customized tool kits and insulate almost any customer tools if necessary.

LONG ARM HEX WRENCH

AVAILABLE IN BOTH SAE & METRIC SIZES

SAE sizes from 1/16" - 2"

Metric sizes from 0.7mm - 36mm



LONG ARM HEX WRENCH

SAE SIZES

CAT. NO.	DESCRIPTION
S262223	1/16"
S262224	5/64"
S262225	3/32"
S262226	7/64"
S262227	1/8"
S262228	9/64"
S262229	5/32"
S262231	3/16"
S262233	7/32"
S262235	1/4"
S262239	5/16"
S262243	3/8"
S262247	7/16"
S262251	1/2"
S262255	9/16"
S262259	5/8"
S262267	3/4"
S262275	7/8"
S262283	1"
S262291	1-1/8"

Sizes up to 2" available upon request.



• Contact your local Salisbury Representative for your tool needs not seen here. Our tool line is capable of customizing and supplying almost any tool with protection up to 1000V.

• Salisbury can also supply customized tool kits and insulate almost any customer tools if necessary.

LONG ARM HEX WRENCH

METRIC SIZES

CAT. NO.	DESCRIPTION
S2615600	0.7MM
S2615601	0.9MM
S2615602	1.3MM
S2615603	1.5MM
S2615604	2MM
S2615605	2.5MM
S2615606	3MM
S2615607	3.5MM
S2615608	4MM
S2615609	4.5MM
S2615610	5MM
S2615611	5.5MM
S2615612	6MM
S2615614	7MM
S2615616	8MM
S2615618	9MM
S2615620	10MM
S2615622	11MM
S2615624	12MM
S2615628	14MM
S2615634	17MM
S2615638	19MM
S2615644	22MM
S2615648	24MM
S2615651	27MM
S2615656	32MM
S2615660	36MM

TORQUE WRENCHES



TORQUE WRENCH

CAT. NO.	DESCRIPTION
S22150RA	1/4" DR, 9-1/2" LONG, 30-150 IN/LB
S22150RA38	3/8" DR, 10" LONG, 30-150 IN/LB
S22250R	3/8" DR, 12-1/2" LONG, 50-250 IN/LB
S22750R	3/8" DR, 15" LONG, 150-750 IN/LB
S2275FRN	3/8" DR, 14-1/4" LONG, 15-75 FT/LB
S22150FRN	1/2" DR, 18-1/2" LONG, 30-150 FT/LB
S22250FRN	1/2" DR, 21-1/2" LONG, 50-250 FT/LB

A wide variety of Torque Wrenches are available upon request. Recalibration service available, contact Customer Service for more information.



TORQUE SCREWDRIVER

CAT. NO.	DESCRIPTION
S22TS35	1/4" DR, 6-3/8" LONG, 1-36 IN/LB
S22TS100	1/4" DR, 6-3/8" LONG, 20-100 IN/OZ



OPEN END WRENCH SETS

CAT. NO.	DESCRIPTION
S241713	13 PSC. 1/4" - 1" IN A ROLL.
S241714	14 PSC. 3/8" - 1-1/4" IN A ROLL.
S241814	13 PSC. 7MM - 19MM, IN A ROLL.
S241818	17 PSC. 7MM - 24MM, IN A ROLL.



OPEN END WRENCH SETS

CAT. NO.	DESCRIPTION
S241780	8 PSC. 1" - 1-1/2" IN A BAG
S241790	6 PSC. 1-5/8" - 2" IN A BAG



WRENCH SETS

BOX END WRENCH SET

CAT. NO.	DESCRIPTION
S241713-B	13 PSC. 1/4" - 1" IN A ROLL
S241714-B	14 PSC. 3/8" - 1-1/4" IN A ROLL
S241814-B	13 PSC. 7MM - 19MM, IN A ROLL
S241818-B	17 PSC. 7MM - 24MM, IN A ROLL



BOX END WRENCH SET

CAT. NO.	DESCRIPTION
S241780-B	8 PSC. 1" - 1-1/2" IN A BAG
S241790-B	6 PSC. 1-5/8" - 2" IN A BAG





RATCHETING BOX END WRENCH SET

CAT. NO.	DESCRIPTION
S24RB-13	13 PCS. 1/4" - 1", 12 POINT, PACKAGED IN A ROLL
S24RBM-15	15 PCS. 7MM - 21MM, PACKAGED IN A ROLL



RATCHETING BOX END WRENCH SET

CAT. NO.	DESCRIPTION
S24RB-12	15 PCS. 1-1/16", 1-1/8", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-9/16", 1-5/8", 1-11/16", 1-3/4", 1-13/16", 1-7/8", 2", 2-1/8" 12 POINT, PACKAGED IN A BAG
S24RBM-10	10PCS. 22, 23, 24, 25, 26, 27, 29, 30, 32, 36MM PACKAGED IN A BAG



WRENCH SETS



HEX WRENCH "T" HANDLE SET

CAT. NO.	DESCRIPTION
S262344	11 PCS. 5/64 - 3/8" 6" LONG, IN PLASTIC BOX

S2613P	13 PCS 5/64 - 1/2" 6" LONG, IN PLASTIC BOX
---------------	---



HEX WRENCH TYPE "L" SET

CAT. NO.	DESCRIPTION
S2610214	14 PCS. 1/16" - 1/2" LONG ARM, IN A ROLL

S2610217	17 PCS. .035 - 5/8" LONG ARM, IN A ROLL
-----------------	---

S2610610	10 PCS. 1.5MM - 12.0MM LONG ARM, IN A ROLL
-----------------	--

S2610614	14 PCS. .09MM - 17.0MM LONG ARM, IN A ROLL
-----------------	--



FENCE TOOL

CAT. NO.	DESCRIPTION
S2185	10-1/2" OVERALL LENGTH HAMMER ON ONE JAW, STAPLE STARTER AND PULLER ON THE OTHER SIDE




LONG NEEDLE NOSE PLIER

CAT. NO.	DESCRIPTION
S2147S	4-3/4" WITH SIDE CUTTER / SPRING
S2150S	5-3/4" WITH SIDE CUTTER / SPRING
S21326	6" WITH SIDE CUTTER
S21317	7" WITH SIDE CUTTER
S21318	8" WITH SIDE CUTTER

S21318



S21317



WIRING PLIER

CAT. NO.	DESCRIPTION
S21337W	7", CUTS AND STRIPS INSULATION



CUTTING PLIER, LAP JOINT

CAT. NO.	DESCRIPTION
S21337	7" LAP JOINT
S21338	8" LAP JOINT

S21338



CURVED CUTTING PLIER

CAT. NO.	DESCRIPTION
S21447	DIAGONAL CURVE 7-3/4" BOX JOINT

PLIERS



S21437

CUTTING PLIER, BOX JOINT

CAT. NO.	DESCRIPTION
S21435	5" BOX JOINT
S21435S	5" BOX JOINT W/SPRING
S21436	6" BOX JOINT
S21436S	6" BOX JOINT W/SPRING
S21437	7" BOX JOINT



SHORT NOSE PLIER

CAT. NO.	DESCRIPTION
S21308	8" SHEARING



S21386

BENT NEEDLE NOSE PLIER

CAT. NO.	DESCRIPTION
S2149	4-1/2"
S21386	5-1/2" WITHOUT SIDE CUTTER



S21358

END CUTTING PLIER

CAT. NO.	DESCRIPTION
S21356	6"
S21357	7"
S21358	8"



S21148-10

END CUTTING NIPPERS

CAT. NO.	DESCRIPTION
S21148-10	10"
S21148-14	14"



LONG REACH PLIER

CAT. NO.	DESCRIPTION
S21728	7-1/2" DIAGONAL CUTTER



S21GL10

WATERPUMP PLIER

CAT. NO.	DESCRIPTION
S21GL6	6", 1-1/16" CAPACITY
S21GL10	9-1/2", 1-1/4" CAPACITY
S21GL12	12", 2-1/4" CAPACITY



S21422

V GROOVE PLIER

CAT. NO.	DESCRIPTION
S21422	9-1/2", 1-1/2" CAPACITY
S21442	12", 2-1/4" CAPACITY

HEAVY DUTY SLIP JOINT PLIER

CAT. NO.	DESCRIPTION
S21546	6" WITH CUTTING SHEAR
S21537	7" WITH FINE SIDE CUTTER
S21548	8" WITH CUTTING SHEAR
S215410	PLIER HOSE CLAMP SLIP JOINT 10" WITH CUTTING SHEAR



S215410



S21718

FLAT NOSE HEAVY DUTY SLIP JOINT PLIER

CAT. NO.	DESCRIPTION
S2144	4-3/4"
S21D305-6	6"
S21718	LONG REACH 8"



LONG REACH END CUTTER

CAT. NO.	DESCRIPTION
S21748	8"

LONG REACH PLIER

CAT. NO.	DESCRIPTION
S21738	8"



PLIERS



PLIER W/ SIDE CUTTERS

CAT. NO.	DESCRIPTION
S2112098	8-1/2" WITH SLEEVE-CONNECTOR CRIMPING DIE



S213248

ROUNDED NOSE PLIER

CAT. NO.	DESCRIPTION
S21346	6"
S21347	7"
S21348	8-1/2"
S21369	9" HIGH LEVERAGE
S213248	8-1/2" WITH CUTTER & CRIMPER



SLIP JOINT PLIER

CAT. NO.	DESCRIPTION
S21516	6", THIN NOSE WITH CUTTING SHEAR



LINESMAN PLIER

CAT. NO.	DESCRIPTION
S21350-S	9" WITH COILED SPRING

S21420



TONGUE & GROOVE PLIER

CAT. NO.	DESCRIPTION
S21415	10", 2" CAPACITY SMOOTH JAWS
S21424	4-1/2", 1/2" CAPACITY
S21426	6-1/2", 7/8" CAPACITY
S21420	9-1/2", 1-1/2" CAPACITY
S21430	10", 2" CAPACITY
S21440	12", 2-1/4" CAPACITY
S21460	16", 4-1/4" CAPACITY
S21480	20", 5-1/2" CAPACITY



S21908

WIRE STRIPPER-CUTTER-CRIMPER

CAT. NO.	DESCRIPTION
S2111045	FOR CUTTING STRIPPING AND LOOPING WIRE 10 - 18 GA
S21908	WIRING TOOL STRIPS WIRE WITH NO DAMAGE TO CONDUCTOR CRIMPS BOTH INSULATED AND NON-INSULATED WIRE.



WIRE STRIPPER

CAT. NO.	DESCRIPTION
S21958	WIRE STRIPPER CUTTER 10-20GA FOR COPPER, STRIPS INSULATION FAST WITH NO DAMAGE TO WIRE, CUTS COPPER WIRE CLEANLY.



S21909

CRIMPING TOOL

CAT. NO.	DESCRIPTION
S21909	CRIMPING AND CUTTING TOOL
S211005	CRIMPING TOOL AND WIRE CUTTER FOR 10 TO 22 AWG



CUTTING PLIER

CAT. NO.	DESCRIPTION
S21911	CABLE CUTTER 9-1/2", CUTS UP TO 4/0 ALUMINUM AND UP TO 2/0 SOFT COPPER. IT IS NOT DESIGNED FOR STEEL OR ACSR.


PLIERS

S2163060



RATCHETING CABLE CUTTER

CAT. NO.	DESCRIPTION
S2163060	600MCM ALUM 400MCM COPPER
S215090FS	750MCM ALUM 500MCM COPPER
S2163060F	600MCM ALUM 400MCM COPPER -QUALITY IMPORT BRAND-
S215090FSF	750MCM ALUM 500MCM COPPER -QUALITY IMPORT BRAND-



BOLT CUTTER

CAT. NO.	DESCRIPTION
S210090	18" CUTS 3/8" SOFT/MEDIUM MATERIAL, 1/4" HARD MATERIAL
S210190	24" CUTS 7/16" SOFT/MEDIUM MATERIAL, 5/16" HARD MATERIAL
S210290	30" CUTS 1/2" SOFT/MEDIUM MATERIAL, 3/8" HARD MATERIAL
S210390	36" CUTS 9/16" SOFT/MEDIUM MATERIAL, 7/16" HARD MATERIAL
S210590	42" CUTS 11/16" SOFT/MEDIUM MATERIAL, 1/2" HARD MATERIAL



SNAP RING PLIER

CAT. NO.	DESCRIPTION
S211202R	.038" TIP DIAMETER
S21120245R	45DEG .038" TIP DIAMETER
S21120290R	90DEG .038" TIP DIAMETER
S213202R	.047" TIP DIAMETER
S21320245R	45DEG .047" TIP DIAMETER
S21320290R	90DEG .047" TIP DIAMETER
S213402R	.070" TIP DIAMETER
S21340245R	45DEG .070" TIP DIAMETER
S21340290R	90DEG .070" TIP DIAMETER
S215602R	.090" TIP DIAMETER
S21560245R	45DEG .090" TIP DIAMETER
S21560290R	90DEG .090" TIP DIAMETER

Tip Configurations



0°



45°



90°

Use with either external or internal retaining rings.

CABLE CUTTER

CAT. NO.	DESCRIPTION
S2163035	17" FOR UP TO 1" COAX CABLE CUTS SOFT COPPER AND ALUMINUM CABLE UP TO 350 MCM, DROP-FORGED STEEL, SHEAR-TYPE HOOK JAWS GRAB AND HOLD CABLE



CABLE CUTTER

CAT. NO.	DESCRIPTION
S2163035-RING	FOR UP TO 1" COAX CABLE CUTS SOFT COPPER AND ALUMINUM CABLE UP TO 350 MCM; DROP-FORGED STEEL; SHEAR-TYPE HOOK JAWS GRAB AND HOLD CABLE; WITH GUIDANCE RING



CABLE CUTTING PLIER

CAT. NO.	DESCRIPTION
S2163055-RING	8" CUTS 24 AWG COOPER, ALUMINUM MULTI-SRTAND CABLE AND WIRE; WITH GUIDANCE RING



CABLE SHEAR

CAT. NO.	DESCRIPTION
S2163041-RING	25", 1-3/8" CUTTING CAPACITY , CUTTS 500 COPPER, 750 ALUMINUM, SOFT CABLE: 1-3/8" DIAMETER; WITH GUIDANCE RING. NOT DESIGNED FOR CUTTING STEEL OR ACSR.



SOCKETS - 1/4" DRIVE

STANDARD OR DEEP SOCKET

1/4" DRIVE, 12 POINT SOCKET

Available in both SAE & Metric sizes.



STANDARD SOCKET

SAE SIZES

CAT. NO.	DESCRIPTION
S2043906	3/16"
S2043907	7/32"
S2043908	1/4"
S2043909	9/32"
S2043910	5/16"
S2043911	11/32"
S2043912	3/8"
S2043914	7/16"
S2043916	1/2"
S2043918	9/16"

DEEP SOCKET

SAE SIZES

CAT. NO.	DESCRIPTION
S2043906	3/16"
S2044907	7/32"
S2044908	1/4"
S2044909	9/32"
S2044910	5/16"
S2044911	11/32"
S2044912	3/8"
S2044914	7/16"
S2044916	1/2"
S2044918	9/16"

STANDARD SOCKET

METRIC SIZES

CAT. NO.	DESCRIPTION
S2040701	4MM 6 POINT
S2043702	5MM
S2043703	5.5MM
S2043704	6MM
S2043706	7MM
S2043707	8MM
S2043708	9MM
S2043709	10MM
S2043710	11MM
S2043711	12MM
S2043712	13MM
S2043713	14MM
S2040714	15MM 6 POINT

DEEP SOCKET

METRIC SIZES

CAT. NO.	DESCRIPTION
S2041697	4MM 6 POINT
S2044702	5MM
S2044703	5.5MM
S2044704	6MM
S2044706	7MM
S2044707	8MM
S2044708	9MM
S2044709	10MM
S2044710	11MM
S2044711	12MM
S2044712	13MM
S2044713	14MM
S2041711	15MM 6 POINT

• Contact your local Salisbury Representative for your tool needs not seen here. Our tool line is capable of customizing and supplying almost any tool with protection up to 1000V.

• Salisbury can also supply customized tool kits and insulate almost any customer tools if necessary.

SOCKETS - 3/8" DRIVE

STANDARD OR DEEP SOCKET

3/8" DRIVE, 12 POINT SOCKET

Available in both SAE & Metric sizes.



STANDARD

SAE SIZES

CAT. NO.	DESCRIPTION
S2045208	1/4"
S2045210	5/16"
S2045212	3/8"
S2045214	7/16"
S2045216	1/2"
S2045218	9/16"
S2045120	5/8"
S2045122	11/16"
S2045124	3/4"
S2045126	13/16"
S2045128	7/8"
S2045130	15/16"
S2045132	1"

DEEP SOCKET

SAE SIZES

CAT. NO.	DESCRIPTION
S2042408	1/4"
S2042410	5/16"
S2042412	3/8"
S2042414	7/16"
S2042416	1/2"
S2042418	9/16"
S2042420	5/8"
S2042422	11/16"
S2042424	3/4"
S2042426	13/16"
S2042428	7/8"
S2042430	15/16"
S2042432	1"

STANDARD SOCKET

METRIC SIZES

CAT. NO.	DESCRIPTION
S20306	6MM 6 POINT
S202307	7MM
S202308	8MM
S202309	9MM
S202310	10MM
S202311	11MM
S202312	12MM
S202313	13MM
S202314	14MM
S202315	15MM
S202316	16MM
S202317	17MM
S202318	18MM
S202319	19MM
S202320	20MM
S202321	21MM
S202322	22MM
S202323	23MM
S202324	24MM

DEEP SOCKET

METRIC SIZES

CAT. NO.	DESCRIPTION
S208406	6MM 6 POINT
S208407	7MM 6 POINT
S208408	8MM 6 POINT
S208429	9MM
S208430	10MM
S208431	11MM
S208432	12MM
S208433	13MM
S208434	14MM
S208435	15MM
S208436	16MM
S208437	17MM
S208438	18MM
S208439	19MM
S208420	20MM 6 POINT
S208421	21MM 6 POINT
S208422	22MM 6 POINT
S208423	23MM 6 POINT
S208424	24MM 6 POINT
S208425	25MM 6 POINT

SOCKETS - 1/2" DRIVE

STANDARD OR DEEP SOCKET

1/2" DRIVE, 12 POINT SOCKET

Available in both SAE & Metric sizes.



STANDARD SOCKET

SAE SIZES

CAT. NO.	DESCRIPTION
S2040212	3/8"
S2040214	7/16"
S2040216	1/2"
S2040218	9/16"
S2040120	5/8"
S2040122	11/16"
S2040124	3/4"
S2040126	13/16"
S2040128	7/8"
S2040130	15/16"
S2040132	1"
S2040134	1-1/16"
S2040136	1-1/8"
S2040138	1-3/16"
S2040140	1-1/4"
S2040142	1-5/16"
S2040144	1-3/8"
S2040146	1-7/16"
S2040148	1-1/2"

DEEP SOCKET

SAE SIZES

CAT. NO.	DESCRIPTION
S2040812	3/8"
S2044814	7/16"
S2044816	1/2"
S2044818	9/16"
S2044820	5/8"
S2044822	11/16"
S2044824	3/4"
S2044826	13/16"
S2044828	7/8"
S2044830	15/16"
S2040832	1"
S2040834	1-1/16"
S2040836	1-1/8"
S2040838	1-3/16"
S2040840	1-1/4"
S2040842	1-5/16"
S2040844	1-3/8"
S2040846	1-7/16"
S2040848	1-1/2"

STANDARD SOCKET

METRIC SIZES

CAT. NO.	DESCRIPTION
S2040310	10MM
S2040311	11MM
S2040312	12MM
S2040313	13MM
S2040314	14MM
S2040315	15MM
S2040316	16MM
S2040317	17MM
S2040318	18MM
S2040319	19MM
S2040320	20MM
S2040321	21MM
S2040322	22MM
S2040323	23MM
S2040324	24MM
S2040325	25MM
S2040326	26MM
S2040327	27MM
S2040328	28MM
S2040329	29MM
S2040330	30MM
S2040331	31MM
S2040332	32MM
S2040336	36MM

DEEP SOCKET

METRIC SIZES

CAT. NO.	DESCRIPTION
S2048010	10MM
S2048011	11MM
S2048012	12MM
S2048013	13MM
S2048014	14MM
S2048015	15MM
S2048016	16MM
S2048017	17MM
S2048018	18MM
S2048019	19MM
S2048020	20MM
S2048021	21MM
S2048022	22MM
S2048023	23MM
S2048024	24MM
S2048025	25MM
S2048026	26MM
S2048027	27MM
S2048028	28MM
S2048030	30MM
S2048032	32MM

SOCKETS - 3/4" DRIVE

STANDARD SOCKET

3/4" DRIVE, 12 POINT SOCKET

Available in both SAE & Metric sizes.



STANDARD SOCKET

SAE SIZES

CAT. NO.	DESCRIPTION
S2047124	3/4"
S2047126	13/16"
S2047128	7/8"
S2047130	15/16"
S2047132	1"
S2047134	1-1/16"
S2047136	1-1/8"
S2047138	1-3/16"
S2047140	1-1/4"
S2047142	1-5/16"
S2047144	1-3/8"
S2047146	1-7/16"
S2047148	1-1/2"
S2047150	1-9/16"
S2047152	1-5/8"
S2047154	1-11/16"
S2047156	1-3/4"
S2047158	1-13/16"
S2047160	1-7/8"
S2047164	2"
S2047166	2-1/16"
S2047168	2-1/8"
S2047171	2-3/16"
S2047172	2-1/4"
S2047176	2-3/8"

STANDARD SOCKET

METRIC SIZES

CAT. NO.	DESCRIPTION
S2048122	22MM
S2048123	23MM
S2048124	24MM
S2048126	26MM
S2048127	27MM
S2048128	28MM
S2048129	29MM
S2048130	30MM
S2048132	32MM
S2048133	33MM
S2048135	35MM
S2048136	36MM
S2048138	38MM
S2048140	40MM
S2048141	41MM
S2048142	42MM
S2048146	46MM
S2048150	50MM
S2048154	54MM
S2048155	55MM

. Contact your local Salisbury Representative for your tool needs not seen here. Our tool line is capable of customizing and supplying almost any tool with protection up to 1000V.

. Salisbury can also supply customized tool kits and insulate almost any customer tools if necessary.

RATCHET & SOCKET ACCESSORIES

FLEX HEAD HANDLES



CAT. NO.	DESCRIPTION
S2040952	1/4" DRIVE FLEX HEAD HANDLE 5.4"
S2045152	3/8" DRIVE FLEX HEAD HANDLE 10"
S2041650	1/2" DRIVE FLEX HEAD HANDLE 9"
S2041652	1/2" DRIVE FLEX HEAD HANDLE 16"
S2041654	1/2" DRIVE FLEX HEAD HANDLE 24"
S2047155	3/4" DRIVE FLEX HEAD HANDLE 18"

RATCHETS



CAT. NO.	DESCRIPTION
S2040970NB	1/4" DRIVE RATCHET 4.5" NO BOOT
S2040970	1/4" DRIVE RATCHET 4.5"
S2040971	1/4" DRIVE RATCHET 6.5"
S2045170NB	3/8" DRIVE RATCHET 7.6" NO BOOT
S2045170	3/8" DRIVE RATCHET 7.6"
S2045179	3/8" DRIVE RATCHET 10.3"
S2045174	3/8" DRIVE RATCHET STUBBY 4.8"
S2042470NB	1/2" DRIVE RATCHET 10.3" NO BOOT
S2042470	1/2" DRIVE RATCHET 10.3"
S2040170	1/2" DRIVE RATCHET 15"
S2047170	3/4" DRIVE RATCHET 18"

ADAPTERS



CAT. NO.	DESCRIPTION
S20384	ADAPTER 3/8" F - 1/4"M
S20385	ADAPTER 1/4" F - 3/8"M
S20451	ADAPTER 3/8" F - 1/2"M
S20401	ADAPTER 1/2" F - 3/8"M
S20407	ADAPTER 1/2" F - 3/4"M
S20409	ADAPTER 3/4" F - 1/2"M

RATCHET & SOCKET ACCESSORIES

EXTENSIONS

CAT. NO.	DESCRIPTION
S2040961	1/4" DRIVE EXTENSION 2"
S2040963	1/4" DRIVE EXTENSION 3"
S2040962	1/4" DRIVE EXTENSION 6"
S2040968	1/4" DRIVE EXTENSION 8"
S2040969	1/4" DRIVE EXTENSION 10"
S2040964	1/4" DRIVE EXTENSION 14"
S2045159	3/8" DRIVE EXTENSION 1.5"
S2045160	3/8" DRIVE EXTENSION 3"
S2045161	3/8" DRIVE EXTENSION 6"
S2045158	3/8" DRIVE EXTENSION 9"
S2045162	3/8" DRIVE EXTENSION 12"
S2045163	3/8" DRIVE EXTENSION 18"
S2045164	3/8" DRIVE EXTENSION 24"
S2045149	3/8" DRIVE EXTENSION 35"
S2040160	1/2" DRIVE EXTENSION 2"
S2040161	1/2" DRIVE EXTENSION 5"
S2040162	1/2" DRIVE EXTENSION 10"
S2040163	1/2" DRIVE EXTENSION 20"
S2047159	3/4" DRIVE EXTENSION 3"
S2047163	3/4" DRIVE EXTENSION 5"
S2047161	3/4" DRIVE EXTENSION 8"
S2047162	3/4" DRIVE EXTENSION 16"

FIBERGLASS EXTENSIONS

AVAILABLE IN 3/8" AND 1/2" DRIVES

CAT. NO.	DESCRIPTION
S2045161FB	EXTENSION 6" 3/8" DRIVE
S2045162FB	EXTENSION 12" 3/8" DRIVE
S2040164FB	EXTENSION 6" 1/2" DRIVE
S2040165FB	EXTENSION 12" 1/2" DRIVE

Fiberglass extensions are tested at 80 ft./lbs., DO NOT EXCEED 60 ft. / lbs.

EXTENSIONS

AVAILABLE IN 1/4", 3/8", 1/2", AND 3/4" DRIVES

EXTENSIONS ARE AVAILABLE IN FLARE NOSE STYLE FOR USE ON NON-BOOTED SOCKETS.



EXTENSIONS WITH FLARE END

CAT. NO.	DESCRIPTION
S2040961FN	1/4" DRIVE EXTENSION 2"
S2040963FN	1/4" DRIVE EXTENSION 3"
S2040962FN	1/4" DRIVE EXTENSION 6"
S2040968FN	1/4" DRIVE EXTENSION 8"
S2040969FN	1/4" DRIVE EXTENSION 10"
S2040964FN	1/4" DRIVE EXTENSION 14"
S2045159FN	3/8" DRIVE EXTENSION 1.5"
S2045160FN	3/8" DRIVE EXTENSION 3"
S2045161FN	3/8" DRIVE EXTENSION 6"
S2045158FN	3/8" DRIVE EXTENSION 9"
S2045162FN	3/8" DRIVE EXTENSION 12"
S2045163FN	3/8" DRIVE EXTENSION 18"
S2045164FN	3/8" DRIVE EXTENSION 24"
S2045149FN	3/8" DRIVE EXTENSION 35"
S2040160FN	1/2" DRIVE EXTENSION 2"
S2040161FN	1/2" DRIVE EXTENSION 5"
S2040162FN	1/2" DRIVE EXTENSION 10"
S2040163FN	1/2" DRIVE EXTENSION 20"
S2047159FN	3/4" DRIVE EXTENSION 3"
S2047163FN	3/4" DRIVE EXTENSION 5"
S2047161FN	3/4" DRIVE EXTENSION 8"
S2047162FN	3/4" DRIVE EXTENSION 16"



RATCHET & SOCKET ACCESSORIES

1/4" DRIVE SCREWDRIVER BIT SOCKETS

HOLDER, SLOTTED, OR PHILLIPS

Available in these size ranges:

- Holder - 1/4" SHANK
- Slotted - 3/16" - 5/16"
- Phillips - #0 - #2

CAT. NO.	DESCRIPTION
S2044498	HOLDER 1/4" SHANK
S2044470	SLOTTED 3/16"
S2044471	SLOTTED 1/4"
S2044472	SLOTTED 9/32"
S2044473	SLOTTED 5/16"
S2044480	PHILLIPS #0
S2044481	PHILLIPS #1
S2044482	PHILLIPS #2



3/8" DRIVE SCREWDRIVER BIT SOCKETS

HOLDER, SLOTTED, OR PHILLIPS

Available in these size ranges:

- Holder - 1/4" - 5/16" SHANK
- Slotted - #4 - #6
- Phillips - #1 - #4

3/8" DRIVE

CAT. NO.	DESCRIPTION
S2045498	HOLDER 1/4" SHANK
S2045499	HOLDER 5/16" SHANK
S2045471	SLOTTED #4
S2045472	SLOTTED #5
S2045473	SLOTTED #6
S2045481	PHILLIPS #1
S2045482	PHILLIPS #2
S2045483	PHILLIPS #3
S2045484	PHILLIPS #4
S2045492	POZIDRIV #2



• Contact your local Salisbury Representative for your tool needs not seen here. Our tool line is capable of customizing and supplying almost any tool with protection up to 1000V.

• Salisbury can also supply customized tool kits and insulate almost any customer tools if necessary.

1/4" DRIVE HEX BIT SOCKET

Available in both SAE & Metric sizes.

Available in these size ranges:

- 1/16" - 1/4"
- 2mm - 6mm

3/8" DRIVE HEX BIT SOCKET

Available in both SAE & Metric sizes.

Available in these size ranges:

- 1/16" - 3/8"
- 2mm - 12mm

1/2" DRIVE HEX BIT SOCKET

Available in both SAE & Metric sizes.

Available in these size ranges:

- 5/16" - 5/8"
- 12mm - 17mm



1/4" HEX BIT SOCKET

SAE SIZES

CAT. NO.	DESCRIPTION
S2044304	1/16"
S2044305	5/64"
S2044306	3/32"
S2044307	7/64"
S2044308	1/8"
S2044309	9/64"
S2044310	5/32"
S2044312	3/16"
S2044314	7/32"
S2044316	1/4"

1/4" HEX BIT SOCKET

METRIC SIZES

CAT. NO.	DESCRIPTION
S2044324	2MM
S2044325	2.5MM
S2044326	3MM
S2044327	4MM
S2044328	5MM
S2044330	6MM

RATCHET & SOCKET ACCESSORIES

3/8" HEX BIT SOCKET

SAE SIZES

CAT. NO.	DESCRIPTION
S2041201	1/16"
S2041202	5/64"
S2041203	3/32"
S2041204	7/64"
S2041205	1/8"
S2041206	9/64"
S2041207	5/32"
S2041208	3/16"
S2041209	7/32"
S2041210	1/4"
S2041211	5/16"
S2041212	3/8"
S2045904	1/8" LONG
S2045905	5/32" LONG
S2045906	3/16" LONG
S2045907	7/32" LONG
S2045908	1/4" LONG
S2045910	5/16" LONG
S2045912	3/8" LONG

3/8" HEX BIT SOCKET

METRIC SIZES

CAT. NO.	DESCRIPTION
S2041400	2MM
S2041401	2.5MM
S2041402	3MM
S2041403	4MM
S2041404	5MM
S2041405	6MM
S2041406	7MM
S2041407	8MM
S2041408	9MM
S2041409	10MM
S2041410	11MM
S2041411	12MM



1/2" HEX BIT SOCKET

SAE SIZES

CAT. NO.	DESCRIPTION
S2041213	5/16"
S2041214	3/8"
S2041215	7/16"
S2041216	1/2"
S2041218	9/16"
S2041220	5/8"
S2041266	1/2" LONG
S2041268	9/16" LONG
S2041270	5/8" LONG

1/2" HEX BIT SOCKET

METRIC SIZES

CAT. NO.	DESCRIPTION
S2041412	12MM
S2041414	14MM
S2041417	17MM
S2041419	19MM
S2041462	12MM LONG
S2041464	14MM LONG
S2041467	17MM LONG

RATCHET & SOCKET ACCESSORIES

1/4" DRIVE TORX BIT & TAMPER-PROOF TORX SOCKET

Available in these size ranges:

- T8 - T27 4" long



Torx
Screwdriver
Bit Socket




3/8" DRIVE TORX BIT & TAMPER-PROOF TORX SOCKET

Available in these size ranges:

- T40 - T50 extra long

Tamper-Proof
Torx Screwdriver
Bit Socket



1/2" DRIVE TORX BIT SOCKET

Available in this size:

- T60

1/4" TORX BIT SOCKET

CAT. NO.	DESCRIPTION
S2042908	T8
S2042910	T10
S2042915	T15
S2042920	T20
S2042925	T25
S2042927	T27
S2042930	T30
S2042958	T8 4" LONG
S2042960	T10 4" LONG
S2042965	T15 4" LONG
S2042970	T20 4" LONG
S2042975	T25 4" LONG
S2042977	T27 4" LONG

1/4" TAMPER-PROOF TORX BIT SOCKET

CAT. NO.	DESCRIPTION
S2042507	T7
S2042508	T8
S2042510	T10
S2042515	T15
S2042520	T20
S2042525	T25
S2042527	T27
S2042530	T30

1/2" TORX BIT SOCKET

CAT. NO.	DESCRIPTION
S2045560	T60

3/8" TORX BIT SOCKET

CAT. NO.	DESCRIPTION
S2045540	T40
S2045545	T45
S2045547	T47
S2045550	T50
S2045555	T55
S2042580	T30 LONG
S2042590	T40 LONG
S2042595	T45 LONG
S2042600	T50 LONG
S2042640	T40 EX LONG
S2042645	T45 EX LONG
S2042650	T50 EX LONG

3/8" TAMPER-PROOF TORX BIT SOCKET

CAT. NO.	DESCRIPTION
S2045440	T40
S2045445	T45
S2045450	T50
S2045455	T55
S2045205	5/64
S2045206	3/32
S2045207	7/64
S2045208	1/8
S2045209	9/64
S2045210	5/32
S2045212	3/16
S2045214	7/32
S2045216	1/4

SOCKET & RATCHET SETS

BATTERY TORQUE SET

CAT. NO.	DESCRIPTION
S102	4 PCS. INCLUDES: 3/8" DR TORQUE RATCHET 10" LONG 30-150 IN/LB, 7" FIBERGLASS EXTENSION, 1/2" BOX WRENCH 1/2" REGULAR SOCKET 6PT IN A PLASTIC BOX



S102



S104

SOCKET SET 3/8" DRIVER DEEP SET

CAT. NO.	DESCRIPTION
S103	11 PCS. INCLUDES: 3/8" REVERSIBLE RATCHET, 3" AND 6" EXTENSION, DEEP SOCKETS 12PT: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, AND 13/16" IN A FITTED PLASTIC CASE
S104	16 PCS. INCLUDES: RATCHET, 3" AND 6" EXTENSION, DEEP SOCKETS 12PT: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, AND 1" IN A FITTED PLASTIC CASE.
S105	METRIC 14 PCS. INCLUDES: RATCHET, 3" AND 6" EXTENSION, DEEP SOCKETS 12PT: 9MM TO 19MM IN A FITTED PLASTIC CASE.
S106	METRIC 24 PCS. INCLUDES: RATCHET, 3" AND 6" EXTENSION, DEEP SOCKETS 6 AND 12PT: 6MM TO 26MM IN A FITTED PLASTIC CASE

ALLEN SOCKET SET

CAT. NO.	DESCRIPTION
S602	14 TOOLS + BOX, 3/8 DR 1/8" TO 1/2" IN CUSTOM BOX



CLOSE QUARTERS SOCKET SET

CAT. NO.	DESCRIPTION
S204946	1/4" DR 13 PCS. INCLUDES: 1/4" RATCHET, 3" & 6" FLARED EXTENSIONS, REGULAR SOCKETS 12PT: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, AND 9/16" PACKAGED IN A PLASTIC CASE. THIS SET IS DESIGNED FOR USE IN TIGHT WORK SPACES.
S204653	3/8" DR 16 PCS. INCLUDES: 3/8" RATCHET, 3" & 6" FLARED EXTENSIONS, REGULAR SOCKETS 12PT: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, AND 1" PACKAGED IN A PLASTIC CASE. THIS SET IS DESIGNED FOR USE IN TIGHT WORK SPACES.
S204121	1/2" DR 21 PCS. INCLUDES: 1/2" RATCHET, 5" FLARED EXTENSION, REGULAR SOCKETS 12PT: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, AND 1-1/2" PACKAGED IN A PLASTIC CASE. THIS SET IS DESIGNED FOR USE IN TIGHT WORK SPACES.
S204122	3/4" DR 27 PCS. INCLUDES: 3/4" RATCHET, 5" FLARED EXTENSION, REGULAR SOCKETS 12PT: 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-9/16, 1-5/8, 1-11/16, 1-3/4, 1-13/16, 1-7/8, 2, 2-1/16, 2-1/8, 2-3/16, 2-1/4, AND 2-3/8" PACKAGED IN A PLASTIC CASE. THIS SET IS DESIGNED FOR USE IN TIGHT WORK SPACES.
S201340	1/4" DR 13 PCS. INCLUDES: 1/4" RATCHET, 3" & 6" FLARED EXTENSIONS, REGULAR SOCKETS 12PT: 5MM TO 14MM PACKAGED IN A PLASTIC CASE. THIS SET IS DESIGNED FOR USE IN TIGHT WORK SPACES.
S2089023	3/8" DR 16 PCS. INCLUDES: 3/8" RATCHET, 3" & 6" FLARED EXTENSIONS, REGULAR SOCKETS 12PT: 7MM TO 19MM PACKAGED IN A PLASTIC CASE. THIS SET IS DESIGNED FOR USE IN TIGHT WORK SPACES.
S201919	1/2" DR 21 PCS. INCLUDES: 1/2" RATCHET, 5" FLARED EXTENSION, REGULAR SOCKETS 12PT: 10MM TO 28MM PACKAGED IN A PLASTIC CASE. THIS SET IS DESIGNED FOR USE IN TIGHT WORK SPACES.
S2094712E	3/4" DR 22 PCS. INCLUDES: 3/4" RATCHET, 5" FLARED EXTENSION, REGULAR SOCKETS 12PT: 22, 23, 24, 26, 27, 28, 29, 30, 32, 33, 35, 36, 38, 40, 41, 42, 46, 50, 54, 55MM PACKAGED IN A PLASTIC CASE. THIS SET IS DESIGNED FOR USE IN TIGHT WORK SPACES.



SPECIALIZED TOOLS



ROUND INSPECTION MIRROR

CAT. NO.	DESCRIPTION
S30560	6" LONG HANDLE WITH 1.5" DIA MIRROR



ADJUSTABLE MAGNETS

CAT. NO.	DESCRIPTION
S302375	RETRIEVING TOOL 18"



RECTANGULAR INSPECTION MIRROR

CAT. NO.	DESCRIPTION
S30555	12" LONG HANDLE WITH 2-1/2" X 3-3/4" MIRROR

SCREWSTARTERS

CAT. NO.	DESCRIPTION
ULL-N-4	SLOTTED
ULL-PN-12	PHILLIPS



POCKET MAGNETS

CAT. NO.	DESCRIPTION
S30385	6" LONG

HOOK & PICK

CAT. NO.	DESCRIPTION
S3042996	4 PC. PICK & HOOK SET; STRAIGHT PICK, 90 DEG. HOOK, ROUND HOOK & COMPOUND BEND PICK
S3042996-1	STRAIGHT PICK
S3042996-2	90 DEG
S3042996-3	ROUND
S3042996-4	COMPOUND BEND PICK



ROLL-10POCETS

BOXES AND ROLLS

CAT. NO.	DESCRIPTION
BOX-TK30	TK30 BOX WITH FOAM INSERT
BOX-TK60	TK60 BOX
ROLL-TK9	ROLL FOR TK9
ROLL-14POCETS	14 POCKET ROLL, FITS BOX END AND OPEN END WRENCHES
ROLL-18POCETS	18 POCKET ROLL, FITS "L" TYPE HEX WRENCHES
ROLL-10POCETS	10 POCKET ROLL, FITS SCREWDRIVERS



BOX-TK60

ISO 9001:2000 Registered

SALISBURY
Setting industry standards since 1855.

SALISBURY

7520 North Long Avenue
Skokie IL 60077-3226 USA
toll free ph. 877.406.4501
toll free fax 866.824.4922
847.679.6700

whsalisbury.com
arcsafety.com