SALISBURY NSULATED PRODUCTS



Your complete source for Insulated Tools and Insulated Tool Kits

MADE IN U.S.A.





Insulated Tool Kits



Screwdrivers, Nutdrivers & Wrenches





Sockets & Accessories



CONTENTS

SALISBURY INSULATED TOOLS

Every insulated hand tool is rated for exposure up to 1000VAC and dielectrically tested at 10,000VAC. These tools meet or exceed ASTM F1505-01 and IEC 900 Standards for Insulated Hand Tools. These tools are necessary for compliance with OSHA 1910.333 (c)(2), and NFPA 70E 2004.

The insulating material used is impact resistant and flame retardant. Two-color insulation makes inspection easier which adds to the overall safety. If the yellow under layer is showing, the tool may no longer be insulated properly and should be considered for replacement and shall be removed from service.

- Meets IEC 900 Standard for Insulated Hand Tools
- Exceed ASTM F1505-01 Standards for Insulated Hand Tools
- Helps Meet OSHA Requirements
- Meets NFPA 70E Requirements
- Tested to 10,000 VAC and Rated for 1,000 VAC Maximum Exposure
- Impact Resistant & Flame Retardant Two-Color Insulating Material
- Made in U.S.A.
 © Salisbury Printed in USA 2004

TOOL	KITS	•••••	•••••	•••••	 3-7


 EWDRIVERS UTDRIVERS	8-11
SETS	12

- WRENCHES 13-19
 - SETS 20-23

SPECIALIZED TOOLS...... 43



Tool Markings







TELECOMMUNICATION TOOL BOX

ICL		
CAT	. NO.	DESCRIPTION
		16 PCS. INCLUDES: • 3/8"DR RATCHET • 3/8"DRIVE TORQUE RATCHET 10"LONG 30-150 IN/LB • 3" EXTENSION • REGULAR SOCKETS 12PT: • 3/8", 7/16", 1/2", 9/16" • 5/8" DEEP SOCKET 3/8"DRIVE • 9" LINESMAN PLIER • 6" NEEDLE NOSE PLIER • 8" SLIP JOINT PLIER • SLOTTED SCREWDRIVERS: • 3/16 X 4", 1/4 X 6", 5/16 X 6", 3/8 X 8" • #2 X 6" PHILLIPS SCREWDRIVER • IN A HIGH IMPACT PLASTIC TOOL BOX • MUNICATION TOOL POWER CONNECTING KI
	CAT. NO.	DESCRIPTION
	S10TK23	 23 PCS. INCLUDES: CLOSE QUARTERS SOCKET SET 3/8"DRIVE WITH RATCHET 3" EXTENSION REGULAR SOCKETS 12PT: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16 3/4", 13/16", 7/8", 15/16", 1" 6" ADJUSTABLE WRENCH NUT DRIVER SET 3": 3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2" IN A HIGH IMPACT PLASTIC TOOL BOX THIS SET IS DESIGNED FOR USE IN TIGHT WORK SPACES. Contact your local Salisbury Repre- sentative for your tool needs not seen here. Our tool line is capable of customizing and supplying almost



INSULATED TOOL KITS

BASIC ELECTRICIAN ROLL

	CAT. NO.	DESCRIPTION
	ТК9	9 PCS. INCLUDES:
		SLOTTED SCREWDRIVERS:
		3/16 X 4", 3/16 X 6",1/4 X 6" • PHILLIPS SCREWDRIVERS:
		#1 X 3", #2 X 4"
3.34		•7" NEEDLE NOSE PLIER
	A SIA	•7-1/2" DIAGONAL CUTTING PLIER •9" LINESMAN'S PLIER
	A THE	COMBINATION STRIPPER / CRIMPER PLIER
	100	• IN A ROLL.
X ANACA	(And the second	
	of by the se	

OUTSIDE MAINTENANCE BOX

	CAT. NO.	DESCRIPTION
	S10TK25	 25 PCS. INCLUDES: 1/4 X 6" NARROW TIP SCREWDRIVER #2 X 8" PHILLIPS SCREWDRIVER NUTDRIVERS: 3/8 X 3", 7/16 X 3", 1/2 X 3", 9/16 X 3" TORQUE WRENCH 30 - 150 IN/LB REVERSIBLE RATCHET 3/8"DRIVE 3", 6" AND 12" EXTENSIONS, 3/8"DRIVE 8PCS. 3/8" TO 13/16" DEEP 12 PT. SOCKET SET 6" TYPE "L"HEX WRENCHES, LONG ARM: 3/16", 1/4", 5/16",3/8" 10" WATER PUMP PLIER INAPLASTIC BOX.
1-1		





INSIDE MAINTENANCE BOX

	CAT. NO.	DESCRIPTION
		 DESCRIPTION JOPCS. INCLUDES: NARROW TIP SCREWDRIVERS: 3/16 X 6", 1/4 X 6" SLOTTED TIP SCREWDRIVER: 3/8 X 6" HILIPS SCREWDRIVERS: #1 X 3", #2 X 6" NUTDRIVERS: 3/16 X 3", 1/4 X 3", 5/16 X 3", 11/32 X 3", 3/8 X 3", 7/16 X 3", 1/2 X 3", 9/16 X 3", 3/8 X 3", 7/16 X 3", 1/2 X 3", 9/16 X 3", 3/8 X 3", 7/16 X 3", 1/2 X 3", 9/16 X 3", 3/8 X 3", 7/16 X 3", 1/2 X 3", 9/16 X 3", 3/8 X 3", 7/16 X 3", 1/2 X 3", 9/16 X 3", 3/8 X 3", 7/16 X 3", 1/2 X 3", 9/16 X 3", 3/8 X 3", 7/16 X 3", 1/2 X 3", 9/16 X 3", 3/8 X 3", 7/16 X 3", 1/2 X 3", 9/16 X 3", 3/8 X 3", 7/16 X 3", 1/2 X 3", 9/16 X 3", 3/8 X 3", 7/16 X 3", 1/2 X 3", 9/16 X 3", 3/8 X 3", 7/16 X 3", 1/2 X 3", 9/16 X 3", 3/8 X 3", 7/16 X 3", 1/2 X 3", 9/16 X 3", 3/8 X 3", 7/16 X 3", 1/2 X 3", 9/16 X 3", 3/8 X 3", 7/16 X 3", 1/2 X 3", 9/16 X 3", 3/8 X 3", 7/16 X 3", 1/2 X 3", 9/16 X 3", 3/8 X 3", 7/16 X 3", 1/2 X 3", 9/16 X 3", 3/8 X 3", 7/16 X 3", 1/2 X 3", 9/16 X 3", 3/8 X 3", 7/16 X 3", 1/2 X 3", 9/16 X 3", 3/8 X 3", 7/16 X 3", 1/2 X 3", 9/16 X 3", 3/8 X 3", 7/16 X 3", 1/2 X 3", 9/16 X 3", 3/8 X 3", 7/16 X 3", 1/2 X 3", 9/16 X 3", 3/8 X 3", 7/16 X 3", 1/2 X 3", 9/16 X 3", 3/8 X 3", 7/16 X 3", 1/2 X 3", 9/16 X 3", 3/8 X 3", 7/16 X 3", 1/2 X 3", 9/16 X 3", 3/8 X 3", 7/16 X 3", 1/2 X 3", 9/16 X 3", 3/8 X 3", 7/16 X 3", 1/2 X 3", 9/16 X 3", 3/8 X 3", 7/16 X 3", 1/2 X 3", 9/16 X 3", 3/8 X 3", 7/16 X 3", 1/2 X 3", 9/16 X 3", 3/8 X 3", 7/16 X 3", 1/2 X 3", 9/16 X 3", 3/8 X 3", 1/2 X 3", 1/2 X 3", 3/8 X 3", 1/2 X 3", 1/2 X 3", 1/2 X 3", 3/8 X 3", 1/2 X 3", 1/2 X 3", 1/2 X 3", 3/8 X 3", 1/2 X 3", 1/2 X 3", 1/2 X 3", 3/8 X 3", 1/2 X 3", 1/

• Contact your local Salisbury Repre-sentative for your tool needs not seen here. Our tool line is capable of customizing and supplying almost any tool with protection up to 1000V.

• Salisbury can also supply customized tool kits and insulate almost any customer tools if necessary.





	CAT. NO.	DESCRIPTION
	ТК30	30PCS. INCLUDES:
-		SLOTTED SCREWDRIVERS:
		1/8 X 2", 3/16 X 4", 1/4 X 6"
		PHILLIPS SCREWDRIVER:
	-	#1 X 3", #2 X 4"
-		• TORQUE WRENCH 30 - 150 IN/LB
		• 3/8"DRIVE REVERSIBLE RATCHET
		• 3" AND 6" EXTENSIONS, 3/8"DRIVE
		• 8PCS. 3/8" TO 13/16" DEEP 12 PT. SOCKET SET, 3/8" DRIVE
COLUMN TWO IS NOT		• 8 PCS. 3/8" TO 13/16" BOX END WRENCH SET
		• 7-1/2" DIAGONAL CUTTING PLIER
		•8" NEEDLE NOSE PLIER
		• 9" LINESMAN'S PLIER
		MINI FLASHLIGHT
		• IN A PLASTIC BOX.
and the second s	1 and 1	

DELUXE MAINTENANCE TOOL KIT

ELECTRICIAN'S TOOL KIT

	CAT. NO.	DESCRIPTION
	TK30ETK	30PCS. INCLUDES:
		• 9"LINESMAN PLIER
		• 8" HD SLIP JOINT PLIER WITH CUTTING SHEAR
		CRIMPING TOOL
A second as		• 10" TONGUE AND GROOVE PLIER (WATERPUMP)
		SLOTTED SCREWDRIVERS:
and the second se		3/16" X 4", 1/4" X 4", 1/4" X 6", 5/16" X 6",
	-	3/8" X 8", 3/16" X 6";
		• PHILLIPS SCREWDRIVERS: #1 X 3", #2 X 4"
and the second second second		NUT DRIVERS:
		1/4" X 3", 5/16" X 3", 3/8" X 3", 7/16" X 3",
		1/2" X 3", 3/16" X 3", 11/32" X 3";
VY 94		•8" LONG NEEDLE NOSE PLIER WITH SIDE CUTTER
	~1\ \\	•7" BOX JOINT CUTTING PLIER
		• 9-1/2" PLIER CUTTING PLIER
		• 12" TONG AND GROOVE (WATERPUMP)
		•6" FLAT NOSE PLIER
		• LONG ARM, TYPE "T" HEX WRENCHES:
		3/16" 6", 1/4" 6", 5/16" 6",
		3/8" 6", 7/16" 6", 1/2" 6"
		•IN A PLASTIC BOX.
	Com	
5925		





HOT BOX TOOL KIT



HOT BOX TOOL KIT WITHOUT TORQUE WRENCH

CAT. NO.	DESCRIPTION	
TK60E	60 PCS. INCLUDES: • SLOTTED SCREWDRIVERS:1/8 X 2", 3/16 X 4", 3/2 • PHILLIPS SCREWDRIVER: #2 X 4", #2 X 8" • 6" LONG NUTDRIVERS: 3/16, 1/4, 5/16, 11/32, 3/8, • REVERSIBLE RATCHET, 3/8"DR • 3" AND 6" EXTENSIONS, 3/8"DR • 10PCS 5/16" TO 7/8", 3/8"DR SOCKET SET • 11PCS 3/8" TO 1" BOX END WRENCH SET • 14 PCS. 1/16" TO 1/2", 6" LONG ARM, TYPE "L" HEX W • 7-1/2" DIAGONAL CUTTING PLIER • 8" NEEDLE NOSE PLIER • 9" LINESMAN'S PLIER, • 9-1/2" CABLE CUTTING PLIER, • 10" WATER PUMP PLIER, • COMBINATION STRIPPER / CRIMPER PLIER. • IN A PLASTIC BOX, INCLUDING TOOL ROLLS.	7/16, 1/2

SALISBURY





SCREWDRIVERS & NUTDRIVERS

All Salisbury Insulated Screwdrivers are two color insulated for added safety. High alloy steel blade for maximum strength and ergonomic handle for comfort.

INSULATED SLOTTED SCREWDRIVERS

WITH CUSHION GRIP

Available in these sizes:

• 1/8" X 2"	• 1/4" X 6"	
• 3/16" X 4"	• 5/16" X 6"	
• 3/16" X 6"	• 3/8" X 8"	
• 3/16" X 10"	• 3/8" X 10"	
• 1/4" X 4"	• 3/8" X 12"	



INSULATED SLOTTED SCREWDRIVERS

WITH CUSHION GRIP

CAT. NO.	DESCRIPTION
S2376802	1/8" X 2"
S2375904	3/16" X 4"
S2375906	3/16" X 6"
S2375910	3/16" X 10"
S2375704	1/4" X 4"
S2375705	1/4" X 6"
S2375706	5/16" X 6"
S2375708	3/8" X 8"
S2375710	3/8" X 10"
S2375712	3/8" X 12"

INSULATED TORX SCREWDRIVERS

Available in these size ranges:

• T15- T50



INSULATED TORX SCREWDRIVERS

CAT. NO.	DESCRIPTION
S2341410	T10 X 3" BLADE
S2341415	T15 X 3" BLADE
S2341420	T20 X 3" BLADE
S2341425	T25 X 3" BLADE
S2341427	T27 X 4" BLADE
S2341430	T30 X 4" BLADE
S2341440	T40 X 6" BLADE
S2341445	T45 X 6" BLADE
S2341450	T50 X 6" BLADE

A wide variety of Torx Screwdrivers are available upon request.

SCREWDRIVERS & NUTDRIVERS






INSULATED PHILLIPS OR ROBERTSON SCREWDRIVERS

WITH CUSHION GRIP

Phillips available in these sizes:

- #0 X 2"
- #1 X 3"
- #2 X 1-1/2"
- #2 X 4" • #2 X 6"
- #2 X 6"
- #3 X 8 • #4 X 8"





INSULATED PHILLIPS OR ROBERTSON SCREWDRIVERS

WITH CUSHION GRIP

CAT. NO.	DESCRIPTION
S2376302	#0 X 2" PHILLIPS
S2376103	#1 X 3" PHILLIPS
S2376102	#2 X 1-1/2" PHILLIPS
S2376104	#2 X 4" PHILLIPS
S2376105	#2 X 6" PHILLIPS
S2376106	#3 X 6" PHILLIPS
S2376108	#4 X 8" PHILLIPS
S2377610	#1 X 4" ROBERTSON
S2377620	#2 X 4" ROBERTSON
S2377621	#2 X 8" ROBERTSON
S2377630	#3 X 4" ROBERTSON



MAGNETIC BIT TIP SCREWDRIVER

CAT. NO. E

DESCRIPTION 3/16", 1/4", #1, #2 BITS

SALISBURY

1111



SCREWDRIVERS & NUTDRIVERS

INSULATED NUTDRIVERS

WITH CUSHION GRIP

All Salisbury Insulated Nutdrivers are two color insulated for added safety. High alloy steel blade for maximum strength and ergonomic handle for comfort.

3" lengths available in these sizes:

	• 3/16"	• 5MM
	• 1/4"	• 6MM
	• 5/16"	• 7MM
	• 11/32"	8MM
	• 3/8"	9MM
	• 7/16'	10MM
	• 1/2"	11MM
	• 9/16"	12MM
	• 5/8"	
_		

6" lengths available in these sizes:

• 3/16"	• 5MM
• 1/4"	6MM
• 5/16"	7MM
• 11/32"	• 8MM
• 3/8"	9MM
• 7/16'	10MM
• 1/2"	11MM
• 9/16"	12MM
• 5/8"	





INSULATED NUTDRIVERS

WITH CUSHION GRIP

CAT. NO.	DESCRIPTION
S2542010	3/16" X 3"
S2542030	1/4" X 3"
S2542050	5/16" X 3"
S2542060	11/32" X 3"
S2542070	3/8" X 3"
S2542080	7/16" X 3"
S2542090	1/2" X 3"
S2542100	9/16" X 3"
S2542110	5/8" X 3"
S2542710	5MM X 3"
S2542730	6MM X 3"
S2542750	7MM X 3"
S2542760	8MM X 3"
S2542770	9MM X 3"
S2542780	10MM X 3"
S2542790	11MM X 3"
S2542800	12MM X 3"
	0 /3 / 11 / / 11
S2542010L	3/16" X 6"
S2542030L	1/4" X 6"
S2542050L	5/16" X 6"
S2542060L	11/32" X 6"
S2542070L	3/8" X 6" 7/16" X 6"
S2542080L	1/2" X 6"
S2542090L S2542100L	9/16" X 6"
S2542100L	5/8" X 6"
52542110L	J/0 / 0
S2542710L	5MM X 6"
S2542730L	6MM X 6"
S2542750L	7MM X 6"
S2542760L	8MM X 6"
S2542770L	9MM X 6"
S2542780L	10MM X 6"
S2542790L	11MM X 6"
S2542800L	12MM X 6"



• Contact your local Salisbury Repre-sentative for your tool needs not seen here. Our tool line is capable of customizing and supplying almost any tool with protection up to 1000V.

• Salisbury can also supply customized tool kits and insulate almost any customer tools if necessary.





SCREWDRIVER & NUTDRIVER SETS

NUTDRIVER 3" LENGTH SETS WITH CUSHION GRIP

CAT. NO.	DESCRIPTION		DESCRIPTION	
S25921	7 TOOLS + ROLL:			
	3/16"; 1/4"; 5/16"; 11/32"; 3/8"; 7/16"; 1/2"			
S25922	9 TOOLS + ROLL:			
	3/16"; 1/4"; 5/16"; 11/32"; 3/8"; 7/16"; 1/2", 9/16"; 5/8"			
S25925	METRIC SET, 8 TOOLS + ROLL:			
	5MM; 6MM; 7MM; 8MM; 9MM; 10MM; 11MM; 12MM			

NUTDRIVER 6" LENGTH SETS WITH CUSHION GRIP

CAT. NO.	DESCRIPTION
S25922L	9 TOOLS + ROLL:
	3/16"; 1/4"; 5/16"; 11/32"; 3/8"; 7/16"; 1/2", 9/16"; 5/8"

S25925L

METRIC SET, 8 TOOLS + ROLL:

5MM; 6MM; 7MM; 8MM; 9MM; 10MM; 11MM; 12MM

SCREWDRIVER SETS WITH CUSHION GRIP

CAT. NO.	DESCRIPTION
S23871	6 TOOLS + ROLL: #1 X 3"; #2 X 4"; 1/8" X 2"; 3/16" X 6"; 1/4" X 4"; 5/16" X 6"

S23869 8 TOOLS + ROLL: #1 X 3"; #2 X 4"; 1/8" X 2"; 3/16" X 6"; 3/16" X 10"; 1/4" X 4"; 5/16" X 6"; 3/8" X 8"

S23870 10 TOOLS + ROLL: #1 X 3"; #2 X 4"; #3 X 6"; 1/8" X 2"; 3/16" X 6"; 3/16" X 10"; 1/4" X 4"; 5/16" X 6"; 3/8" X 8"; 3/8" X 12"







OPEN END WRENCH

AVAILABLE IN BOTH SAE & METRIC SIZES

SAE sizes from 1/4" - 2" Metric sizes from 7mm - 36mm

OPEN END WRENCH

SAE SIZES

OPEN END WRENCH

METRIC SIZES

S2488408 1/4" S248307 7 MM S2488410 5/16" S248308 8 MM S2488412 3/8" S248309 9 MM S2488414 7/16" S248310 10 MM S2488416 1/2" S248311 11 MM S2488418 9/16" S248312 12 MM S2488420 5/8" S248312 12 MM S2488422 11/16" S248313 13 MM S2488424 3/4" S248315 15 MM S24226 13/16" S248316 16 MM S24C26 13/16" S248317 17 MM S24C28 7/8" S248317 17 MM S24C30 15/16" S248319 19 MM S24C34 1-1/16" S248320 20 MM S24C40 1-1/4" S248321 21 MM S24C44 1-3/8" S248323 23 MM S24C44 1-3/8" S248323 23 MM S24C44 1-3/8" S248325 25MM S24C48 1-1/2" S248326 26 MM	TION
S2488412 3/8" S248309 9 MM S2488414 7/16" S248310 10 MM S2488416 1/2" S248311 11 MM S2488418 9/16" S248312 12 MM S2488420 5/8" S248313 13 MM S2488422 11/16" S248313 13 MM S2488424 3/4" S248314 14 MM S2488424 3/4" S248315 15 MM S24228 7/8" S248316 16 MM S24C28 7/8" S248317 17 MM S24C30 15/16" S248318 18 MM S24C32 1" S248319 19 MM S24C34 1-1/16" S248320 20 MM S24C36 1-1/8" S248321 21 MM S24C40 1-1/4" S248323 23 MM S24C44 1-3/8" S248323 23 MM S24C44 1-3/8" S248325 25 MM S24C44 1-3/8" S248326 26 MM S24C52 1-5/8" S248327 27 MM <	
S2488414 7/16" S248310 10 MM S2488416 1/2" S248311 11 MM S2488418 9/16" S248312 12 MM S2488420 5/8" S248312 12 MM S2488422 11/16" S248313 13 MM S2488424 3/4" S248315 15 MM S24226 13/16" S248316 16 MM S24C28 7/8" S248317 17 MM S24C30 15/16" S248318 18 MM S24C32 1" S248319 19 MM S24C34 1-1/16" S248320 20 MM S24C34 1-1/16" S248321 21 MM S24C40 1-1/4" S248322 22 MM S24C44 1-3/8" S248323 23 MM S24C44 1-3/8" S248323 23 MM S24C48 1-7/16" S248325 25 MM S24C48 1-1/2" S248326 26 MM S24C54 1-5/16" S248327 27 MM S24C54 1-11/16" S248329 29 MM <th></th>	
S2488416 1/2" S248311 11 MM S2488418 9/16" S248312 12 MM S2488420 5/8" S248312 12 MM S2488420 5/8" S248313 13 MM S2488422 11/16" S248314 14 MM S2488424 3/4" S248315 15 MM S24226 13/16" S248316 16 MM S24C26 13/16" S248317 17 MM S24C28 7/8" S248318 18 MM S24C30 15/16" S248319 19 MM S24C32 1" S248320 20 MM S24C34 1-1/16" S248320 20 MM S24C36 1-1/8" S248321 21 MM S24C40 1-1/4" S248322 22 MM S24C42 1-5/16" S248323 23 MM S24C44 1-3/8" S248324 24 MM S24C46 1-7/16" S248325 25 MM S24C48 1-1/2" S248326 26 MM S24C54 1-11/16" S248329 29 MM	
S2488418 9/16" S248312 12 MM S2488420 5/8" S248313 13 MM S2488422 11/16" S248314 14 MM S2488424 3/4" S248315 15 MM S24226 13/16" S248316 16 MM S24C28 7/8" S248317 17 MM S24C30 15/16" S248318 18 MM S24C32 1" S248319 19 MM S24C34 1-1/16" S248320 20 MM S24C36 1-1/8" S248320 20 MM S24C40 1-1/4" S248323 23 MM S24C42 1-5/16" S248323 23 MM S24C44 1-3/8" S248324 24 MM S24C46 1-7/16" S248325 25 MM S24C46 1-7/16" S248326 26 MM S24C52 1-5/8" S248327 27 MM S24C54 1-11/16" S248329 29 MM	
S2488420 5/8" S248313 13 MM S2488422 11/16" S248314 14 MM S2488424 3/4" S248315 15 MM S24226 13/16" S248316 16 MM S24C28 7/8" S248317 17 MM S24C30 15/16" S248318 18 MM S24C32 1" S248319 19 MM S24C34 1-1/16" S248320 20 MM S24C36 1-1/8" S248321 21 MM S24C40 1-1/4" S248323 23 MM S24C44 1-3/8" S248324 24 MM S24C46 1-7/16" S248325 25 MM S24C48 1-1/2" S248326 26 MM S24C454 1-5/8" S248327 27 MM S24C54 1-11/16" S248329 29 MM	
S2488422 11/16" S248314 14 MM S2488424 3/4" S248315 15 MM S24C26 13/16" S248316 16 MM S24C28 7/8" S248316 16 MM S24C20 15/16" S248317 17 MM S24C20 15/16" S248318 18 MM S24C30 15/16" S248319 19 MM S24C32 1" S248320 20 MM S24C34 1-1/16" S248321 21 MM S24C40 1-1/4" S248322 22 MM S24C42 1-5/16" S248323 23 MM S24C44 1-3/8" S248324 24 MM S24C44 1-3/8" S248324 24 MM S24C46 1-7/16" S248325 25MM S24C48 1-1/2" S248326 26 MM S24C52 1-5/16" S248327 27 MM S24C54 1-11/16" S248329 29 MM	
S24884243/4"S24831515 MMS24C2613/16"S24831616 MMS24C287/8"S24831717 MMS24C3015/16"S24831818 MMS24C321"S24831919 MMS24C341-1/16"S24832020 MMS24C361-1/8"S24832121 MMS24C401-1/4"S24832222 MMS24C441-3/8"S24832323 MMS24C461-7/16"S24832424 MMS24C481-1/2"S24832525MMS24C521-5/8"S24832727 MMS24C541-11/16"S24832929 MM	
S24C26 13/16" S248316 16 MM S24C28 7/8" S248317 17 MM S24C30 15/16" S248318 18 MM S24C32 1" S248319 19 MM S24C34 1-1/16" S248320 20 MM S24C36 1-1/8" S248321 21 MM S24C40 1-1/4" S248322 22 MM S24C42 1-5/16" S248323 23 MM S24C44 1-3/8" S248324 24 MM S24C46 1-7/16" S248325 25MM S24C48 1-1/2" S248326 26 MM S24C48 1-1/2" S248327 27 MM S24C52 1-5/8" S248329 29 MM	
S24C287/8"S24831717 MMS24C3015/16"S24831818 MMS24C321"S24831919 MMS24C341-1/16"S24832020 MMS24C361-1/8"S24832121 MMS24C401-1/4"S24832222 MMS24C421-5/16"S24832323 MMS24C441-3/8"S24832424 MMS24C461-7/16"S24832525 MMS24C481-1/2"S24832626 MMS24C521-5/8"S24832727 MMS24C541-11/16"S24832929 MM	
S24C30 15/16" S248318 18 MM S24C32 1" S248319 19 MM S24C34 1-1/16" S248320 20 MM S24C36 1-1/8" S248321 21 MM S24C40 1-1/4" S248322 22 MM S24C42 1-5/16" S248323 23 MM S24C44 1-3/8" S248324 24 MM S24C46 1-7/16" S248325 25 MM S24C48 1-1/2" S248326 26 MM S24C52 1-5/8" S248327 27 MM S24C54 1-11/16" S248329 29 MM	
\$24C321"\$24831919 MM\$24C341-1/16"\$24832020 MM\$24C361-1/8"\$24832121 MM\$24C401-1/4"\$24832222 MM\$24C421-5/16"\$24832323 MM\$24C441-3/8"\$24832424 MM\$24C461-7/16"\$24832525 MM\$24C481-1/2"\$24832626 MM\$24C521-5/8"\$24832727 MM\$24C541-11/16"\$24832929 MM	
S24C34 1-1/16" S248320 20 MM S24C36 1-1/8" S248321 21 MM S24C40 1-1/4" S248322 22 MM S24C42 1-5/16" S248323 23 MM S24C44 1-3/8" S248324 24 MM S24C46 1-7/16" S248325 25 MM S24C48 1-1/2" S248326 26 MM S24C52 1-5/8" S248327 27 MM S24C54 1-11/16" S248329 29 MM	
S24C36 1-1/8" S248321 21 MM S24C40 1-1/4" S248322 22 MM S24C42 1-5/16" S248323 23 MM S24C44 1-3/8" S248324 24 MM S24C46 1-7/16" S248325 25 MM S24C48 1-1/2" S248326 26 MM S24C52 1-5/8" S248327 27 MM S24C54 1-11/16" S248329 29 MM	
S24C40 1-1/4" S248322 22 MM S24C42 1-5/16" S248323 23 MM S24C44 1-3/8" S248324 24 MM S24C46 1-7/16" S248325 25 MM S24C48 1-1/2" S248326 26 MM S24C52 1-5/8" S248327 27 MM S24C54 1-11/16" S248329 29 MM	
S24C42 1-5/16" S248323 23 MM S24C44 1-3/8" S248324 24 MM S24C46 1-7/16" S248325 25 MM S24C48 1-1/2" S248326 26 MM S24C52 1-5/8" S248327 27 MM S24C54 1-11/16" S248329 29 MM	
S24C44 1-3/8" S248324 24 MM S24C46 1-7/16" S248325 25MM S24C48 1-1/2" S248326 26 MM S24C52 1-5/8" S248327 27 MM S24C54 1-11/16" S248329 29 MM	
S24C46 1-7/16" S248325 25MM S24C48 1-1/2" S248326 26 MM S24C52 1-5/8" S248327 27 MM S24C54 1-11/16" S248329 29 MM	
S24C48 1-1/2" S248326 26 MM S24C52 1-5/8" S248327 27 MM S24C54 1-11/16" S248329 29 MM	
S24C52 1-5/8" S248327 27 MM S24C54 1-11/16" S248329 29 MM	
S24C54 1-11/16" S248329 29 MM	
\$24C56 1-3/4" \$248330 30 MM	
5246666 S0 Milli	
\$24C58 1-13/16" \$248332 32 MM	
S24C60 1-7/8" S248336 36 MM	
<u>S24C64</u> 2"	



BOX END WRENCH

AVAILABLE IN BOTH SAE & METRIC SIZES

12 point SAE sizes from 1/4" - 2" Metric sizes from 7mm - 36mm



BOX END WRENCH

SAE SIZES - 12 point

BOX END WRENCH

METRIC SIZES - 12 point

CAT. NO.	DESCRIPTION	CAT. NO.	DESCRIPTION
S2488408-B	1/4"	S248307-B	7 MM
S2488410-B	5/16"	S248308-B	8 MM
S2488412-B	3/8"	S248309-B	9 MM
S2488414-B	7/16"	S248310-B	10 MM
S2488416-B	1/2"	S248311-B	11 MM
S2488418-B	9/16"	S248312-B	12 MM
S2488420-B	5/8"	S248313-B	13 MM
S2488422-B	11/16"	S248314-B	14 MM
S2488424-B	3/4"	S248315-B	15 MM
S24C26-B	13/16"	S248316-B	16 MM
S24C28-B	7/8"	S248317-B	17 MM
S24C30-B	15/16"	S248318-B	18 MM
S24C32-B	1"	S248319-B	19 MM
S24C34-B	1-1/16"	S248320-B	20 MM
S24C36-B	1-1/8"	S248321-B	21 MM
S24C40-B	1-1/4"	S248322-B	22 MM
S24C42-B	1-5/16"	S248323-B	23 MM
S24C44-B	1-3/8"	S248324-B	24 MM
S24C46-B	1-7/16"	S248325-B	25 MM
S24C48-B	1-1/2"	S248326-B	26 MM
S24C52-B	1-5/8"	S248327-B	27 MM
S24C54-B	1-11/16"	S248329-B	29 MM
S24C56-B	1-3/4"	S248330-B	30 MM
S24C58-B	1-13/16"	S248332-B	32 MM
S24C60-B	1-7/8"	S248336-B	36 MM
S24C64-B	2"		

SALISBURY Insulated Tools.



RATCHETING BOX END WRENCH

AVAILABLE IN BOTH SAE & METRIC SIZES (METRIC AVAILABLE ON NEXT PAGE)

12 point SAE sizes from 1/4" - 2-1/8"



SAE SIZES

SAE SIZES	
CAT. NO.	DESCRIPTION
S249008	1/4′′
S249010	5/16''
S249012	3/8′′
S249014	7/16''
S249016	1/2′′
S249018	9/16′′
S249020	5/8′′
S249022	11/16″
S249024	3/4′′
S249026	13/16″
S249028	7/8′′
S249030	15/16''
S249032	1″
S249034	1-1/16''
S249036	1-1/8″
S249038	1-1/4″
S24RB-42	1-5/16″
S24RB-44	1-3/8″
S24RB-46	1-7/16″
S24RB-48	1-1/2″
S24RB-50	1-9/16″
S24RB-52	1-5/8″
S24RB-54	1-11/16″
S24RB-56	1-3/4″
S24RB-58	1-13/16"
S24RB-60	1-7/8″
S24RB-64	2″
S24RB-68	2-1/8″







RATCHETING BOX END WRENCH

AVAILABLE IN BOTH SAE & METRIC SIZES (SAE AVAILABLE ON PREVIOUS PAGE)

12 point available in:6 point available in:Metric sizes from 15mm - 36mmMetric sizes from 7mm - 14mm

RATCHETING BOX END WRENCH

RATCHETING BOX END WRENCH

12 POINT METRIC SIZES

6 POINT METRIC SIZES

CAT. NO.	DESCRIPTION
S249115	15MM 12 POINT
S249116	16MM 12 POINT
S249117	17MM 12 POINT
S249118	18MM 12 POINT
S249119	19MM 12 POINT
S249120	20MM 12 POINT
S249121	21MM 12 POINT
S249122	22MM 12 POINT
S249123	23MM 12 POINT
S249124	24MM 12 POINT
S249125	25MM 12 POINT
S249126	26MM 12 POINT
S249127	27MM 12 POINT
S249129	29MM 12 POINT
S249130	30MM 12 POINT
S249132	32MM 12 POINT
S249134	34MM 12 POINT
S249136	36MM 12 POINT

CAT. NO.	DESCRIPTION
S249106	6MM 6 POINT
S249107	7MM 6 POINT
S249108	8MM 6 POINT
S249109	9MM 6 POINT
S249110	10MM 6 POINT
S249111	11MM 6 POINT
S249112	12MM 6 POINT
S249113	13MM 6 POINT
S249114	14MM 6 POINT



ADJUSTABLE WRENCH

Available in sizes from 4" - 24"

CAT. NO.	DESCRIPTION
S24804	4"; 1/2" JAW OPENING
S24806	6"; 15/16" JAW OPENING
S24808	8"; 1-1/8" JAW OPENING
S24810	10"; 1-5/16" JAW OPENING
S24812	12"; 1-1/2" JAW OPENING
S24815	15"; 1-11/16" JAW OPENING
S24818	18"; 2-1/16" JAW OPENING
S24824	24"; 2-7/16" JAW OPENING



WRENCHES



6" LONG "T" HANDLE HEX WRENCH

AVAILABLE IN BOTH SAE & METRIC SIZES

SAE sizes from 5/64" - 9/16" Metric sizes from 2mm - 12mm

6" LONG "T" HANDLE HEX WRENCH

SAE SIZES

CAT. NO.	DESCRIPTION
S2631605	5/64"
S2631606	3/32"
S2631607	7/64"
S2631608	1/8"
S2631609	9/64"
S2631610	5/32"
S2631612	3/16"
S2631614	7/32"
S2631616	1/4"
S2631620	5/16"
S2631624	3/8"
S2631628	7/16"
S2651632	1/2"
S2651634	9/16"

6" LONG "T" HANDLE HEX WRENCH

METRIC SIZES

CAT. NO.	DESCRIPTION
S2634620	2MM
S2634625	2.5MM
S2634630	3MM
S2634640	4MM
S2634650	5MM
S2634660	6MM
S2634680	8MM
S2634690	10MM
S2654691	11MM
S2654692	12MM

• Contact your local Salisbury Repre-sentative for your tool needs not seen here. Our tool line is capable of customizing and supplying almost any tool with protection up to 1000V.

• Salisbury can also supply customized tool kits and insulate almost any customer tools if necessary.





LONG ARM HEX WRENCH

AVAILABLE IN BOTH SAE & METRIC SIZES SAE sizes from 1/16" - 2" Metric sizes from 0.7mm - 36mm

LONG ARM HEX WRENCH

SAE SIZES

CAT. NO.	DESCRIPTION
S262223	1/16"
S262224	5/64"
S262225	3/32"
S262226	7/64"
S262227	1/8"
S262228	9/64"
S262229	5/32"
S262231	3/16"
S262233	7/32"
S262235	1/4"
S262239	5/16"
S262243	3/8"
S262247	7/16"
S262251	1/2"
S262255	9/16"
S262259	5/8"
S262267	3/4"
S262275	7/8"
S262283	1"
S262291	1-1/8"
Sizes up to 2" avai	lable
upon request.	



• Contact your local Salisbury Repre-
sentative for your tool needs not seen
here. Our tool line is capable of
customizing and supplying almost
any tool with protection up to 1000V.

• Salisbury can also supply customized tool kits and insulate almost any customer tools if necessary.



LONG ARM HEX WRENCH

METRIC SIZES

CAT. NO.	DESCRIPTION
S2615600	0.7MM
S2615601	0.9MM
S2615602	1.3MM
S2615603	1.5MM
S2615604	2MM
S2615605	2.5MM
S2615606	3MM
S2615607	3.5MM
S2615608	4MM
S2615609	4.5MM
S2615610	5MM
S2615611	5.5MM
S2615612	6MM
S2615614	7MM
S2615616	8MM
S2615618	9MM
S2615620	10MM
S2615622	11MM
S2615624	12MM
S2615628	14MM
S2615634	17MM
S2615638	19MM
S2615644	22MM
S2615648	24MM
S2615651	27MM
S2615656	32MM
S2615660	36MM

TORQUE WRENCHES





TORQUE WRENCH

CAT. NO.	DESCRIPTION
S22150RA	1/4" DR, 9-1/2" LONG, 30-150 IN/LB
S22150RA38	3/8" DR, 10" LONG, 30-150 IN/LB
S22250R	3/8" DR, 12-1/2" LONG, 50-250 IN/LB
S22750R	3/8" DR, 15" LONG, 150-750 IN/LB
S2275FRN	3/8" DR, 14-1/4" LONG, 15-75 FT/LB
S22150FRN	1/2" DR, 18-1/2" LONG, 30-150 FT/LB
S22250FRN	1/2" DR, 21-1/2" LONG, 50-250 FT/LB

A wide variety of Torque Wrenches are available upon request. Recalibration service available, contact Customer Service for more information.









OPEN END WRENCH SETS

CAT. NO.	DESCRIPTION
S241713	13 PSC. 1/4" - 1" IN A ROLL.
S241714	14 PSC. 3/8" - 1-1/4" IN A ROLL.
S241814	13 PSC. 7MM - 19MM, IN A ROLL.
S241818	17 PSC. 7MM - 24MM, IN A ROLL.



OPEN END WRENCH SETS

CAT. NO.	DESCRIPTION
S241780	8 PSC. 1" - 1-1/2" IN A BAG
S241790	6 PSC. 1-5/8" - 2" IN A BAG







BOX END WRENCH SET

CAT. NO.	DESCRIPTION	
S241713-B	13 PSC. 1/4" - 1" IN A ROLL	
S241714-B	14 PSC. 3/8" - 1-1/4" IN A ROLL	
S241814-B	13 PSC. 7MM - 19MM, IN A ROLL	
S241818-B	17 PSC. 7MM - 24MM, IN A ROLL	
		· · · · · · · · · · · · · · · · · · ·
		9111179

BOX END WRENCH SET

CAT. NO.	DESCRIPTION
S241780-B	8 PSC. 1" - 1-1/2" IN A BAG
S241790-B	6 PSC. 1-5/8" - 2" IN A BAG







WRENCH SETS



RATCHETING BOX END WRENCH SET

CAT. NO.	DESCRIPTION
S24RB-13	13 PCS. 1/4" - 1", 12 POINT, PACKAGED IN A ROLL

S24RBM-15 15 PCS. 7MM - 21MM, PACKAGED IN A ROLL

RATCHETING BOX END WRENCH SET

CAT. NO.	DESCRIPTION
S24RB-12	15 PCS. 1-1/16", 1-1/8", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-9/16", 1-5/8", 1-11/16", 1-3/4", 1-13/16", 1-7/8", 2", 2-1/8" 12 POINT, PACKAGED IN A BAG
S24RBM-10	10PCS. 22, 23, 24, 25, 26, 27, 29, 30, 32, 36MM PACKAGED IN A BAG









HEX WRENCH "T" HANDLE SET

CAT. NO.	DESCRIPTION
S262344	11 PCS. 5/64 - 3/8" 6" LONG, IN PLASTIC BOX
S2613P	13 PCS 5/64 - 1/2" 6" LONG, IN PLASTIC BOX



HEX WRENCH TYPE "L" SET

CAT. NO.	DESCRIPTION
S2610214	14 PCS. 1/16" - 1/2" LONG ARM, IN A ROLL
S2610217	17 PCS035 - 5/8" LONG ARM, IN A ROLL
S2610610	10 PCS. 1.5MM - 12.0MM LONG ARM, IN A ROLL
S2610614	14 PCS09MM - 17.0MM LONG ARM, IN A ROLL









24

PLIERS



CUTTING PLIER, BOX JOINT

CAT. NO.	DESCRIPTION
S21435	5" BOX JOINT
S21435S	5" BOX JOINT W/SPRING
S21436	6" BOX JOINT
S21436S	6" BOX JOINT W/SPRING
S21437	7" BOX JOINT

S21437

SE PLIER
DESCRIPTION
8" SHEARING

S21386



CAT. NO.

S2149



LONG REACH PLIER

DESCRIPTION

CUTTER

7-1/2" DIAGONAL

CAT. NO.

S21728

BENT NEEDLE NOSE PLIER

DESCRIPTION

5-1/2" WITHOUT SIDE CUTTER

S21358

4-1/2"





8"

END CUTTING NIPPERS

CAT. NO.	DESCRIPTION
S21148-10	10"
S21148-14	14"

S21148-10

Salls BURY Setting industry standards since 1855. 7520 N Long Ave Skokie II 60077 Toll Free 877.406.4501 Fax 847.679.2401 25



PLIERS

S21GL10

WATERPUMP PLIER

 CAT. NO.
 DESCRIPTION

 \$21GL6
 6", 1-1/16" CAPACITY

 \$21GL10
 9-1/2", 1-1/4" CAPACITY

 \$21GL12
 12", 2-1/4" CAPACITY

V GROOVE PLIER

CAT. NO.	DESCRIPTION
S21422	9-1/2", 1-1/2" CAPACITY
S21442	12", 2-1/4" CAPACITY

S21422

HEAVY DUTY SLIP JOINT PLIER		
CAT. NO.	DESCRIPTION	
S21546	6" WITH CUTTING SHEAR	
S21537	7" WITH FINE SIDE CUTTER	
S21548	8" WITH CUTTING SHEAR	
S215410	PLIER HOSE CLAMP SLIP	
	JOINT 10" WITH	
	CUTTING SHEAR	

S21718

FLAT NOSE HEAVY DUTY SLIP JOINT PLIER

DESCRIPTION
4-3/4"
6"
LONG REACH 8"

S215410

LONG REACH END CUTTER CAT. NO. DESCRIPTION

S21748 8"

LONG REACH PLIER

CAT. NO. DESCRIPTION \$21738 8"

PLIERS



	DESCRIPTI 8 8-1/2" WIT	ON TH SLEEVE-CON	NECTOR
	CRIMPIN	IG DIE	
		ROUNDED	NOSE PLIER
S	213248	CAT. NO.	DESCRIPTION
	NR	S21346	6"
	A STATE	S21347	7"
•		S21348	8-1/2"
		S21369	9" HIGH LEVERAGE
		S213248	8-1/2" WITH CUTTER & CRIMP
2			
SLIP JOIN CAT. NO. S21516	DESCRIPTI	NOSE WITH SHEAR LINESMAN F CAT. NO.	DESCRIPTION
CAT. NO.	DESCRIPTI 6", THIN N	NOSE WITH SHEAR LINESMAN F	
CAT. NO.	DESCRIPTI 6", THIN N CUTTING	NOSE WITH SHEAR LINESMAN F CAT. NO.	DESCRIPTION
CAT. NO.	DESCRIPTI 6", THIN N CUTTING TONGUE & C CAT. NO.	NOSE WITH SHEAR LINESMAN F CAT. NO. S21350-S SROOVE PLIER DESCRIPTION	DESCRIPTION 9" WITH COILED SPRING
CAT. NO.	DESCRIPTI 6", THIN N CUTTING TONGUE & C CAT. NO. S21415	LINESMAN F CAT. NO. S21350-S	DESCRIPTION 9" WITH COILED SPRING
CAT. NO.	DESCRIPTI 6", THIN N CUTTING TONGUE & C CAT. NO. S21415 S21424	LINESMAN F CAT. NO. S21350-S SROOVE PLIER DESCRIPTION 10", 2" CAPAC 4-1/2", 1/2" C	DESCRIPTION 9" WITH COILED SPRING
CAT. NO.	DESCRIPTI 6", THIN N CUTTING TONGUE & C CAT. NO. S21415 S21424 S21426	LINESMAN F CAT. NO. S21350-S CAT. NO. S21350-S S2 S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S S2050-S	DESCRIPTION 9" WITH COILED SPRING
CAT. NO.	DESCRIPTI 6", THIN N CUTTING TONGUE & C CAT. NO. S21415 S21424 S21426 S21420	NOSE WITH SHEAR LINESMAN F CAT. NO. S21350-S S21350-S S21350-S CAT. NO. S21350-S S21350-S CAT. NO. S21350-S CAT. S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S	DESCRIPTION 9" WITH COILED SPRING
CAT. NO.	DESCRIPTI 6", THIN N CUTTING TONGUE & C CAT. NO. S21415 S21424 S21426 S21420 S21430	NOSE WITH SHEAR LINESMAN F CAT. NO. S21350-S SCOOVE PLIER DESCRIPTION 10", 2" CAPAC 4-1/2", 1/2" C 6-1/2", 7/8" C/ 9-1/2", 1-1/2" C	DESCRIPTION 9" WITH COILED SPRING
CAT. NO.	DESCRIPTI 6", THIN N CUTTING TONGUE & C CAT. NO. S21415 S21424 S21426 S21420	NOSE WITH SHEAR LINESMAN F CAT. NO. S21350-S S21350-S S21350-S CAT. NO. S21350-S S21350-S CAT. NO. S21350-S CAT. S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S2150-S S	DESCRIPTION 9" WITH COILED SPRING



S21908



WIRE STRIPPER-CUTTER-CRIMPER

CAT. NO.	DESCRIPTION
S2111045	FOR CUTTING STRIPPING AND LOOPING WIRE 10 - 18 GA
S21908	WIRE TO THE OCA WIRING TOOL STRIPS WIRE WITH NO DAMAGE TO CONDUCTOR CRIMPS BOTH
	INSULATED AND NON-INSULATED WIRE.

WIRE STRIPPER

CAT. NO.	DESCRIPTION
S21958	WIRE STRIPPER CUTTER
	10-20GA FOR COPPER,
	STRIPS INSULATION FAST
	WITH NO DAMAGE TO
	WIRE, CUTS COPPER WIRE CLEANLY.





CRIMPING TOOL

CAT. NO.	DESCRIPTION
S21909	CRIMPING AND CUTTING TOOL
S211005	CRIMPING TOOL AND WIRE
	CUTTER FOR 10 TO 22 AWG

CUTTING PLIER CAT. NO. DESCRIPTION S21911 CABLE CUTTER 9-1/2", CUTS UP TO 4/0 ALUMINUM AND UP TO 2/0 SOFT COPPER. IT IS NOT DESIGNED FOR STEEL OR ACSR.



SALISBURY Insulated Tools.

28



S2163060



RATCHETING CABLE CUTTER

CAT. NO.	DESCRIPTION
S2163060	600MCM ALUM 400MCM COPPER
S215090FS	750MCM ALUM 500MCM COPPER
S2163060F	600MCM ALUM 400MCM COPPER -QUALITY IMPORT BRAND-
S215090FSF	750MCM ALUM 500MCM COPPER -QUALITY IMPORT BRAND-

BOLT CUTTER CAT. NO. DESCRIPTION S210090 18" CUTS 3/8" SOFT/MEDIUM MATERIAL, 1/4" HARD MATERIAL S210190 24" CUTS 7/16" SOFT/MEDIUM MATERIAL, 5/16" HARD MATERIAL S210290 30" CUTS 1/2" SOFT/MEDIUM MATERIAL, 3/8" HARD MATERIAL S210390 36" CUTS 9/16" SOFT/MEDIUM MATERIAL, 7/16" HARD MATERIAL S210590 42" CUTS 11/16" SOFT/MEDIUM MATERIAL, 1/2" HARD MATERIAL

SNAP RING PLIER

CAT. NO.	DESCRIPTION
S211202R	.038" TIP DIAMETER
S21120245R	45DEG .038" TIP DIAMETER
S21120290R	90DEG .038" TIP DIAMETER
S213202R	.047" TIP DIAMETER
S21320245R	45DEG .047" TIP DIAMETER
S21320290R	90DEG .047" TIP DIAMETER
S213402R	.070" TIP DIAMETER
S21340245R	45DEG .070" TIP DIAMETER
S21340290R	90DEG .070" TIP DIAMETER
S215602R	.090" TIP DIAMETER
S21560245R	45DEG .090" TIP DIAMETER
S21560290R	90DEG .090" TIP DIAMETER

Tip Configurations



Use with either external or internal retaining rings.

ISBURY





CABLE CUTTER

CAT. NO.	DESCRIPTION
S2163035	17" FOR UP TO 1" COAX CABLE CUTS
	SOFT COPPER AND ALUMINUM
	CABLE UP TO 350 MCM, DROP-
	FORGED STEEL, SHEAR-TYPE HOOK
	JAWS GRAB AND HOLD CABLE

CABLE CUTTER

CAT. NO.	DESCRIPTION
S2163035-RING	FOR UP TO 1" COAX CABLE CUTS
	SOFT COPPER AND ALUMINUM
	CABLE UP TO 350 MCM;
	DROP-FORGED STEEL; SHEAR-TYPE
	HOOK JAWS GRAB AND HOLD
	CABLE; WITH GUIDANCE RING



30





STANDARD OR DEEP SOCKET

1/4" DRIVE, 12 POINT SOCKET Available in both SAE & Metric sizes.



STANDARD SOCKET

SAE SIZES

CAT. NO.	DESCRIPTION
S2043906	3/16″
S2043907	7/32"
S2043908	1/4"
S2043909	9/32"
S2043910	5/16"
S2043911	11/32"
S2043912	3/8"
S2043914	7/16"
S2043916	1/2"
S2043918	9/16"

DEEP SOCKET

SAE SIZES

CAT. NO.	DESCRIPTION
S2043906	3/16″
S2044907	7/32"
S2044908	1/4"
S2044909	9/32"
S2044910	5/16"
S2044911	11/32"
S2044912	3/8"
S2044914	7/16"
S2044916	1/2"
S2044918	9/16"

STANDARD SOCKET

METRIC SIZES

DEEP SOCKET

METRIC SIZES

CAT. NO.	DESCRIPTION	CAT. NO.
S2040701	4MM 6 POINT	S204169
S2043702	5MM	S204470
S2043703	5.5MM	S204470
S2043704	6MM	S2044704
S2043706	7MM	S204470
S2043707	8MM	S204470
S2043708	9MM	S2044708
S2043709	10MM	S204470
S2043710	11MM	S204471
S2043711	12MM	S204471
S2043712	13MM	S204471
S2043713	14MM	S204471
S2040714	15MM 6 POINT	S204171

CAI. NO.	DESCRIPTION
S2041697	4MM 6 POINT
S2044702	5MM
S2044703	5.5MM
S2044704	6MM
S2044706	7MM
S2044707	8MM
S2044708	9MM
S2044709	10MM
S2044710	11MM
S2044711	12MM
S2044712	13MM
S2044713	14MM
S2041711	15MM 6 POINT

DESCRIPTION

• Contact your local Salisbury Repre-sentative for your tool needs not seen here. Our tool line is capable of customizing and supplying almost any tool with protection up to 1000V.

• Salisbury can also supply customized tool kits and insulate almost any customer tools if necessary.



SOCKETS - 3/8" DRIVE

STANDARD OR DEEP SOCKET

3/8" DRIVE, 12 POINT SOCKET Available in both SAE & Metric sizes.



DEEP SOCKET

SAE SIZES

STA	ND)AR	D
			-

SAE SIZES

CAT. NO.	DESCRIPTION
S2045208	1/4"
S2045210	5/16"
S2045212	3/8"
S2045214	7/16"
S2045216	1/2"
S2045218	9/16"
S2045120	5/8"
S2045122	11/16"
S2045124	3/4"
S2045126	13/16"
S2045128	7/8"
S2045130	15/16"
S2045132	1"

CAT. NO.	DESCRIPTION
S2042408	1/4"
S2042410	5/16"
S2042412	3/8"
S2042414	7/16"
S2042416	1/2"
S2042418	9/16"
S2042420	5/8"
S2042422	11/16"
S2042424	3/4"
S2042426	13/16"
S2042428	7/8"
S2042430	15/16"
S2042432	1"

STANDARD SOCKET

METRIC SIZES

DEEP SOCKET

METRIC SIZES

CAT. NO.	DESCRIPTION	CAT. NO.	DESCRIPTION
S20306	6MM 6 POINT	S208406	6MM 6 POINT
S202307	7MM	S208407	7MM 6 POINT
S202308	8MM	S208408	8MM 6 POINT
S202309	9MM	S208429	9MM
S202310	10MM	S208430	10MM
S202311	11MM	S208431	11MM
S202312	12MM	S208432	12MM
S202313	13MM	S208433	13MM
S202314	14MM	S208434	14MM
S202315	15MM	S208435	15MM
S202316	16MM	S208436	16MM
S202317	17MM	S208437	17MM
S202318	18MM	S208438	18MM
S202319	19MM	S208439	19MM
S202320	20MM	S208420	20MM 6 POINT
S202321	21MM	S208421	21MM 6 POINT
S202322	22MM	S208422	22MM 6 POINT
S202323	23MM	S208423	23MM 6 POINT
S202324	24MM	S208424	24MM 6 POINT
		S208425	25MM 6 POINT

SOCKETS - 1/2" DRIVE



STANDARD OR DEEP SOCKET

1/2" DRIVE, 12 POINT SOCKET

STANDARD SOCKET

SAE SIZES

Available in both SAE & Metric sizes.





DESCRIPTION

DEEP SOCKET SAE SIZES

CAT. NO.

CAT. NO.	DESCRIPTION
S2040212	3/8"
S2040214	7/16"
S2040216	1/2"
S2040218	9/16"
S2040120	5/8"
S2040122	11/16"
S2040124	3/4"
S2040126	13/16"
S2040128	7/8"
S2040130	15/16"
S2040132	1"
S2040134	1-1/16"
S2040136	1-1/8"
S2040138	1-3/16"
S2040140	1-1/4"
S2040142	1-5/16"
S2040144	1-3/8"
S2040146	1-7/16"
S2040148	1-1/2"

S2040812	3/8"
S2044814	7/16"
S2044816	1/2"
S2044818	9/16"
S2044820	5/8"
S2044822	11/16"
S2044824	3/4"
S2044826	13/16"
S2044828	7/8"
S2044830	15/16"
S2040832	1"
S2040834	1-1/16"
S2040836	1-1/8"
S2040838	1-3/16"
S2040840	1-1/4"
S2040842	1-5/16"
S2040844	1-3/8"
S2040846	1-7/16"
S2040848	1-1/2"

STANDARD SOCKET METRIC SIZES

S2040336

36MM

DEEP SOCKET

METRIC SIZES

CAT. NO.	DESCRIPTION	CAT. NO.	DESCRIPTION
S2040310	10MM	S2048010	10MM
S2040311	11MM	S2048011	11MM
S2040312	12MM	S2048012	12MM
S2040313	13MM	S2048013	13MM
S2040314	14MM	S2048014	14MM
S2040315	15MM	S2048015	15MM
S2040316	16MM	S2048016	16MM
S2040317	17MM	S2048017	17MM
S2040318	18MM	S2048018	18MM
S2040319	19MM	S2048019	19MM
S2040320	20MM	S2048020	20MM
S2040321	21MM	S2048021	21MM
S2040322	22MM	S2048022	22MM
S2040323	23MM	S2048023	23MM
S2040324	24MM	S2048024	24MM
S2040325	25MM	S2048025	25MM
S2040326	26MM	S2048026	26MM
S2040327	27MM	S2048027	27MM
52040328	28MM	S2048028	28MM
52040329	29MM	S2048028	30MM
S2040330	30MM	S2048030	32MM
S2040331 S2040332	31MM 32MM	32040032	3211/11/1





STANDARD SOCKET

3/4" DRIVE, 12 POINT SOCKET Available in both SAE & Metric sizes.



STANDARD SOCKET

SAE SIZES

STANDARD SOCKET METRIC SIZES

JAL JIZLJ		METRIC SIZES
CAT. NO.	DESCRIPTION	CAT. NO.
S2047124	3/4"	S2048122
S2047126	13/16"	S2048123
S2047128	7/8"	S2048124
S2047130	15/16"	S2048126
S2047132	1"	S2048127
S2047134	1-1/16"	S2048128
S2047136	1-1/8"	S2048129
S2047138	1-3/16"	S2048130
S2047140	1-1/4"	S2048132
S2047142	1-5/16"	S2048133
S2047144	1-3/8"	S2048135
S2047146	1-7/16"	S2048136
S2047148	1-1/2"	S2048138
S2047150	1-9/16"	S2048140
S2047152	1-5/8"	S2048141
S2047154	1-11/16"	S2048142
S2047156	1-3/4"	S2048146
S2047158	1-13/16"	S2048150
S2047160	1-7/8"	S2048154
S2047164	2"	S2048155
S2047166	2-1/16"	
S2047168	2-1/8"	
S2047171	2-3/16"	
S2047172	2-1/4"	
S2047176	2-3/8"	

CAT. NO.	DESCRIPTION
S2048122	22MM
S2048123	23MM
S2048124	24MM
S2048126	26MM
S2048127	27MM
S2048128	28MM
S2048129	29MM
S2048130	30MM
S2048132	32MM
S2048133	33MM
S2048135	35MM
S2048136	36MM
S2048138	38MM
S2048140	40MM
S2048141	41MM
S2048142	42MM
S2048146	46MM
S2048150	50MM
S2048154	54MM
S2048155	55MM

• Contact your local Salisbury Representative for your tool needs not seen here. Our tool line is capable of customizing and supplying almost any tool with protection up to 1000V.

• Salisbury can also supply customized tool kits and insulate almost any customer tools if necessary.

34



FLEX HEAD HANDLES



CAT. NO.	DESCRIPTION
S2040952	1/4" DRIVE FLEX HEAD HANDLE 5.4"
S2045152	3/8" DRIVE FLEX HEAD HANDLE 10"
S2041650	1/2" DRIVE FLEX HEAD HANDLE 9"
S2041652	1/2" DRIVE FLEX HEAD HANDLE 16"
S2041654	1/2" DRIVE FLEX HEAD HANDLE 24"
S2047155	3/4" DRIVE FLEX HEAD HANDLE 18"





CAT. NO.	DESCRIPTION
S2040970NB	1/4" DRIVE RATCHET 4.5" NO BOOT
S2040970	1/4" DRIVE RATCHET 4.5"
S2040971	1/4" DRIVE RATCHET 6.5"
S2045170NB	3/8" DRIVE RATCHET 7.6" NO BOOT
S2045170	3/8" DRIVE RATCHET 7.6"
S2045179	3/8" DRIVE RATCHET 10.3"
S2045174	3/8" DRIVE RATCHET STUBBY 4.8"
S2042470NB	1/2" DRIVE RATCHET 10.3" NO BOOT
S2042470	1/2" DRIVE RATCHET 10.3"
S2040170	1/2" DRIVE RATCHET 15"
S2047170	3/4" DRIVE RATCHET 18"

ADAPTERS	CAT. NO.	DESCRIPTION
	S20384	ADAPTER 3/8" F - 1/4"M
	S20385	ADAPTER 1/4" F - 3/8"M
In	S20451	ADAPTER 3/8" F - 1/2"M
0	S20401	ADAPTER 1/2" F - 3/8"M
	S20407	ADAPTER 1/2" F - 3/4"M
	S20409	ADAPTER 3/4" F - 1/2"M





RATCHET & SOCKET ACCESSORIES

EXTENSIONS

CAT. NO.	DESCRIPTION
S2040961	1/4" DRIVE EXTENSION 2"
S2040963	1/4" DRIVE EXTENSION 3"
S2040962	1/4" DRIVE EXTENSION 6"
S2040968	1/4" DRIVE EXTENSION 8"
S2040969	1/4" DRIVE EXTENSION 10"
S2040964	1/4" DRIVE EXTENSION 14"
S2045159	3/8" DRIVE EXTENSION 1.5"
S2045160	3/8" DRIVE EXTENSION 3"
S2045161	3/8" DRIVE EXTENSION 6"
S2045158	3/8" DRIVE EXTENSION 9"
S2045162	3/8" DRIVE EXTENSION 12"
S2045163	3/8" DRIVE EXTENSION 18"
S2045164	3/8" DRIVE EXTENSION 24"
S2045149	3/8" DRIVE EXTENSION 35"
S2040160	1/2" DRIVE EXTENSION 2"
S2040161	1/2" DRIVE EXTENSION 5"
S2040162	1/2" DRIVE EXTENSION 10"
S2040163	1/2" DRIVE EXTENSION 20"
S2047159	3/4" DRIVE EXTENSION 3"
S2047163	3/4" DRIVE EXTENSION 5"
S2047161	3/4" DRIVE EXTENSION 8"
S2047162	3/4" DRIVE EXTENSION 16"

EXTENSIONS AVAILABLE IN 1/4", 3/8", 1/2", AND 3/4" DRIVES EXTENSIONS ARE AVAILABLE IN FLARE NOSE STYLE FOR USE ON NON-BOOTED SOCKETS.

EXTENSIONS WITH FLARE END

CAT. NO.	DESCRIPTION
S2040961FN	1/4" DRIVE EXTENSION 2"
S2040963FN	1/4" DRIVE EXTENSION 3"
S2040962FN	1/4" DRIVE EXTENSION 6"
S2040968FN	1/4" DRIVE EXTENSION 8"
S2040969FN	1/4" DRIVE EXTENSION 10"
S2040964FN	1/4" DRIVE EXTENSION 14"
S2045159FN	3/8" DRIVE EXTENSION 1.5"
S2045160FN	3/8" DRIVE EXTENSION 3"
S2045161FN	3/8" DRIVE EXTENSION 6"
S2045158FN	3/8" DRIVE EXTENSION 9"
S2045162FN	3/8" DRIVE EXTENSION 12"
S2045163FN	3/8" DRIVE EXTENSION 18"
S2045164FN	3/8" DRIVE EXTENSION 24"
S2045149FN	3/8" DRIVE EXTENSION 35"
S2040160FN	1/2" DRIVE EXTENSION 2"
S2040161FN	1/2" DRIVE EXTENSION 5"
S2040162FN	1/2" DRIVE EXTENSION 10"
S2040163FN	1/2" DRIVE EXTENSION 20"
S2047159FN	3/4" DRIVE EXTENSION 3"
S2047163FN	3/4" DRIVE EXTENSION 5"
S2047163FN	3/4" DRIVE EXTENSION 8"
S2047162FN	3/4" DRIVE EXTENSION 16"

FIBERGLASS EXTENSIONS

AVAILABLE IN 3/8" AND 1/2" DRIVES

CAT. NO.	DESCRIPTION
S2045161FB	EXTENSION 6" 3/8" DRIVE
S2045162FB	EXTENSION 12" 3/8" DRIVE
S2040164FB	EXTENSION 6" 1/2" DRIVE
S2040165FB	EXTENSION 12" 1/2" DRIVE
Fiberglass extensions are tested at 80 ft./lbs., DO NOT EXCEED 60 ft. / lbs.	

RATCHET & SOCKET ACCESSORIES



HOLDER, SLOTTED, OR PHILLIPS

Available in these size ranges:

- Holder 1/4" SHANK
- Slotted 3/16" 5/16"
- Phillips #0 #2

CAT. NO.	DESCRIPTION
S2044498	HOLDER 1/4" SHANK
S2044470	SLOTTED 3/16"
S2044471	SLOTTED 1/4"
S2044472	SLOTTED 9/32"
S2044473	SLOTTED 5/16"
S2044480	PHILLIPS #0
S2044481	PHILLIPS #1
S2044482	PHILLIPS #2

3/8" DRIVE SCREWDRIVER BIT SOCKETS

HOLDER, SLOTTED, OR PHILLIPS

Available in these size ranges:

- Holder 1/4" 5/16" SHANK
- Slotted #4 #6
- Phillips #1 #4

3/8" DRIVE

CAT. NO.	DESCRIPTION
S2045498	HOLDER 1/4"SHANK
S2045499	HOLDER 5/16"SHANK
S2045471	SLOTTED #4
S2045472	SLOTTED #5
S2045473	SLOTTED #6
S2045481	PHILLIPS #1
S2045482	PHILLIPS #2
S2045483	PHILLIPS #3
S2045484	PHILLIPS #4
S2045492	POZIDRIV #2



MADE



• Contact your local Salisbury Repre-sentative for your tool needs not seen here. Our tool line is capable of customizing and supplying almost any tool with protection up to 1000V.

• Salisbury can also supply customized tool kits and insulate almost any customer tools if necessary.





1/4" DRIVE HEX BIT SOCKET

Available in both SAE & Metric sizes.

Available in these size ranges:

- 1/16" 1/4"
- 2mm 6mm

3/8" DRIVE HEX BIT SOCKET

Available in both SAE & Metric sizes.

Available in these size ranges:

- 1/16" 3/8"
- 2mm 12mm

1/2" DRIVE HEX BIT SOCKET

Available in both SAE & Metric sizes.

Available in these size ranges:

- 5/16" 5/8"
- 12mm 17mm

1/4" HEX BIT SOCKET

SAE SIZES

1/4" HEX BIT SOCKET

Hex

Screwdriver

Bit Socket

METRIC SIZES

CAT. NO.	DESCRIPTION	CAT. NO.	DESCRIPTION
S2044304	1/16"	S2044324	2MM
S2044305	5/64"	S2044325	2.5MM
S2044306	3/32"	S2044326	3MM
S2044307	7/64"	S2044327	4MM
S2044308	1/8"	S2044328	5MM
S2044309	9/64"	S2044330	6MM
S2044310	5/32"		
S2044312	3/16"		
S2044314	7/32"		
COO 4 401 (1 / 41		

38



3/8" HEX BIT SOCKET

SAE SIZES

CAT. NO.	DESCRIPTION
S2041201	1/16"
S2041202	5/64"
S2041203	3/32"
S2041204	7/64"
S2041205	1/8"
S2041206	9/64"
S2041207	5/32"
S2041208	3/16"
S2041209	7/32"
S2041210	1/4"
S2041211	5/16"
S2041212	3/8"
S2045904	1/8" LONG
S2045905	5/32" LONG
S2045906	3/16" LONG
S2045907	7/32" LONG
S2045908	1/4" LONG
S2045910	5/16" LONG
S2045912	3/8" LONG

3/8" HEX BIT SOCKET

METRIC SIZES

CAT. NO.	DESCRIPTION
S2041400	2MM
S2041401	2.5MM
S2041402	3MM
S2041403	4MM
S2041404	5MM
S2041405	6MM
S2041406	7MM
S2041407	8MM
S2041408	9MM
S2041409	10MM
S2041410	11MM
S2041411	12MM



1/2" HEX BIT SOCKET

SAE SIZES

CAT. NO.	DESCRIPTION
S2041213	5/16"
S2041214	3/8"
S2041215	7/16"
S2041216	1/2"
S2041218	9/16"
S2041220	5/8"
S2041266	1/2" LONG
S2041268	9/16" LONG
S2041270	5/8" LONG

1/2" HEX BIT SOCKET

METRIC SIZES

CAT. NO.	DESCRIPTION
S2041412	12MM
S2041414	14MM
S2041417	17MM
S2041419	19MM
S2041462	12MM LONG
S2041464	14MM LONG
S2041467	17MM LONG



RATCHET & SOCKET ACCESSORIES

1/4" DRIVE TORX BIT & TAMPER-PROOF **TORX SOCKET**

Available in these size ranges:

• T8 - T27 4" long

3/8" DRIVE TORX BIT & TAMPER-PROOF TORX SOCKET

Available in these size ranges:

T40 - T50 extra long

1/2" DRIVE TORX BIT SOCKET

Available in this size:

• T60

1/4" TORX BIT SOCKET

CAT. NO.	DESCRIPTION
S2042908	Т8
S2042910	T10
S2042915	T15
S2042920	T20
S2042925	T25
S2042927	T27
S2042930	Т30
S2042958	T8 4" LONG
S2042960	T10 4" LONG
S2042965	T15 4" LONG
S2042970	T20 4" LONG
S2042975	T25 4" LONG
S2042977	T27 4" LONG



Screwdriver Bit Socket





1/4" TAMPER-PROOF TORX BIT SOCKET

CAT. NO.	DESCRIPTION	
S2042507	T7	
S2042508	T8	
S2042510	T10	
S2042515	T15	
S2042520	T20	
S2042525	T25	
S2042527	T27	
S2042530	Т30	

1/2" TORX BIT SOCKET

CAT. NO.	DESCRIPTION
S2045560	T60

CAT. NO.	DESCRIPTION
S2045540	T40
S2045545	T45
S2045547	T47
S2045550	T50
S2045555	T55
S2042580	T30 LONG
S2042590	T40 LONG
S2042595	T45 LONG
S2042600	T50 LONG
S2042640	T40 EX LONG
S2042645	T45 EX LONG
S2042650	T50 EX LONG

3/8" TORX BIT SOCKET 3/8" TAMPER-PROOF TORX BIT SOCKET

CAT. NO.	DESCRIPTION
S2045440	T40
S2045445	T45
S2045450	T50
S2045455	T55
S2045205	5/64
S2045206	3/32
S2045207	7/64
S2045208	1/8
S2045209	9/64
S2045210	5/32
S2045212	3/16
S2045214	7/32
S2045216	1/4





BATTERY TORQUE SET

	CAT. NO.	DESCRIPTION
SOCKET	S102	4 PCS. INCLUDES: 3/8 DA TORQUE RATCHET 10" LONG 30-150 IN/LB, 7' FIBERGLASS EXTENSION, 1/2" BOX WRENCH 1/2" REGULAR SOCKET 6PT TO A PLASTIC BOX
CAT. NO.	DESCRIPTION	SE1 5104
S103	11 PCS. INCLUDES: 3" AND 6" EXTENSIO DEEP SOCKETS 12P1	3/8" REVERSIBLE RATCHET, DN, : 3/8, 7/16, 1/2, 9/16, 5/8, /16" IN A FITTED PLASTIC CASE
S104	DEEP SOCKETS 12P	RATCHET, 3" AND 6" EXTENSION, I:1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 3/16, 7/8, 15/16, AND 1" C CASE.
S105		CLUDES: RATCHET, 3" AND 6" OCKETS 12PT: 9MM TO 19MM C CASE.
S106		CLUDES: RATCHET, 3" AND 6" OCKETS 6 AND12PT: 6MM TO PLASTIC CASE

ALLEN SOCKET SET

CAT. NO.	DESCRIPTION
S602	14 TOOLS + BOX, 3/8 DR 1/8" TO 1/2" IN CUSTOM BOX





CLOSE QUARTERS SOCKET SET

CAT. NO.	DESCRIPTION	
S204946	1/4" DR 13 PCS. INCLUDES: 1/4" RATCHET, 3" & 6" FLARED EXTENSIONS, REGULAR SOCKETS 12PT: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, AND 9/16" PACKAGED IN A PLASTIC CASE. THIS SET IS DESIGNED FOR USE IN TIGHT WORK SPACES.	
S204653	3/8" DR 16 PCS. INCLUDES: 3/8" RATCHET, 3" & 6" FLARED EXTENSIONS, REGULAR SOCKETS 12PT: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, AND 1" PACKAGED IN A PLASTIC CASE. THIS SET IS DESIGNED FOR USE IN TIGHT WORK SPACES.	
S204121	1/2" DR 21 PCS. INCLUDES: 1/2" RATCHET, 5" FLARED EXTENSION, REGULAR SOCKETS 12PT: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, AND 1-1/2" PACKAGED IN A PLASTIC CASE. THIS SET IS DESIGNED FOR USE IN TIGHT WORK SPACES.	
S204122	3/4" DR 27 PCS. INCLUDES: 3/4" RATCHET, 5" FLARED EXTENSION, REGULAR SOCKETS 12PT: 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-9/16, 1-5/8, 1-11/16, 1-3/4, 1-13/16, 1-7/8, 2, 2-1/16, 2-1/8, 2-3/16, 2-1/4, AND 2-3/8" PACKAGED IN A PLASTIC CASE. THIS SET IS DESIGNED FOR USE IN TIGHT WORK SPACES.	
5201340	1/4" DR 13 PCS. INCLUDES: 1/4" RATCHET, 3" & 6" FLARED EXTENSIONS, REGULAR SOCKETS 12PT: 5MM TO 14MM PACKAGED IN A PLASTIC CASE. THIS SET IS DESIGNED FOR USE IN TIGHT WORK SPACES.	
52089023	3/8" DR 16 PCS. INCLUDES: 3/8" RATCHET, 3" & 6" FLARED EXTENSIONS, REGULAR SOCKETS 12PT: 7MM TO 19MM PACKAGED IN A PLASTIC CASE. THIS SET IS DESIGNED FOR USE IN TIGHT WORK SPACES.	
S201919	1/2" DR 21 PCS. INCLUDES: 1/2" RATCHET, 5" FLARED EXTENSION, REGULAR SOCKETS 12PT: 10MM TO 28MM PACKAGED IN A PLASTIC CASE. THIS SET IS DESIGNED FOR USE IN TIGHT WORK SPACES.	
S2094712E	3/4" DR 22 PCS. INCLUDES: 3/4" RATCHET, 5" FLARED EXTENSION, REGULAR SOCKETS 12PT: 22, 23, 24, 26, 27, 28, 29, 30, 32, 33, 35, 36, 38, 40, 41, 42, 46, 50, 54, 55MM PACKAGED IN A PLASTIC CASE. THIS SET IS DESIGNED FOR USE IN TIGHT WORK SPACES.	



SPECIALIZED TOOLS



HEX WRENCHES

ROLL-10POCETS 10 POCKET ROLL, FITS SCREWDRIVERS

BOX-TK60

ISO 9001:2000 Registered



SALISBURY

SALISBURT

 7520 North Long Avenue

 Skokie IL 60077-3226 USA

 toll free ph. 877.406.4501

 toll free fax 866.824.4922

 847.679.6700

 w h s a lisbury.com

 a r c s a f e t y.com