



**GLANCE FOAMING GLASS CLEANER**

HMIS		NFPA	Personal protective equipment
Health	1	1	None / Aucune / Ninguno
Flammability	2	4	
Physical Hazard / Instability	0	0	

Version Number: 5

Preparation date: 2014-09-18

**1. PRODUCT AND COMPANY IDENTIFICATION**

**Product name:** GLANCE FOAMING GLASS CLEANER

**MSDS #:** MS0301498  
**Product Code:** 04553  
**Recommended use:** • Glass Cleaner

**Manufacturer, importer, supplier:**  
 US Headquarters: Diversey, Inc. 8310 16th St. Sturtevant, Wisconsin 53177-1964  
 Phone: 1-888-352-2249  
 MSDS Internet Address: www.diversey.com  
 Canadian Headquarters: Diversey, Inc. - Canada 3755 Laird Road Mississauga, Ontario L5L 0B3  
 Phone: 1-800-668-3131  
**Emergency telephone number:** 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'l)

**2. HAZARDS IDENTIFICATION**

**EMERGENCY OVERVIEW**

CAUTION. MAY BE MILDLY IRRITATING TO EYES. COMBUSTIBLE LIQUID AND VAPOR.

**Principal routes of exposure:** Eye contact. Skin contact. Inhalation.  
**Eye contact:** May be mildly irritating to eyes.  
**Skin contact:** None known.  
**Inhalation:** None known.  
**Ingestion:** None known.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Ingredient(s)	CAS #	Weight %	LD50 Oral - Rat (mg/kg)	LD50 Dermal - Rabbit	LC50 Inhalation - Rat
Butane	106-97-8	1 - 5%	2000	Not available	=658 g/m <sup>3</sup> (4 h)
2-butoxyethanol	111-76-2	1 - 5%	1400	=99 mg/kg	=450 ppm (4 h)
Isopropyl alcohol	67-63-0	1 - 5%	4396	=4059 mg/kg	=72600 mg/m <sup>3</sup> (4 h)
Propane	74-98-6	1 - 5%	2400	Not available	=658 mg/L (4 h)
Sodium nitrite	7632-00-0	0.1 - 1.5%	85	Not available	=5.5 mg/L (4 h)

**4. FIRST AID MEASURES**

**Eye contact:** Flush immediately with plenty of water. If irritation develops, get medical attention.  
**Skin contact:** Rinse with plenty of water.  
**Inhalation:** No specific first aid measures are required.  
**Ingestion:** No specific first aid measures are required.

**Aggravated Medical Conditions:** None known.

## 5. FIRE-FIGHTING MEASURES

**Suitable extinguishing media:** Extinguish fire using agent suitable for surrounding fire.  
**Extinguishing media which must not be used for safety reasons:** No information available.  
**Specific hazards:** NFPA 30B Level 1 Aerosol. Aerosol product - Containers may rocket or explode in heat of fire.  
**Unusual hazards:** None known.  
**Specific methods:** Use water spray to keep fire-exposed containers cool.

**Special protective equipment for firefighters:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:** Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area).  
**Environmental precautions and clean-up methods:** No information available.

## 7. HANDLING AND STORAGE

**Handling:** Avoid contact with eyes. COMBUSTIBLE LIQUID AND VAPOR. Keep away from open flames, hot surfaces and sources of ignition. Use only in well-ventilated areas. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.  
**Storage:** Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Engineering measures to reduce exposure:**  
No special ventilation requirements General room ventilation is adequate

### Personal Protective Equipment

**Eye protection:** No special requirements under normal use conditions.  
**Hand protection:** No special requirements under normal use conditions  
**Skin and body protection:** No special requirements under normal use conditions.  
**Respiratory protection:** No special requirements under normal use conditions.  
**Hygiene measures:** Handle in accordance with good industrial hygiene and safety practice.

Ingredient(s)	CAS #	ACGIH	OSHA	Mexico
Butane	106-97-8	1000 ppm (STEL)		800 ppm (TWA) 1900 mg/m <sup>3</sup> (TWA)
2-butoxyethanol	111-76-2	20 ppm (TWA)	Skin 50 ppm (TWA) 240 mg/m <sup>3</sup> (TWA)	75 ppm (STEL) 360 mg/m <sup>3</sup> (STEL) 26 ppm (TWA) 120 mg/m <sup>3</sup> (TWA)
Isopropyl alcohol	67-63-0	400 ppm (STEL) 200 ppm (TWA)	400 ppm (TWA) 980 mg/m <sup>3</sup> (TWA)	500 ppm (STEL) 1225 mg/m <sup>3</sup> (STEL) 400 ppm (TWA) 980 mg/m <sup>3</sup> (TWA)
Propane	74-98-6	1000 ppm (TWA)	1000 ppm (TWA) 1800 mg/m <sup>3</sup> (TWA)	

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical State:** Aerosol  
**Appearance:** No information available  
**Specific gravity:** 0.9948  
**Vapor density:** No information available  
**Boiling point/range:** Not determined  
**Decomposition temperature:** Not determined  
**Solubility:** Partially Soluble  
**Solubility in other solvents:** No information available  
**Partition coefficient (n-octanol/water):** No information available  
**Elemental Phosphorus:** 0.00 % by wt.  
**pH:** 10.93  
**Explosion limits:** - upper: Not determined - lower: Not determined

**Bulk density:** No information available  
**Evaporation Rate:** No information available  
**Color:** Clear Colorless  
**Odor:** Solvent  
**Melting point/range:** Not determined  
**Autoignition temperature:** No information available  
**Density:** 8.3 lbs/gal 0.9948 Kg/L  
**Flash point:** -156 °F -104.4 °C  
**Viscosity:** No information available  
**VOC:** 8.82 % \*  
**Dilution pH:** 11.43 @ RTU

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

## 10. STABILITY AND REACTIVITY

<b>Stability:</b>	The product is stable
<b>Polymerization:</b>	Hazardous polymerization does not occur.
<b>Hazardous decomposition products:</b>	None reasonably foreseeable.
<b>Conditions to avoid:</b>	Extremes of temperature and direct sunlight. Keep away from open flames, hot surfaces and sources of ignition.

## 11. TOXICOLOGICAL INFORMATION

**Acute toxicity:** Oral LD50 estimated to be greater than 5000 mg/kg Dermal LD50 estimated to be > 2000 mg/kg  
**Component Information:** See Section 3.

**Chronic toxicity:** None known

### Specific effects

<b>Carcinogenic effects:</b>	• None known
<b>Mutagenic effects:</b>	None known
<b>Reproductive toxicity:</b>	None known
<b>Target organ effects:</b>	None known

Ingredient(s)	CAS #	NTP	IARC	OSHA
Isopropyl alcohol	67-63-0		3	X
Sodium nitrite	7632-00-0		2A	

## 12. ECOLOGICAL INFORMATION

**Environmental Information:** No data available.

## 13. DISPOSAL CONSIDERATIONS

### **Waste from residues / unused products:**

Use up contents if possible before disposal. If possible, recycle empty aerosol cans to the nearest steel recycling center. This product, as sold, if discarded or disposed, is a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

**RCRA Hazard Class (undiluted product):** D001 Ignitable Waste

## 14. TRANSPORT INFORMATION

**DOT/TDG/IMDG:** Please refer to the Diversey HazMat Library, only available through Internet Explorer, <http://naextranet.diversey.com/dot/>, for up to date shipping information.

**DOT (Ground) Bill of Lading Description:** LTD. QTY.

**IMDG (Ocean) Bill of Lading Description:** UN1950, AEROSOLS, 2.1, LTD. QTY.

## 15. REGULATORY INFORMATION

### International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (ECL), Japan (ENCS), Philippines (PICCS), China (IECSC).

### U.S. Regulations

**California Proposition 65:** This product is not subject to the reporting requirements under California's Proposition 65.

### RIGHT TO KNOW (RTK)

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	-	-
Butane	106-97-8	X	X	X	-
2-butoxyethanol	111-76-2	X	X	X	-
Isopropyl alcohol	67-63-0	X	X	X	-
Propane	74-98-6	X	X	X	-
Sodium nitrite	7632-00-0	X	X	X	X

**CERCLA/ SARA**

Ingredient(s)	CAS #	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
2-butoxyethanol	111-76-2	1 - 5%			X
Isopropyl alcohol	67-63-0	1 - 5%			X
Sodium nitrite	7632-00-0	0.1 - 1.5%	100		X

Ingredient(s)	CAA HAP	CAA ODS	CWA Priority Pollutants
2-butoxyethanol	X		

**SARA 311/312 Hazard Categories**

**Immediate:** -  
**Delayed:** -  
**Fire:** X  
**Reactivity:** -  
**Sudden Release of Pressure:** X

**Canada**

**WHMIS hazard class:** A Compressed gases, B5 Flammable aerosol.



Ingredient(s)	CAS #	NPRI
2-butoxyethanol	111-76-2	X
Isopropyl alcohol	67-63-0	X
Propane	74-98-6	X
Sodium nitrite	7632-00-0	X

**16. OTHER INFORMATION**

**Reason for revision:** Not applicable  
**Prepared by:** NAPRAC  
**Additional advice:**

- Does not contain an added fragrance
- This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations

*Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.*