



MULTI Foaming Furniture Polish

HMIS		NFPA	Personal protective equipment
Health	1	1	None / Aucune / Ninguno
Flammability	4	4	
Physical Hazard / Instability	0	0	

Version Number: 2

Preparation date: 2015-05-28

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: MULTI Foaming Furniture Polish

SDS #: MS0300912
Product Code: 04390
Recommended use: • Furniture care

Manufacturer, importer, supplier: Canadian Headquarters
 US Headquarters
 Diversey, Inc.
 8310 16th St.
 Sturtevant, Wisconsin 53177-1964
 Phone: 1-888-352-2249
 MSDS Internet Address: www.diversey.com

Emergency telephone number: 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'l)

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

WARNING. FLAMMABLE. CONTENTS UNDER PRESSURE. MAY BE MILDLY IRRITATING TO EYES.

Principal routes of exposure: Eye contact. Skin contact. Inhalation. Ingestion.
Eye contact: May be mildly irritating to eyes.
Skin contact: None known.
Inhalation: None known.
Ingestion: None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient(s)	CAS #	Weight %	LD50 Oral - Rat (mg/kg)	LD50 Dermal - Rabbit	LC50 Inhalation - Rat
Butane	106-97-8	10 - 20%	2000	Not available	=658 g/m ³ (4 h)
Propane	74-98-6	5 - 10%	2400	Not available	=658 mg/L (4 h)
d-Limonene	5989-27-5	0.1 - 1.5%	4400	>5 g/kg	Not available

4. FIRST AID MEASURES

Eye contact: Flush immediately with plenty of water. If irritation develops, get medical attention.
Skin contact: Rinse with plenty of water.
Inhalation: No specific first aid measures are required.
Ingestion: No specific first aid measures are required.
Aggravated Medical Conditions: None known.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Dry chemical, water spray, foam, carbon dioxide.
Extinguishing media which must not be used for safety reasons: No information available.
Specific hazards: Aerosol product - Containers may rocket or explode in heat of fire. NFPA 30B Level 1 Aerosol.
Unusual hazards: None known.
Specific methods: Aerosol Product - Containers may rocket or explode in heat of fire. Use water spray to keep fire-exposed containers cool.

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Remove all sources of ignition.
Environmental precautions and clean-up methods: Remove all sources of ignition. Shovel into suitable container for disposal.

7. HANDLING AND STORAGE

Handling: CONTENTS UNDER PRESSURE. Do not puncture or incinerate. Avoid contact with eyes. Avoid breathing vapors or mists. Keep away from open flames, hot surfaces and sources of ignition. Use only in well-ventilated areas. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.
Storage: Keep tightly closed in a dry, cool and well-ventilated place. Protect from freezing. NFPA 30B Level 1 Aerosol. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 degrees C or 120 degrees F. Exposure to heat may cause bursting. Do not pierce or burn, even after use. KEEP OUT OF REACH OF CHILDREN.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:
 No special ventilation requirements. General room ventilation is adequate.

Personal Protective Equipment

Eye protection: No special requirements under normal use conditions.
Hand protection: No special requirements under normal use conditions.
Skin and body protection: No special requirements under normal use conditions.
Respiratory protection: No special requirements under normal use conditions.
Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

Ingredient(s)	CAS #	ACGIH	OSHA	Mexico
Butane	106-97-8	1000 ppm (STEL)		800 ppm (TWA) 1900 mg/m ³ (TWA)
Propane	74-98-6	1000 ppm (TWA)	1000 ppm (TWA) 1800 mg/m ³ (TWA)	

9. PHYSICAL AND CHEMICAL PROPERTIES

<p>Physical State: Aerosol Appearance: Aerosol Specific gravity: 0.857 Vapor density: No information available Boiling point/range: Not determined Decomposition temperature: Not determined Solubility: Partially Soluble Solubility in other solvents: No information available Partition coefficient (n-octanol/water): No information available Elemental Phosphorus: 0 % by wt. pH: 7 Explosion limits: - upper: Not determined - lower: Not determined</p>	<p>Bulk density: No information available Evaporation Rate: No information available Color: White Odor: Lemon Melting point/range: Not determined Autoignition temperature: No information available Density: 7.15 lbs/gal 0.857 Flash point: 19 °F -7 °C Viscosity: No information available VOC: 15.1 % * Dilution pH: No information available.</p>
---	---

* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

10. STABILITY AND REACTIVITY

Stability: The product is stable
Polymerization: Hazardous polymerization does not occur.
Hazardous decomposition products: None reasonably foreseeable.
Conditions to avoid: Do not freeze. Keep away from open flames, hot surfaces and sources of ignition.

11. TOXICOLOGICAL INFORMATION

Acute toxicity: Oral LD50 estimated to be greater than 5000 mg/kg. Dermal LD50 estimated to be > 2000 mg/kg.
Component Information: See Section 3.

Chronic toxicity: None known

Specific effects

Carcinogenic effects: None known
Mutagenic effects: None known
Reproductive toxicity: None known
Target organ effects: None known

Ingredient(s)	CAS #	NTP	IARC	OSHA
d-Limonene	5989-27-5		-	

12. ECOLOGICAL INFORMATION

Environmental Information: No data available.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:
Dispose of according to all federal, state and local applicable regulations.
RCRA Hazard Class (undiluted product): D001 Ignitable Waste

14. TRANSPORT INFORMATION

DOT/TDG/IMDG: Proper shipping descriptions can vary by pack size. Please refer to the Diversey HazMat Library, **only available through Internet Explorer**, <http://naextranet.diverseyc.com/dot/>, for up to date shipping information.

DOT (Ground) Bill of Lading Description: LTD. QTY.

IMDG (Ocean) Bill of Lading Description: UN1950, AEROSOLS, 2.1, LTD. QTY.

15. REGULATORY INFORMATION

International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65.

RIGHT TO KNOW (RTK)

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	-	-
Butane	106-97-8	X	X	X	-
Aliphatic hydrocarbons	64742-47-8	-	-	-	-
Propane	74-98-6	X	X	X	-
Alcohol ethoxylates	34398-01-1	-	-	-	-
White mineral oil	8042-47-5	X	X	-	-
d-Limonene	5989-27-5	-	X	-	-

CERCLA/ SARA

None

SARA 311/312 Hazard Categories

Immediate: X
Delayed: -
Fire: X
Reactivity: -
Sudden Release of Pressure: X

Canadian Regulations

WHMIS hazard class: A Compressed gases, B5 Flammable aerosol.

MULTI Foaming Furniture Polish



Ingredient(s)	CAS #	NPRI
Aliphatic hydrocarbons	64742-47-8	X
Propane	74-98-6	X
White mineral oil	8042-47-5	X
d-Limonene	5989-27-5	X

16. OTHER INFORMATION

Reason for revision: Not applicable
Prepared by: NAPRAC
Additional advice:

- Contains an added fragrance, see "Odor" heading in section 9 for specific description
- This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.