



STANDARD LENGTH CLASSIC PEAR HEAD RATCHETS

- › Robust 24-tooth gear/floating pawl design provides 15° ratcheting angle while maximizing ultimate torque.
- › Thin head design for access into tight work areas.
- › Reversing lever designed for quick, one-hand operation.



Product #	Drive Size (in)	Finish	Overall Length (in)	Weight (lbs)	Repair Kit
J4749	1/4	Full Polish	5	0.26	J4749RK
J4749BL	1/4	Black Oxide	5	0.24	J4749RK
J5249	3/8	Full Polish	7	0.61	J5249RK
J5249BL	3/8	Black Oxide	7	0.62	J5249RK
J5449	1/2	Full Polish	10	1.57	J5449RK
J5449BL	1/2	Black Oxide	10	1.74	J5449RK
J5649	3/4	Full Polish	20	6.00	J5649RK
J5649BL	3/4	Black Oxide	20	6.00	J5649RK

 ASME B107.500

CLASSIC PEAR HEAD RATCHET WITH OVERSIZED REVERSE LEVER

- › Oversized reverse lever for easy reversing while wearing work gloves.
- › Reversing lever designed for quick one-hand operation.
- › Ideal ratchet for lineman operations.
- › Robust 24-tooth gear/floating pawl design provides 15° ratcheting angle while maximizing ultimate torque.



Product #	Drive Size (in)	Finish	Overall Length (in)	Weight (lbs)	Repair Kit
J5449UT	1/2	Full Polish	10	1.50	J5449UTRK

 ASME B107.500

LONG HANDLE CLASSIC PEAR HEAD RATCHETS

- › Robust 24-tooth gear/floating pawl design provides 15° ratcheting angle while maximizing ultimate torque.
- › Alloy steel drive gear for strength and durability.
- › Low profile head for access in constricted areas.
- › Reversing lever design for quick, one-hand operation.
- › Knurled slip-resistant grip.



Product #	Drive Size (in)	Finish	Overall Length (in)	Weight (lbs)	Repair Kit
J5250	3/8	Full Polish	11	0.89	J5249RK
J5250BL	3/8	Black Oxide	11	0.81	J5249RK
J5450	1/2	Full Polish	16	2.03	J5449RK
J5450BL	1/2	Black Oxide	16	2.03	J5449RK

 ASME B107.500





SPINNER RATCHETS

- › Made from alloy steel.
- › Heat-treated for strength and durability.
- › Fits on the drive end of the ratchet for quickly running down the fastener before final tightening with the ratchet.

Product #	Drive Size (in)	Finish	Overall Length (in)	Weight (lbs)
J5251	3/8	Full Polish	1-1/2	0.56

ASME B107.500




SOCKET DRIVERS

Product #	Drive Size (in)	Finish	Overall Length (in)	Weight (lbs)
J4769	1/4	Full Polish	6	0.22

ASME B107.500

- › 1/4" square female drive in handle.



FLEXIBLE DRIVERS

Product #	Drive Size (in)	Finish	Overall Length (in)	Weight (lbs)
J4764	1/4	Chrome	6-3/4	0.19
J5267	3/8	Chrome	9	0.35

ASME B107.500

- › Flexible shaft for bending around obstructions in low torque applications.



RATCHET ADAPTERS

- › Converts standard handles to ratcheting handles.

Product #	Drive Size (in)	Finish	Overall Length (in)	Weight (lbs)
J5247	3/8	Full Polish	2-1/16	0.34
J5447	1/2	Full Polish	2-21/32	0.86
J5647	3/4	Full Polish	3-3/4	2.38

ASME B107.500



PEAR HEAD RATCHET REPAIR KITS

Product #	Drive Size (in)	Ratchet #	Weight (lbs)
J4749XLRK	1/4	J4749XL	0.04
J4749XLHSRK	1/4	J4749XLHS	0.06
J4749RK	1/4	J4749	0.04
J4749HSRK	1/4	J4749HS	0.04
J5249XLRK	3/8	J5249XL	0.13
J5249FWRK	3/8	J5249FW	0.13
J5249HSRK	3/8	J5249HS	0.15
J5249XLHSRK	3/8	J5249XLHS	0.15
J5449RK	1/2	J5449	0.38
J5449UTRK	1/2	J5449UT	0.38
J5449XLRK	1/2	J5449XL	0.23
J5449-14RK	1/2	J5449-14BL	0.37
J5450FWRK	1/2	J5450FW	0.26
J5649FWRK	3/4	J5649FW	1.00
J5649RK	3/4	J5649	1.00

ASME B107.500



1/2" DRIVE OVERSIZED LEVER CLASSIC PEAR HEAD RATCHET



- › Oversized reverse lever for easy reversing while wearing work gloves.
- › Reversing lever designed for quick one-hand operation.
- › Ideal ratchet for lineman operations.
- › Unique 24-tooth gear design provides 15° ratcheting angle while maximizing ultimate torque.

Product #	Drive Size (in)	Finish	Overall Length (in)	Weight (lbs)	Repair Kit
J5449UT	1/2	Full Polish	10	1.50	J5449UTRK


 ASME B107.500

1/2" DRIVE STANDARD LENGTH CLASSIC PEAR HEAD RATCHETS



- › Robust 24-tooth design with 15° arc swing.
- › Alloy steel drive gear for strength and durability.
- › Low profile head for access in constricted areas.
- › Reversing lever design for quick, one-hand operation.
- › Knurled slip-resistant grip.

Product #	Drive Size (in)	Finish	Overall Length (in)	Weight (lbs)	Repair Kit
J5449	1/2	Full Polish	10	1.57	J5449RK
J5449BL	1/2	Black Oxide	10	1.74	J5449RK


 ASME B107.500

1/2" DRIVE LONG HANDLE CLASSIC PEAR HEAD RATCHETS



- › Robust 24-tooth design with 15° arc swing.
- › Alloy steel drive gear for strength and durability.
- › Low profile head for access in constricted areas.
- › Reversing lever design for quick, one-hand operation.
- › Knurled slip-resistant grip.
- › Field repairable.

Product #	Drive Size (in)	Finish	Overall Length (in)	Weight (lbs)	Repair Kit
J5450	1/2	Full Polish	16	2.03	J5449RK
J5450BL	1/2	Black Oxide	16	2.03	J5449RK

 ASME B107.500



PEAR HEAD RATCHET REPAIR KITS

Product #	Drive Size (in)	Ratchet #	Weight (lbs)
J4749XLRK	1/4	J4749XL	0.04
J4749XLHSRK	1/4	J4749XLHS	0.06
J4749RK	1/4	J4749	0.04
J4749HSRK	1/4	J4749HS	0.04
J6064RK	3/8	J5248S	0.07
J5249XLRK	3/8	J5249XL	0.13
J5249FWRK	3/8	J5249FW	0.13
J5249HSRK	3/8	J5249HS	0.15
J5249XLHSRK	3/8	J5249XLHS	0.15
J5449RK	1/2	J5449	0.38
J5449UTRK	1/2	J5449UT	0.38
J5449XLRK	1/2	J5449XL	0.23
J5449-14RK	1/2	J5449-14BL	0.37
J5450FWRK	1/2	J5450FW	0.26
J5649FWRK	3/4	J5649FW	1.00
J5649RK	3/4	J5649	1.00



REVERSE CAM REPAIR KITS

Product #	Drive Size (in)	Weight (lbs)
J5649RC	3/4	0.02



ROUND HEAD RATCHET REPAIR KITS

Product #	Drive Size (in)	Ratchet #	Weight (lbs)
J4752FRK	1/4	J4752F, J4752FBL	0.10
J5252FRK	3/8	J5252F, J5252FBL, J5257F	0.60
J5452FRK	1/2	J5452F, J5452FBL, J5454F, J5457F	0.30

