

OUTSIDE MICROMETERS

MICROMETERS



226, 226M OUTSIDE MICROMETERS

1-6"/25-150MM



- Rugged construction and extremely attractive design
- For craftsmen who want a precision micrometer with a distinctive Starrett design and finish
- Strong ribbed frame with smooth black enamel finish and polished steel ribs and hub

S226, S226M MICROMETER SETS WITH STANDARDS IN CASE



0-6"/0-150MM

These sets are recommended for mechanics, automotive service and machine shops, toolrooms, inspection departments, and wherever gaging involves a wide range of measurements. Furnished in an attractive, protective cases to keep micrometer and standards readily accessible.

READABILITY FEATURES

- Starrett satin chrome finish – no glare – resists rust
- Advanced sleeve design with staggered lines and distinct figures for precise and easy readability
- Quick-reading figures – every thousandth numbered on inch tools

EASE-OF-HANDLING FEATURES

- Balanced frame and thimble design ensure easy handling and better readability
- Ring-type knurled lock nut for quick and sure locking

ACCURACY AND LONG-LIFE FEATURES

- Rugged frame ribbed for extra strength
- Extremely hard and stable one-piece spindle (the heart of our accuracy)
- Quick and easy adjustment

226 Outside Micrometers (.001" Graduation)				
Range	Ratchet Stop and Lock Nut Cat. No.	EDP	Standard (extra) Cat. No.	EDP
0-1"	226RL-1	12209		
1-2"	226RL-2	50820	234B-1	51017
2-3"	226RL-3	50825	234B-2	51019
3-4"	226RL-4	50830	234B-3	51021
4-5"	226RL-5	50835	234B-4	51023
5-6"	226RL-6	50840	234B-5	51025

226 Outside Micrometers, Carbide Faces (.0001" Graduation)				
Range	Cat. No.	EDP	Standard (extra) Cat. No.	EDP
0-1"	T226XRL-1	12211		
1-2"	T226XRL-2	50903	234B-1	51017
2-3"	T226XRL-3	50904	234B-2	51019
3-4"	T226XRL-4	50905	234B-3	51021
4-5"	T226XRL-5	50906	234B-4	51023
5-6"	T226XRL-6	50907	234B-5	51025

226M Outside Micrometers, Carbide Faces (0.001mm Graduation)				
Range	Cat. No.	EDP	Standard (extra) Cat. No.	EDP
0-25mm	V226MXRL-25	12212		
25-50mm	V226MXRL-50	64265	234MB-25	51018
50-75mm	V226MXRL-75	64266	234MB-50	51020
75-100mm	V226MXRL-100	64267	234MB-75	51022
100-125mm	V226MXRL-125	64268	234MB-100	51024
125-150mm	V226MXRL-150	64269	234MB-125	51026

Micrometer Cases for 226 and 226M Outside Micrometers			
Description	Cat. No.	EDP	
for 1" (25mm)	910	55397	
for 2" (50mm)	913	55400	
for 3" (75mm)	922	55222	
for 4" (100mm)	952	55223	
for 5" (125mm)	953	55224	
for 6" (150mm)	954	55225	

S226 and S226M Micrometer Sets				
Range	Cat. No.	EDP	Graduation	Set Description
0-3"	S226ARLZ	50854	.001"	Includes 1", 2" and 3" Micrometers, Two Standards, Adjusting Wrench
	ST226AXRLZ	56448	.0001"	
0-6"	S226BRLZ	50862	.001"	Includes 1", 2", 3", 4", 5" and 6" Micrometers, Set of Five Standards, Adjusting Wrench
	ST226BXRLZ	56798	.0001"	
0-75mm	SV226MAXRLZ	65237	0.001mm	Includes 25mm, 50mm and 75mm Micrometers, Two Standards, Adjusting Wrench
0-150mm	SV226MBXRLZ	65238	0.001mm	Includes 25mm, 50mm, 75mm, 100mm, 125mm and 150mm Micrometers, Set of Five Standards, Adjusting Wrench

Cases Only for S226 and S226M Micrometer Sets		
Cat. No.	EDP	Description
955	55226	Case for 0-3" and 0-75mm Micrometer Sets
956	55227	Case for 0-6" and 0-150mm Micrometer Sets



OUTSIDE MICROMETERS

436 OUTSIDE MICROMETERS



6-24"

Same balanced design as the smaller sizes but proportioned to these larger sizes with .300" (7.6mm) anvil and spindle diameters for ease of use on larger work.

All the same features as the 0-6" and 0-150mm ranges 436.1 Micrometers, except:


- Larger sizes are furnished with combination ratchet and speeder for uniform pressure and quicker adjustment
- Rigid and stable special cast iron frame with perforations for lightness and ribbed for strength and stability

MICROMETERS

436 Outside Micrometers			
Cat. No.	EDP	Range	Graduation
436RL-7	51684	6-7"	.001"
436XRL-7	51698		
T436XRL-7	51702		
436RL-8	51712	7-8"	.001"
436XRL-8	51726		
T436XRL-8	51730		
436RL-9	51740	8-9"	.001"
436XRL-9	51754		
T436XRL-9	51758		
436RL-10	51768	9-10"	.001"
436XRL-10	51782		
T436XRL-10	51786		
436RL-11	51796	10-11"	.001"
436XRL-11	51810		
T436XRL-11	51814		
436RL-12	51824	11-12"	.001"
436XRL-12	51838		
T436XRL-12	51842		
436XRLZ-13	51871	12-13"	.001"
436XRLZ-14	51872	13-14"	
436XRLZ-15	51873	14-15"	
436XRLZ-16	51874	15-16"	
436XRLZ-17	51875	16-17"	
436XRLZ-18	51876	17-18"	
436XRLZ-19	51877	18-19"	
436XRLZ-20	51878	19-20"	
436XRLZ-21	51879	20-21"	
436XRLZ-22	51880	21-22"	
436XRLZ-23	51881	22-23"	
436XRLZ-24	51882	23-24"	

7-12" models sent without case, packed one each to a box.

13-24" models are furnished in a case at no extra charge.



Standards for Inch Micrometers		
Cat. No.	EDP	Description
234B-1	51017	1" Standard for 2" Micrometers
234B-2	51019	2" Standard for 3" Micrometers
234B-3	51021	3" Standard for 4" Micrometers
234B-4	51023	4" Standard for 5" Micrometers
234B-5	51025	5" Standard for 6" Micrometers
234B-6	51027	6" Standard for 7" Micrometers
234B-7	51029	7" Standard for 8" Micrometers
234B-8	51031	8" Standard for 9" Micrometers
234B-9	51033	9" Standard for 10" Micrometers
234B-10	51035	10" Standard for 11" Micrometers
234B-11	51037	11" Standard for 12" Micrometers
234B-12	51039	12" Standard for 13" Micrometers
234A-13	50993	13" Standard for 14" Micrometers
234A-14	50995	14" Standard for 15" Micrometers
234A-15	50997	15" Standard for 16" Micrometers
234A-16	50999	16" Standard for 17" Micrometers
234A-17	51001	17" Standard for 18" Micrometers
234A-18	51003	18" Standard for 19" Micrometers
234A-19	51005	19" Standard for 20" Micrometers
234A-20	51007	20" Standard for 21" Micrometers
234A-21	51009	21" Standard for 22" Micrometers
234A-22	51011	22" Standard for 23" Micrometers
234A-23	51013	23" Standard for 24" Micrometers

Holster and Cases for Inch and Millimeter Micrometers		
914	64165	Leather Holster for 1" (25mm) Micrometers
910	55397	Case for 1" (25mm) Micrometers
913	55400	Case for 2" (50mm) Micrometers
922	55222	Case for 3" (75mm) Micrometers
952	55223	Case for 4" (100mm) Micrometers
953	55224	Case for 5" (125mm) Micrometers
954	55225	Case for 6" (150mm) Micrometers
930	55276	Case for 7" (175mm) Micrometers
931	55277	Case for 8" (200mm) Micrometers
932	55278	Case for 9" (225mm) Micrometers
933	55279	Case for 10" (250mm) Micrometers
934	55280	Case for 11" (275mm) Micrometers
935	55281	Case for 12" (300mm) Micrometers



OUTSIDE MICROMETERS

436.1M, 436.2M, 436M OUTSIDE MICROMETERS

0-600MM

Same basic design features as inch models

Standards for Millimeter Micrometers

Cat. No.	EDP	Description
234MB-25	51018	25mm Standard for 50mm Micrometers
234MB-50	51020	50mm Standard for 75mm Micrometers
234MB-75	51022	75mm Standard for 100mm Micrometers
234MB-100	51024	100mm Standard for 125mm Micrometers
234MB-125	51026	125mm Standard for 150mm Micrometers
234MB-150	51028	150mm Standard for 175mm Micrometers
234MB-175	51030	175mm Standard for 200mm Micrometers
234MB-200	51032	200mm Standard for 225mm Micrometers
234MB-225	51034	225mm Standard for 250mm Micrometers
234MB-250	51036	250mm Standard for 275mm Micrometers
234MB-275	51038	275mm Standard for 300mm Micrometers
234MB-300	51040	300mm Standard for 325mm Micrometers
234MA-325	50994	325mm Standard for 350mm Micrometers
234MA-350	50996	350mm Standard for 375mm Micrometers
234MA-375	50998	375mm Standard for 400mm Micrometers
234MA-400	51000	400mm Standard for 425mm Micrometers
234MA-425	51002	425mm Standard for 450mm Micrometers
234MA-450	51004	450mm Standard for 475mm Micrometers
234MA-475	51006	475mm Standard for 500mm Micrometers
234MA-500	51008	500mm Standard for 525mm Micrometers
234MA-525	51010	525mm Standard for 550mm Micrometers
234MA-550	51012	550mm Standard for 575mm Micrometers
234MA-575	51014	575mm Standard for 600mm Micrometers

Holster and Cases for Inch and Millimeter Micrometers

Cat. No.	EDP	Description
914	64165	Leather Holster for 1" (25mm) Micrometers
910	55397	Case for 1" (25mm) Micrometers
913	55400	Case for 2" (50mm) Micrometers
922	55222	Case for 3" (75mm) Micrometers
952	55223	Case for 4" (100mm) Micrometers
953	55224	Case for 5" (125mm) Micrometers
954	55225	Case for 6" (150mm) Micrometers
930	55276	Case for 7" (175mm) Micrometers
931	55277	Case for 8" (200mm) Micrometers
932	55278	Case for 9" (225mm) Micrometers
933	55279	Case for 10" (250mm) Micrometers
934	55280	Case for 11" (275mm) Micrometers
935	55281	Case for 12" (300mm) Micrometers

436.1M & 436M Outside Micrometers

Cat. No.	EDP	Range	Graduation
436.1MP-25	68047	0-25mm	0.01mm
436.1MRL-25	68048		
436.2MXRL-25	12755		
436.1MXFL-25	68050		
V436.2MXRL-25	12766	25-50mm	0.001mm
436.1MRL-50	68052		
436.1MXRL-50	68053		
V436.1MXRL-50	68054		
436.1MRL-75	68055	50-75mm	0.01mm
436.1MXRL-75	68056		
V436.1MXRL-75	68057		
436.1MRL-100	68058	75-100mm	0.01mm
436.1MXRL-100	68059		
V436.1MXRL-100	68060		
436.1MRL-125	68061	100-125mm	0.01mm
436.1MXRL-125	68062		
V436.1MXRL-125	68063		
436.1MRL-150	68064	125-150mm	0.01mm
436.1MXRL-150	68065		
V436.1MXRL-150	68066		
436MXRL-175	51706	150-175mm 175-200mm 200-225mm 225-250mm 250-275mm 275-300mm 300-325mm 325-350mm 350-375mm 375-400mm 400-425mm 425-450mm 450-475mm 475-500mm 500-525mm 525-550mm 550-575mm 575-600mm	0.01mm
436MXRL-200	51734		
436MXRL-225	51762		
436MXRL-250	51790		
436MXRL-275	51818		
436MXRL-300	51846		
436MXRLZ-325	64301		
436MXRLZ-350	64302		
436MXRLZ-375	64303		
436MXRLZ-400	64304		
436MXRLZ-425	64305		
436MXRLZ-450	64306		
436MXRLZ-475	64307		
436MXRLZ-500	64308		
436MXRLZ-525	64309		
436MXRLZ-550	64310		
436MXRLZ-575	64311		
436MXRLZ-600	64312		

25-150mm models sent in fitted plastic case. 175-300mm models sent without case, packed one each to a box. 325-600mm models are furnished in a case at no extra charge.



MICROMETERS

486, 486M BLADE TYPE MICROMETERS WITH NON-ROTATING SPINDLE

0-12"/0-150MM

Here is another special function Starrett micrometer. It is designed for fast and accurate measurements of circular form tools, diameter and depth of narrow grooves, slots, keyways, recesses, and depths between lands and fins.

486 Blade Type Micrometers (0-12" Range)

Range	Graduation	Cat. No.	EDP
0-1"	.001"	486P-1	52499
1-2"		486P-2	52501
2-3"		486P-3	52503
3-4"		486P-4	52505
4-5"		486P-5	52507
5-6"		486P-6	52509
6-7"		486P-7	67094
7-8"		486P-8	67095
8-9"		486P-9	67096
9-10"		486P-10	67097
10-11"		486P-11	67098
11-12"		486P-12	67099

486M Blade Type Micrometers (0-150mm Range)

0-25mm	0.01mm	486MP-25	64257
25-50mm		486MP-50	64258
50-75mm		486MP-75	64259
75-100mm		486MP-100	64260
100-125mm		486MP-125	64261
125-150mm		486MP-150	64262

Cases for 486 and 486M Blade Type Micrometers

Range	Cat. No.	EDP
1", 25mm	913	55400
2", 50mm	922	55222
3", 75mm	952	55223
4", 100mm	953	55224
5", 125mm	954	55225
6", 150mm	930	55276

READABILITY FEATURES

- Starrett satin chrome finish – no glare – resists rust
- Advanced sleeve design with staggered lines and distinct figures for precise and easy readability

EASE-OF-HANDLING FEATURES

- Speeder for quicker adjustment on all sizes
- Non-rotating spindle prevents blade from turning in narrow slots or rolling off shoulder
- The blades are .030" (0.8mm) thick
- Blades will measure to 5/16" (8mm) depths

ACCURACY AND LONG-LIFE FEATURES

- Rigid steel frame ribbed for extra strength on sizes through 6" (150mm)
- Extremely hard and stable one-piece spindle (the heart of our accuracy)
- Quick and easy adjustment

Cases for 486 & 486M Blade Type Micrometers

Range	Cat.	EDP
7", 175mm	931	55277
8", 200mm	932	55278
9", 225mm	933	55279
10", 250mm	934	55280
11", 275mm	935	55281
12", 300mm	436ZZ-13	55282

