

OUTSIDE MICROMETERS

MICROMETERS



226, 226M OUTSIDE MICROMETERS

1-6"/25-150MM



- Rugged construction and extremely attractive design
- For craftsmen who want a precision micrometer with a distinctive Starrett design and finish
- Strong ribbed frame with smooth black enamel finish and polished steel ribs and hub

S226, S226M MICROMETER SETS WITH STANDARDS IN CASE



0-6"/0-150MM

These sets are recommended for mechanics, automotive service and machine shops, toolrooms, inspection departments, and wherever gaging involves a wide range of measurements. Furnished in an attractive, protective cases to keep micrometer and standards readily accessible.

READABILITY FEATURES

- Starrett satin chrome finish – no glare – resists rust
- Advanced sleeve design with staggered lines and distinct figures for precise and easy readability
- Quick-reading figures – every thousandth numbered on inch tools

EASE-OF-HANDLING FEATURES

- Balanced frame and thimble design ensure easy handling and better readability
- Ring-type knurled lock nut for quick and sure locking

ACCURACY AND LONG-LIFE FEATURES

- Rugged frame ribbed for extra strength
- Extremely hard and stable one-piece spindle (the heart of our accuracy)
- Quick and easy adjustment

226 Outside Micrometers (.001" Graduation)				
Range	Ratchet Stop and Lock Nut Cat. No.	EDP	Standard (extra) Cat. No.	EDP
0-1"	226RL-1	12209		
1-2"	226RL-2	50820	234B-1	51017
2-3"	226RL-3	50825	234B-2	51019
3-4"	226RL-4	50830	234B-3	51021
4-5"	226RL-5	50835	234B-4	51023
5-6"	226RL-6	50840	234B-5	51025

226 Outside Micrometers, Carbide Faces (.0001" Graduation)				
Range	Cat. No.	EDP	Standard (extra) Cat. No.	EDP
0-1"	T226XRL-1	12211		
1-2"	T226XRL-2	50903	234B-1	51017
2-3"	T226XRL-3	50904	234B-2	51019
3-4"	T226XRL-4	50905	234B-3	51021
4-5"	T226XRL-5	50906	234B-4	51023
5-6"	T226XRL-6	50907	234B-5	51025

226M Outside Micrometers, Carbide Faces (0.001mm Graduation)				
Range	Cat. No.	EDP	Standard (extra) Cat. No.	EDP
0-25mm	V226MXRL-25	12212		
25-50mm	V226MXRL-50	64265	234MB-25	51018
50-75mm	V226MXRL-75	64266	234MB-50	51020
75-100mm	V226MXRL-100	64267	234MB-75	51022
100-125mm	V226MXRL-125	64268	234MB-100	51024
125-150mm	V226MXRL-150	64269	234MB-125	51026

Micrometer Cases for 226 and 226M Outside Micrometers		
Description	Cat. No.	EDP
for 1" (25mm)	910	55397
for 2" (50mm)	913	55400
for 3" (75mm)	922	55222
for 4" (100mm)	952	55223
for 5" (125mm)	953	55224
for 6" (150mm)	954	55225

S226 and S226M Micrometer Sets				
Range	Cat. No.	EDP	Graduation	Set Description
0-3"	S226ARLZ	50854	.001"	Includes 1", 2" and 3" Micrometers, Two Standards, Adjusting Wrench
	ST226AXRLZ	56448	.0001"	
0-6"	S226BRLZ	50862	.001"	Includes 1", 2", 3", 4", 5" and 6" Micrometers, Set of Five Standards, Adjusting Wrench
	ST226BXRLZ	56798	.0001"	
0-75mm	SV226MAXRLZ	65237	0.001mm	Includes 25mm, 50mm and 75mm Micrometers, Two Standards, Adjusting Wrench
0-150mm	SV226MBXRLZ	65238	0.001mm	Includes 25mm, 50mm, 75mm, 100mm, 125mm and 150mm Micrometers, Set of Five Standards, Adjusting Wrench

Cases Only for S226 and S226M Micrometer Sets		
Cat. No.	EDP	Description
955	55226	Case for 0-3" and 0-75mm Micrometer Sets
956	55227	Case for 0-6" and 0-150mm Micrometer Sets



OUTSIDE MICROMETERS

436 OUTSIDE MICROMETERS



6-24"

Same balanced design as the smaller sizes but proportioned to these larger sizes with .300" (7.6mm) anvil and spindle diameters for ease of use on larger work.

All the same features as the 0-6" and 0-150mm ranges 436.1 Micrometers, except:

- Larger sizes are furnished with combination ratchet and speeder for uniform pressure and quicker adjustment
- Rigid and stable special cast iron frame with perforations for lightness and ribbed for strength and stability

MICROMETERS

436 Outside Micrometers			
Cat. No.	EDP	Range	Graduation
436RL-7	51684	6-7"	.001"
436XRL-7	51698		
T436XRL-7	51702		
436RL-8	51712	7-8"	.001"
436XRL-8	51726		
T436XRL-8	51730		
436RL-9	51740	8-9"	.001"
436XRL-9	51754		
T436XRL-9	51758		
436RL-10	51768	9-10"	.001"
436XRL-10	51782		
T436XRL-10	51786		
436RL-11	51796	10-11"	.001"
436XRL-11	51810		
T436XRL-11	51814		
436RL-12	51824	11-12"	.001"
436XRL-12	51838		
T436XRL-12	51842		
436XRLZ-13	51871	12-13"	.001"
436XRLZ-14	51872	13-14"	
436XRLZ-15	51873	14-15"	
436XRLZ-16	51874	15-16"	
436XRLZ-17	51875	16-17"	
436XRLZ-18	51876	17-18"	
436XRLZ-19	51877	18-19"	
436XRLZ-20	51878	19-20"	
436XRLZ-21	51879	20-21"	
436XRLZ-22	51880	21-22"	
436XRLZ-23	51881	22-23"	
436XRLZ-24	51882	23-24"	

7-12" models sent without case, packed one each to a box.

13-24" models are furnished in a case at no extra charge.



Standards for Inch Micrometers		
Cat. No.	EDP	Description
234B-1	51017	1" Standard for 2" Micrometers
234B-2	51019	2" Standard for 3" Micrometers
234B-3	51021	3" Standard for 4" Micrometers
234B-4	51023	4" Standard for 5" Micrometers
234B-5	51025	5" Standard for 6" Micrometers
234B-6	51027	6" Standard for 7" Micrometers
234B-7	51029	7" Standard for 8" Micrometers
234B-8	51031	8" Standard for 9" Micrometers
234B-9	51033	9" Standard for 10" Micrometers
234B-10	51035	10" Standard for 11" Micrometers
234B-11	51037	11" Standard for 12" Micrometers
234B-12	51039	12" Standard for 13" Micrometers
234A-13	50993	13" Standard for 14" Micrometers
234A-14	50995	14" Standard for 15" Micrometers
234A-15	50997	15" Standard for 16" Micrometers
234A-16	50999	16" Standard for 17" Micrometers
234A-17	51001	17" Standard for 18" Micrometers
234A-18	51003	18" Standard for 19" Micrometers
234A-19	51005	19" Standard for 20" Micrometers
234A-20	51007	20" Standard for 21" Micrometers
234A-21	51009	21" Standard for 22" Micrometers
234A-22	51011	22" Standard for 23" Micrometers
234A-23	51013	23" Standard for 24" Micrometers

Holster and Cases for Inch and Millimeter Micrometers		
914	64165	Leather Holster for 1" (25mm) Micrometers
910	55397	Case for 1" (25mm) Micrometers
913	55400	Case for 2" (50mm) Micrometers
922	55222	Case for 3" (75mm) Micrometers
952	55223	Case for 4" (100mm) Micrometers
953	55224	Case for 5" (125mm) Micrometers
954	55225	Case for 6" (150mm) Micrometers
930	55276	Case for 7" (175mm) Micrometers
931	55277	Case for 8" (200mm) Micrometers
932	55278	Case for 9" (225mm) Micrometers
933	55279	Case for 10" (250mm) Micrometers
934	55280	Case for 11" (275mm) Micrometers
935	55281	Case for 12" (300mm) Micrometers



OUTSIDE MICROMETERS

436.1M, 436.2M, 436M OUTSIDE MICROMETERS

0-600MM

Same basic design features as inch models

Standards for Millimeter Micrometers

Cat. No.	EDP	Description
234MB-25	51018	25mm Standard for 50mm Micrometers
234MB-50	51020	50mm Standard for 75mm Micrometers
234MB-75	51022	75mm Standard for 100mm Micrometers
234MB-100	51024	100mm Standard for 125mm Micrometers
234MB-125	51026	125mm Standard for 150mm Micrometers
234MB-150	51028	150mm Standard for 175mm Micrometers
234MB-175	51030	175mm Standard for 200mm Micrometers
234MB-200	51032	200mm Standard for 225mm Micrometers
234MB-225	51034	225mm Standard for 250mm Micrometers
234MB-250	51036	250mm Standard for 275mm Micrometers
234MB-275	51038	275mm Standard for 300mm Micrometers
234MB-300	51040	300mm Standard for 325mm Micrometers
234MA-325	50994	325mm Standard for 350mm Micrometers
234MA-350	50996	350mm Standard for 375mm Micrometers
234MA-375	50998	375mm Standard for 400mm Micrometers
234MA-400	51000	400mm Standard for 425mm Micrometers
234MA-425	51002	425mm Standard for 450mm Micrometers
234MA-450	51004	450mm Standard for 475mm Micrometers
234MA-475	51006	475mm Standard for 500mm Micrometers
234MA-500	51008	500mm Standard for 525mm Micrometers
234MA-525	51010	525mm Standard for 550mm Micrometers
234MA-550	51012	550mm Standard for 575mm Micrometers
234MA-575	51014	575mm Standard for 600mm Micrometers

Holster and Cases for Inch and Millimeter Micrometers

Cat. No.	EDP	Description
914	64165	Leather Holster for 1" (25mm) Micrometers
910	55397	Case for 1" (25mm) Micrometers
913	55400	Case for 2" (50mm) Micrometers
922	55222	Case for 3" (75mm) Micrometers
952	55223	Case for 4" (100mm) Micrometers
953	55224	Case for 5" (125mm) Micrometers
954	55225	Case for 6" (150mm) Micrometers
930	55276	Case for 7" (175mm) Micrometers
931	55277	Case for 8" (200mm) Micrometers
932	55278	Case for 9" (225mm) Micrometers
933	55279	Case for 10" (250mm) Micrometers
934	55280	Case for 11" (275mm) Micrometers
935	55281	Case for 12" (300mm) Micrometers

436.1M & 436M Outside Micrometers

Cat. No.	EDP	Range	Graduation
436.1MP-25	68047	0-25mm	0.01mm
436.1MRL-25	68048		
436.2MXRL-25	12755		
436.1MXFL-25	68050		
V436.2MXRL-25	12766	25-50mm	0.001mm
436.1MRL-50	68052		
436.1MXRL-50	68053		
V436.1MXRL-50	68054		
436.1MRL-75	68055	50-75mm	0.01mm
436.1MXRL-75	68056		
V436.1MXRL-75	68057		
436.1MRL-100	68058	75-100mm	0.01mm
436.1MXRL-100	68059		
V436.1MXRL-100	68060		
436.1MRL-125	68061	100-125mm	0.01mm
436.1MXRL-125	68062		
V436.1MXRL-125	68063		
436.1MRL-150	68064	125-150mm	0.01mm
436.1MXRL-150	68065		
V436.1MXRL-150	68066		
436MXRL-175	51706		
436MXRL-200	51734	150-175mm	0.01mm
436MXRL-225	51762	175-200mm	
436MXRL-250	51790	200-225mm	
436MXRL-275	51818	225-250mm	
436MXRL-300	51846	250-275mm	
436MXRLZ-325	64301	275-300mm	
436MXRLZ-350	64302	300-325mm	
436MXRLZ-375	64303	325-350mm	
436MXRLZ-400	64304	350-375mm	
436MXRLZ-425	64305	375-400mm	
436MXRLZ-450	64306	400-425mm	
436MXRLZ-475	64307	425-450mm	
436MXRLZ-500	64308	450-475mm	
436MXRLZ-525	64309	475-500mm	
436MXRLZ-550	64310	500-525mm	
436MXRLZ-575	64311	525-550mm	
436MXRLZ-600	64312	550-575mm	
		575-600mm	

25-150mm models sent in fitted plastic case. 175-300mm models sent without case, packed one each to a box. 325-600mm models are furnished in a case at no extra charge.



THREAD COMPARATOR MICROMETERS

210, 210M SCREW THREAD COMPARATOR MICROMETERS

0-7/8"/0-22MM

This micrometer is ideal for quick comparisons of thread accuracy in screw cutting operations, measuring in small grooves or recesses where regular micrometers cannot be used, and for many other applications.

NOTE: Does not measure pitch diameter. For such measurements, 575 or 585 Thread Micrometers are recommended.

READABILITY FEATURES

- Starrett satin chrome finish – no glare – resists rust
- Advanced sleeve design with staggered lines and distinct figures for precise and easy readability
- Convenient decimal equivalents on inch reading tools

EASE-OF-HANDLING FEATURES

- Balanced frame and thimble design ensure easy handling and better readability
- Gracefully designed tapered frame for narrow slots and tight places

ACCURACY AND LONG-LIFE FEATURES

- Rigid steel frame
- Extremely hard and stable one-piece spindle (the heart of our accuracy)
- The 210 has 60° conical anvil and spindle faces with 1/64" (0.4mm) flats on the ends of the points
- Quick and easy adjustment

760 ELECTRONIC SCREW THREAD COMPARATOR MICROMETER (WITH OUTPUT)

0-1"/0-25MM

Same features as our 210 with electronic readout and the following additional features and benefits:

READABILITY FEATURES

- Large LCD digital readout is easy to read and reduces errors
- Resolution: .00005" and 0.001mm
- Conventional inch or millimeter graduations standard
- Attractive no-glare black wrinkle finish on the frame
- Starrett no-glare satin chrome finish on thimble and sleeve

ACCURACY AND LONG-LIFE FEATURES

- One 3-volt battery furnished for over a year of normal usage
- Automatic OFF after 30 minutes of nonuse

FULL-FUNCTION ACTION FEATURES

- Instant inch/millimeter conversion
- "ME" millimeter model turns on in millimeter mode after battery installation
- Measurement HOLD button
- Zero tool at any position and return to true zero reading
- PRESET button to install any reading at any position
- Ability to install minimum and maximum limits
- RS232 data output port
- Works well with Starrett DataSure® Wireless Data Collection Systems

210 and 210M Screw Thread Comparator Micrometers (0-7/8" Range)

Cat. No.	EDP	Range	Graduation
210AP	50731	0-7/8"	.001"
210MAP	64334	0-22mm	0.01mm

Case for 210 and 210M Screw Thread Comparator Micrometers

Cat. No.	EDP	Description
910	55397	Attractive protective case

760 and 760M Electronic Screw Thread Comparator Micrometer

Cat. No.	EDP	Description
760FL	64051	0-1"/0-25mm range, standard inch graduations on shell and thimble
760MEFL	66135	0-25mm/0-1" range, standard millimeter graduations on shell and thimble

Case for 760 and 760M Electronic Screw Thread Comparator Micrometers

731ZZ-2	65163	Attractive protective case
---------	-------	----------------------------

Cable Information for 760 and 760M Electronic Screw Thread Comparator Micrometers

Part No.	EDP	Description
733SCKB	69888	Computer cable to PC
733SCU	69898	Cable to computer running SPC Data Collection Software
733SCM	69893	Connection to 7612 or 7613 Multiplexier
PT61120	65446	One 3-Volt battery CR2450

