

Actual

Catalog Number: A18-10F

 Product ID:
 7TAI029590R0002

 UPC Number:
 78621080303

 EAN Number:
 05414363147077

Status: Active

Non-Insulated Fork Terminal, Length .75 Inches, Width .31 Inches, Bolt Hole #10, Wire Range #22-#16 AWG, Copper, Tin Plated

- These non-insulated fork terminals are made of electrolytic copper for high conductivity.
- They can be installed with crimping tools having a single indentor or double indentor (recommended for solid wire).
- · Serrated barrel increases grip on wire.
- Application Tools: WT110M, WT111M, WT112M, WT2000, ERG4002

North American Specifications	(UNSPSC)
UNSPSC	39121432 Electrical terminals
IGCC	4603 Electrical terminals
Brand Name	Sta-Kon
Туре	Fork Terminal
Special Features	These non-insulated fork terminals are made of electrolytic copper for high conductivity. They can be installed with crimping tools having a single indentor or double indentor (recommended for solid wire). Serrated barrel increases grip on wire.
Standard	UL E9809
Wire Size	22-16
Voltage Rating	600V
Material	Copper
Color	Metallic

European Specifications (ETIM)		
ETIM	EC001052 Solderless copper terminals for copper	
	conductors	
Flange shape	Fork shape	
Insulation	None	
Reel packaging	N	
AWG-range	22-16	
Material	Copper	
Surface protection	Tinned	

Packaging	
Inner Quantity	100
Inner Dimensions (inches)	2.63x1.63x3.5
Outer Quantity	500
Outer Dimensions (inches)	10.5x9x7.25
Weight Uom	0.25 lbs. per 100

Documents / Support Tools	
Technical Data Sheet US	Available on Website
Technical Data Sheet CA	Available on Website

Hours: 7AM - 6PM CDT

Phone: (888) 862-3289

Monday-Friday

For further technical assistance, please contact us...

T&B Technical Support MS 3B-50 8155 T&B Blvd.



www.tnb.com Memphis, TN 38125

Fax: (901) 252-1321 Email:techsupport@tnb.com