

## Metallic Liquidtight Cord and Cable Connectors

### T&B® Liquidtight Strain-Relief Cord Connectors



The T&B Steel Liquidtight Strain Relief Cord Connector is suited for most general control and power cable applications. This series features sturdy neoprene bushings and tapered hub threads.




Fig. 1

Fig. 2



#### Application

- Provide means for passing a cord cable (armored or unarmored) into an enclosure, through a bulkhead or into a rigid conduit
- Form a mechanical grip and water- and/or oil-resistant seal for cord and unarmored or jacketed armored round cables
- Form a non-slip connection or termination for flexible cord, cable (armored or unarmored)
- Provide grounding continuity of cable armor

#### Cord & Cable Type

- S, SO, SV, ST, STD, SJ, SJO, SJT, SJTO, SVD

#### Features

- Extended range with superior strain relief
- Reduced overall size, fits into tighter spaces
- Gland nut designed to restrict cable bending

#### Materials

Body..... Cat. Nos. 2516–2519 — Steel  
 Cat. Nos. 2520–2596 — Malleable Iron or Die-Cast Zinc  
 2200 Series — Malleable Iron  
 Gland..... Steel  
 Bushing..... Neoprene

#### Environment Classification

Ordinary locations

Wet or dry locations

Fittings used in a trade size knockout requiring a NEMA 3R, 4, 6 or 13 listing require a 5262 Series sealing ring

UL Listed as liquidtight strain relief and outlet bushing.  
 CSA certified watertight.

UL File No. E 13938

CSA File No. 589 & 4484

† UL not applicable.

\* Remove sufficient outer covering of cable to permit conductors to pass through connector body.

Complies with JIC standards.

Temperature rating 105° C.

Suitable for hazardous locations use where general-purpose equipment is specifically permitted per NEC® Section 501-4(b).

CAT. NO.	CABLE SIZE (IN)		HUB SIZE	THROAT DIA. (MIN.)	FIG.	DIMENSIONS (IN.)			BUSHING PART NO.	GLAND-NUT MODEL NO.	RETAINER MODEL NO.	BODY MODEL NO.
	RANGE	MIN.-MAX.				A	B	C				
2516†	.060–.125		¼"	23/64"	2	39/64	17/16	19/32	035-73377-5	035-73377-3	035-73377-9	035-73377-1
2517†	.120–.250		¼"	23/64"	2	13/64	17/16	19/32	035-73377-6	035-73377-3	035-73377-9	035-73377-1
2518†	.060–.150		¾"	29/64"	2	31/32	1½	19/32	035-73377-7	035-73377-4	035-73377-9	035-73377-2
2519†	.150–.300		¾"	29/64"	2	31/32	1½	19/32	035-73377-8	035-73377-4	035-73377-9	035-73377-2
2520	.125–.250		½"	9/16"	1		121/32	5/8	053-71411-1	053-71411-37	035-72735-1	053-71411-43
2521	.250–.375		½"	9/16"	1	1½	121/32	5/8	053-71411-2	053-71411-37	035-72735-1	053-71411-43
2522	.375–.500		½"	9/16"	1	1½	121/32	5/8	053-71411-3	053-71411-37	035-72735-2	053-71411-43
2523	.450–.500		½"	9/16"	1	1½	121/32	5/8	053-71411-4	053-71411-37	035-72735-2	053-71411-43
2524*	.500–.625		½"	5/8"	1	1½	13/4	5/8	053-71411-59	053-71411-38	035-72735-3	033-72259-21
2525*	.625–.750		½"	5/8"	1	1½	13/4	5/8	053-71411-60	053-71411-38	035-72735-3	033-72259-21
2530	.125–.250		¾"	13/16"	1	1½	13/4	9/16	033-72259-1	053-71411-38	035-72735-4	053-71411-44
2531	.250–.375		¾"	13/16"	1	1½	13/4	9/16	053-71411-5	053-71411-38	035-72735-4	053-71411-44
2532	.375–.500		¾"	13/16"	1	1½	13/4	9/16	053-71411-58	053-71411-38	035-72735-4	053-71411-44
2534	.500–.625		¾"	13/16"	1	1½	13/4	9/16	053-71411-59	053-71411-38	035-72735-3	053-71411-44
2535	.625–.750		¾"	13/16"	1	1½	13/4	9/16	053-71411-60	053-71411-38	035-72735-3	053-71411-44
2536*	.750–.880		¾"	3/4"	1	1½	19/16	5/8	053-71411-61	053-71411-39	035-72735-5	033-72259-22
2541	.250–.375		1"	49/64"	1	111/16	129/32	9/16	053-71411-5	053-71411-38	035-72735-4	053-71411-45
2542	.375–.500		1"	49/64"	1	111/16	129/32	9/16	053-71411-58	053-71411-38	035-72735-4	053-71411-45
2544	.500–.625		1"	49/64"	1	111/16	129/32	9/16	053-71411-59	053-71411-38	035-72735-3	053-71411-45
2545	.625–.750		1"	49/64"	1	111/16	129/32	5/8	053-71411-60	053-71411-38	035-72735-3	053-71411-45
2546	.750–.880		1"	63/64"	1	111/16	17/8	9/16	053-71411-61	053-71411-39	035-72735-5	053-71411-46
2547	.875–.985		1"	63/64"	1	111/16	17/8	9/16	053-71411-62	053-71411-39	035-72735-5	053-71411-46
2548*	.880–1.065		1"	29/32"	1	21/8	23/8	29/32	053-71411-63	053-71411-40	035-72735-6	033-72259-23
2549*	1.065–1.205		1"	29/32"	1	21/8	23/8	29/32	053-71411-64	053-71411-40	035-72735-6	033-72259-23
2558	.880–1.065		1¼"	117/64"	1	21/8	23/8	5/8	053-71411-63	053-71411-40	035-72735-6	053-71411-47
2559	1.065–1.205		1¼"	117/64"	1	21/8	23/8	5/8	053-71411-64	053-71411-40	035-72735-6	053-71411-47
2556*	1.187–1.375		1¼"	1¼"	1	23/8	21/2	19/16	053-71411-18	053-71411-41	035-72735-7	033-72259-24
2557*	1.375–1.485		1¼"	1¼"	1	23/8	21/2	19/16	033-72259-2	053-71411-41	035-72735-7	033-72259-24
2562	.812–1.000		1½"	17/16"	1	23/8	21/2	19/16	033-72259-3	053-71411-41	035-72735-7	053-71411-48
2563	1.000–1.187		1½"	17/16"	1	23/8	21/2	19/16	053-71411-17	053-71411-41	035-72735-7	053-71411-48
2564	1.187–1.375		1½"	17/16"	1	23/8	21/2	19/16	053-71411-18	053-71411-41	035-72735-7	053-71411-48
2565*	1.375–1.625		1½"	129/64"	1	23/4	23/8	19/16	053-71411-65	053-71411-42	035-72735-8	033-72259-25
2573	1.125–1.375		2"	17/8"	1	23/4	23/8	19/16	053-71411-66	053-71411-42	035-72735-8	053-71411-49
2574	1.375–1.625		2"	17/8"	1	23/4	23/8	19/16	053-71411-65	053-71411-42	035-72735-8	053-71411-49
2575	1.625–1.875		2"	17/8"	1	23/4	31/2	19/16	053-71411-67	053-71411-42	035-72735-8	053-71411-49
2576*	1.750–1.965		2"	129/32"	1	33/32	31/2	19/16	033-72259-5	033-72259-17	035-72735-9	033-72259-26
2577*	1.937–2.187		2"	129/32"	1	33/32	31/2	19/16	033-72259-6	033-72259-17	035-72735-9	033-72259-26
2584	1.750–1.965		2½"	2"	1	33/32	33/4	1½	033-72259-5	033-72259-17	035-72259-14	033-72259-27
2585	1.937–2.187		2½"	2"	1	33/32	33/4	1½	033-72259-6	033-72259-18	033-72259-14	033-72259-27
2586*	2.156–2.360		2½"	25/32"	1	315/16	41/4	1½	033-72259-7	033-72259-19	033-72259-15	033-72259-28
2587*	2.350–2.565		2½"	25/32"	1	315/16	41/4	1½	033-72259-8	033-72259-19	033-72259-15	033-72259-28
2592	2.156–2.360		3"	213/32"	1	315/16	41/4	1½	033-72259-7	033-72259-19	033-72259-15	033-72259-29
2593	2.350–2.565		3"	213/32"	1	315/16	41/4	1½	033-72259-8	033-72259-19	033-72259-15	033-72259-29
2594	2.535–2.750		3"	213/32"	1	315/16	41/4	1½	033-72259-9	033-72259-19	033-72259-15	033-72259-29
2595*	2.735–2.985		3"	213/32"	1	411/16	413/16	1½	033-72259-10	033-72259-20	033-72259-16	033-72259-30
2596*	2.970–3.220		3"	213/32"	1	411/16	413/16	1½	033-72259-11	033-72259-20	033-72259-16	033-72259-30