

# Inductive Rectangular Sensors



Housing Style - Rectangular	Part Number	ID Number	Features	Embeddable	Sensing Range (mm)	Output
	Bi15-CP40-FDZ30X2	M4224100	<b>Prog. Outputs</b>	•	15	2-Wire AC/DC
	Bi15-CP40-FDZ30X2/S97	M4226600	<b>Low Temp -40°C</b>	•	15	
	Bi15U-CP40-FDZ30X2	M4280601	<b>Uprox</b>	•	15	
	Ni20-CP40-FDZ30X2	M4224200	<b>Prog. Outputs</b>		20	
	Ni35-CP40-FDZ30X2	M4224500	<b>Prog. Outputs</b>		35	
	Ni40U-CP40-FDZ30X2	M4280801	<b>Uprox</b>		40	
	Bi15-CP40-FZ3X2	M1341000	<b>Prog. Outputs</b>	•	15	2-Wire AC/DC
	Bi15-CP40-FZ3X2/S97	M1341010	<b>Low Temp. -40°C</b>	•	15	
	Bi15-CP40-FZ3X2/S100	M1377600	<b>High Temp. 100°C</b>	•	15	
	Ni20-CP40-FZ3X2	M1341100	<b>Prog. Outputs</b>		20	
Ni20-CP40-FZ3X2/S100	M1377500	<b>High Temp. 100°C</b>		20		
Ni35-CP40-FZ3X2	M1341300	<b>Prog. Outputs</b>		35		
Ni40-CP40-FZ3X2/S100	M1374802	<b>High Temp. 100°C</b>		40		
Bi15-CP40-FZ3X2/S109	M1373700	<b>Time Delay</b>	•	15	2-Wire AC	
Bi15-CP40-FZ3X2/S110	M1373500	<b>Time Delay</b>	•	15		
Ni20-CP40-FZ3X2/S110	M1374600	<b>Time Delay</b>		20		
Ni30-CP40-FZ3X2/S109	M1374700	<b>Time Delay</b>		30		
Ni30-CP40-FZ3X2/S110	M1374400	<b>Time Delay</b>		30		
Bi15-CP40-VDZ3X2	M4222700	<b>Comp. Outputs</b>	•	15	4-Wire AC/DC	
Bi15-CP40-Y1X	M1012000		•	15	NAMUR	
Ni20-CP40-Y1X	M1012100			20		
Ni35-CP40-Y1X/S100	M1011126	<b>High Temp. 100°C</b>		35		

WFI = Weld-Field Immune Sensors.  
 "/S109" Designates on Delay.  
 "/S110" Designates off Delay.

For detailed sensor specifications see Section M.  
 Normally Closed versions available upon request, consult factory.