Removing slag from a flame-cut Steel plate.

WIRE CUP BRUSHES

Weiler's wire cup brushes are intended primarily for use on portable power tools for addressing larger surface areas more efficiently than a wheel brush. Cup brushes are designed for smooth, efficient operation on angle grinders to make quick work of large jobs.



Cup brushes are available in a variety of knot wire and crimped wire configurations for use in a broad range of surface cleaning applications, and they are manufactured with individual knot hole and solid ring construction for high performance and long life. Weiler's cup brushes are available in heat-treated Steel, Type 302 Stainless Steel, and Brass wire.

APPLICATIONS

- Removal of slag from the edges of plasma-cut or flame-cut plates
- Removing paint and coatings
- Cleaning rust, scale, and corrosion
- Deburring
- Weld prep and cleaning



13016

KNOT WIRE CUP BRUSHES Single Row

Provide heavy-duty brushing action with some flexibility; ideal for demanding cleaning applications on relatively flat surfaces.



Diameter	Wire Size	Arbor Hole	Trim Length	Max. RPM	Standard Pack	Item Number		
						Steel	Stainless	Bronze
2-3/4"	.014	M10 x 1.25	1"	14,000	1	13015	-	-
		M10 x 1.50				13016	-	-
		M14 x 2.0				13020	-	-
		3/8"-24 UNF				13021	_	-
		5/8"-11 UNC				13025 ■	_	-
2-3/4"	.020	M10 x 1.25	1"	14,000	1	13281 ■	13253	-
		M10 x 1.50				13282	13254	-
		M14 x 2.0				13283	13255	-
		3/8"-24 UNF				13284	13256	_
		1/2"-13 UNC				13285	13257	_
		5/8"-11 UNC				13286 ■	13258	13299
3-1/2"	.023	M10 x 1.25	7/8"	13,000	1	13150	_	
		M10 x 1.50				13151	_	_
		M14 x 2.0				13152	13159	_
		3/8"-24 UNF				13153	13160	-
		1/2"-13 UNC				13155	_	-
		5/8"-11 UNC				13156 ■	13163	_
3-1/2"	.014	5/8"-11 UNC	1-1/4"	9,000	1	12736	_	_
	.020					12746	_	-
4"	.014	5/8"-11 UNC	1-1/4"	10,200	1	12306	12406	-
	.020					_	_	12776
	.023					12316 ■	12416	-
	.035					12326	-	-
4"	.023	5/8"-11 UNC	1-1/4"	10,200	1	12206 �	-	-
4"	.023	5/8"-11 UNC	1-1/4"	10,200	1	12826*	_	-
5″	.014	5/8"-11 UNC	1-3/8"	9,000	1	12256*	-	_
	.023					12276 ■*	-	-
6"	.014	5/8"-11 UNC	1-3/8"	6,600	1	12356	12456	_
	.023					12376 ■	12476	_
	.035					12396	-	_
6"	.023	5/8"-11 UNC	1-3/8"	6,600	1	12816*	-	_
6"	.014	5/8"-11 UNC	1-5/8"	6,000	1	12846	_	_
	.023					12856	12886	_
	.035					12866	-	
With internal nut	*	Cable Twist			•			



13156



12276

- Available in Display Packaging. Add "P" to end of Item Number when placing order.