867/4 Z TORX® BO Bits with bore hole

Application: For TORX® socket screws with safety pin (BO = with bore hole)
Drive: $^1/_4$" hexagon suitable for DIN 3126-F 6,3, ISO 1173 bit holders
Design: TORX® with bore hole, tough viscous, ideal for hard screwdriving e.g. in metal sheet or structures

Code		mm		mm		
05060139001	TX 8	70	2 $^3/_4$"	3,0		10
05060048001	TX 8	89	3 $^1/_2$"	3,0		10
05060049001	TX 9	89	3 $^1/_2$"	3,0		10
05060140001	TX 10	70	2 $^3/_4$"	4,0		10
05060050001	TX 10	89	3 $^1/_2$"	4,0		5
05060141001	TX 15	70	2 $^3/_4$"	4,0		10
05060051001	TX 15	89	3 $^1/_2$"	4,0		5
05060142001	TX 20	70	2 $^3/_4$"	4,5		10
05060052001	TX 20	89	3 $^1/_2$"	4,5		5
05060143001	TX 25	70	2 $^3/_4$"	6,0		10
05060053001	TX 25	89	3 $^1/_2$"	6,0		10
05060144001	TX 27	70	2 $^3/_4$"	6,0		10
05060057001	TX 27	89	3 $^1/_2$"	6,0		5
05060145001	TX 30	70	2 $^3/_4$"	6,0		10
05060054001	TX 30	89	3 $^1/_2$"	6,0		5
05060146001	TX 40	70	2 $^3/_4$"	-		10
05060056001	TX 40	89	3 $^1/_2$"	-		5

TORX® with borehole

TORX® tools with a borehole prevent the unauthorised unfastening of safety screws. The screws contain a pin that protrudes into the drive profile so that "normal" TORX® tools cannot be used. This pin fits into the borehole of TORX® BO tools allowing safety screws to be unfastened.

867/4 Z IP TORX PLUS® Bits

Application: For TORX PLUS® socket screws
Drive: $^1/_4$" hexagon suitable for DIN 3126-F 6,3, ISO 1173 bit holders
Design: Tough viscous, ideal for hard screwdriving e.g. in metal sheet or structures

Code		mm		mm		
05134664001	1 IP	50	2"	2,0		10
05134665001	2 IP	50	2"	2,0		10
05134668001	3 IP	50	2"	2,0		10
05134691001	4 IP	50	2"	3,0		10
05134678001	5 IP	50	2"	3,0		10
05134680001	6 IP	50	2"	3,0		10
05134667001	6 IP	89	3 $^1/_2$"	3,0		10
05134690001	6 IP	152	6"	3,0		10
05134681001	7 IP	50	2"	3,0		10
05134679001	8 IP	50	2"	3,0		10
05134670001	8 IP	89	3 $^1/_2$"	3,0		10
05134682001	8 IP	152	6"	3,0		10
05160917001	9 IP	50	2"	3,0		10
05134669001	9 IP	89	3 $^1/_2$"	3,0		10
05134683001	10 IP	50	2"	4,0		10
05134684001	10 IP	70	2 $^3/_4$"	4,0		10
05134671001	10 IP	89	3 $^1/_2$"	4,0		10
05134685001	15 IP	50	2"	4,0		10
05134686001	15 IP	70	2 $^3/_4$"	4,0		10
05134672001	15 IP	89	3 $^1/_2$"	4,0		10
05134687001	20 IP	50	2"	4,5		10
05134688001	20 IP	70	2 $^3/_4$"	4,5		10
05134673001	20 IP	89	3 $^1/_2$"	4,5		10
05134674001	25 IP	89	3 $^1/_2$"	6,0		10
05134675001	27 IP	89	3 $^1/_2$"	6,0		10
05320430001	30 IP	50	2"	6,0		10
05134676001	30 IP	89	3 $^1/_2$"	6,0		10
05134677001	40 IP	89	3 $^1/_2$"	-		10

TORX PLUS®

Compared with the "normal", round TORX® profile the elliptical profile of TORX PLUS® tools makes it possible to increase the size of the 6 flanks that transfer torque between the tool and the screw. The force applied by the user is distributed across a larger surface area allowing more torque to be transferred and extending the service life of both the screw and the tool.

Tools for Power Use