



RIGID • IMC

FS and FD Cast Device Box Covers and Gasket

Features

- Each cover comes with captive screws
- FSFDCS1KON & FSFDCA1KON - Raintight if used with FSFDCG1KON

Standard Materials

FSFDCSKON - Steel

FSFDCAKON - Aluminum

Gasket - Neoprene rubber

Standard Finish

Zinc plated

Applicable Third Party Standards

- CSA Standard: C22.2 No. 42.1
- UL 514D
- UL Listed File # E208392

Steel

CATALOG NUMBER	MASTER PACK	WEIGHT PER C
FSFDCS1KON	25	18.1
FSFDCS2KON	25	15.6
FSFDCS3KON	25	12.5
FSFDCS4KON	25	11.9

Aluminum

CATALOG NUMBER	MASTER PACK	WEIGHT PER C
FSFDCA1KON	25	9.4
FSFDCA2KON	25	8.1
FSFDCA3KON	25	6.5
FSFDCA4KON	25	6.2

Gasket

CATALOG NUMBER	MASTER PACK	WEIGHT PER C
FSFDCG1KON [^]	25	3.5

[^] UL Listing not applicable to this part



FSFDCS1KON

Blank cover for splices and taps
Raintight if used with FSFDCG1KON
Sheet steel



FSFDCS2KON

Unguarded square handle switch
Sheet steel



FSFDCS3KON

Duplex receptacle
Malleable iron



FSFDCS4KON

GFI receptacles
Sheet steel



FSFDCA1KON

Blank cover for splices and taps
Raintight if used with FSFDCG1KON
Sheet aluminum



FSFDCA2KON

Unguarded square handle switch
Sheet aluminum



FSFDCA3KON

Duplex receptacles
Sheet aluminum



FSFDCA4KON

GFI receptacles
Sheet aluminum



FSFDCG1KON

Gasket - Raintight if used with
FSFDCS1KON, FSFDCA1KON
& FSFDCM1KON
Neoprene rubber

RIGID • IMC

FS and FD Cast Device Box Covers and Gasket

Features

- Each cover individually bagged and supplied with screws
- FSFDCM1KON - Raintight if used with FSFDCGKON

Standard Materials

FSFDCMKON - Malleable iron
Gasket - Neoprene rubber

Standard Finish

Zinc plated

Applicable Third Party Standards

- UL Standard: 514D
- UL Listed File # E208392



FSFDCM1KON

Blank cover for splices and taps
Raintight if used with FSFDCG1KON
Malleable iron



FSFDCM2KON

Guarded square handle switch
Malleable iron



FSFDCM3KON

Duplex receptacle
Malleable iron

Malleable Iron Covers

CATALOG NUMBER	MASTER PACK	WEIGHT PER C
FSFDCM1KON	90	56.3
FSFDCM2KON	60	62.5
FSFDCM3KON	90	54.5

Also available in Hot dip galvanized; (Add -HDG to applicable part number)
Available in copper-free aluminum; (Add -SA to applicable part number)

Gasket

CATALOG NUMBER	MASTER PACK	WEIGHT PER C
FSFDCG1KON^	25	3.5

^ UL Listing not applicable to this part



FSFDCG1KON

Gasket - Raintight if used with FSFDCS1KON,
FSFDCA1KON & FSFDCM1KON
Neoprene rubber

RIGID • IMC

Double Gang FS and FD Cast Device Box Covers and Gasket



Features

- Each cover individually bagged and supplied with screws
- S1002GKON - Raintight if used with GASK434KON

Standard Materials

Gray iron
Gasket - Neoprene rubber

Standard Finish

Zinc plated

Applicable Third Party Standards

- UL Standard: 514D
- UL Listed File # E208392

Malleable Iron Covers

CATALOG NUMBER	MASTER PACK	WEIGHT PER C
S1002GKON	5	88.7
S322GKON	5	94.2

Also available in Hot dip galvanized; (Add -HDG to applicable part number)
Available in copper-free aluminum; (Add -SA to applicable part number)



S1002GKON

Blank cover for splices & taps
Raintight if used with
GASK434KON
Gray iron




S322GKON

Guarded square handle switch
Gray iron

Gasket

CATALOG NUMBER	MASTER PACK	WEIGHT PER C
GASK434KON	20	3.8



GASK434KON

Gasket - Raintight if used with S1002GKON,
S1002KON & S1002-SAKON
Neoprene rubber



RIGID • IMC

Double Gang FS and FD Stamped Steel Cast Device Box Covers and Gasket

Features

- Each cover comes with captive screws
- S1002KON - Raintight if used with GASK434KON

Standard Materials

S1002KON, S322KON, S232KON, S232-GFIKON, S32232KON and S32212KON - Steel
 With SA - Aluminum
 Neoprene rubber

Standard Finish

Zinc plated

Applicable Third Party Standards

- UL Standard: 514D
- UL Listed File # E208392



S1002KON

Blank cover for splices & taps
 Raintight if used with
 GASK434KON
 Sheet steel



S322KON

Unguarded square
 handle switch
 Sheet steel



S232KON

Duplex receptacles
 Sheet steel

Steel

CATALOG NUMBER	MASTER PACK	WEIGHT PER C
S1002KON	10	39.7
S322KON	10	37.1
S232KON	10	29.5
S232-GFIKON	5	26.2
S32232KON	10	33.1
S32212KON	10	35.2

Also available in aluminum; (Add -SA to applicable part number)



S232-GFIKON

GFI receptacles
 Sheet steel



S32232KON

Unguarded square
 handle switch
 Duplex receptacles
 Sheet steel



S32212KON

Unguarded square
 handle switch
 Round receptacle
 Sheet steel

Gasket

CATALOG NUMBER	MASTER PACK	WEIGHT PER C
GASK434KON	20	3.8

Gasket - Raintight if used with S1002GKON, S1002KON & S1002-SAKON
 Neoprene rubber



GASK434KON

Gasket - Raintight if used with S1002KON,
 S1002-SAKON & S1002GKON
 Neoprene rubber