

# CONDUIT BODIES • COVERS • GASKETS

Form 7 Steel & Gray Iron Conduit Body Covers & Neoprene Gaskets

\*COMING SEPTEMBER 2016\*



## Applications

To cover conduit body opening

## Features

- Raised dome affords additional wiring room
- Captive steel screws

## Standard Materials


Steel cover & clips  
Stainless Steel screws  
Gray iron  
Neoprene rubber

## Applicable Third Party Standards


- UL Standard: 514A
- Fed. Spec. W-C-586D
- NEMA: FB-1
- UL Listed File # E208392



Cover and Gasket



Gray Iron Cast Cover



Cover and Gasket

CATALOG NUMBER	TRADE SIZE	DIM A	DIM B	DIM C	MASTER PACK	WEIGHT PER C
170-CGKON	1/2"	3.688	1.375	0.250	25	14.7
270-CGKON	3/4"	4.313	1.563	0.250	25	18.4
370-CGKON	1"	5.063	1.938	0.250	20	25.7
470-CGKON	1-1/4"	5.563	2.250	0.250	10	32.8
570-CGKON	1-1/2"	6.063	2.500	0.250	10	38.6
670-CGKON	2"	7.063	3.063	0.250	10	53.0
870-CGKON	2-1/2" – 3"	9.063	4.250	0.500	5	107.0
970-CGKON	3-1/2" – 4"	11.063	5.313	0.500	5	170.2

Gray Iron Cast Cover

CATALOG NUMBER	TRADE SIZE	DIM A	DIM B	DIM C	MASTER PACK	WEIGHT PER C
170F-CGKON	1/2"	3.688	1.313	0.375	20	29.9
270F-CGKON	3/4"	4.313	1.500	0.375	20	34.7
370F-CGKON	1"	5.063	1.750	0.500	10	57.6
470F-CGKON	1-1/4"	5.500	2.188	0.500	5	71.7
570F-CGKON	1-1/2"	6.063	2.438	0.563	5	96.4
670F-CGKON	2"	7.063	3.000	0.563	5	126.9
870F-CGKON	2-1/2" – 3"	8.750	4.250	0.563	5	213.0
970F-CGKON	3-1/2" – 4"	11.000	5.063	0.563	5	323.4

## CONDUIT BODIES • COVERS • GASKETS

### Form 7 Aluminum Conduit Body Neoprene Gasket

*\*COMING SEPTEMBER 2016\**



#### Applications

To cover conduit body opening

#### Standard Materials

Neoprene rubber gasket

#### Applicable Third Party Standards

- UL Standard: 514A
- Fed. Spec. W-C-586D
- NEMA: FB-1
- UL Listed File # E208392



Gray Iron Cast Cover

CATALOG NUMBER	TRADE SIZE	DIM A	DIM B	DIM C	MASTER PACK	WEIGHT PER C
GASK571KON	1/2"	3.750	1.438	0.063	50	1.2
GASK572KON	3/4"	4.188	1.625	0.063	50	1.6
GASK573KON	1"	5.125	1.875	0.063	50	2.5
GASK574KON	1-1/4"	5.625	2.313	0.063	50	3.4
GASK575KON	1-1/2"	6.125	2.563	0.063	50	3.8
GASK576KON	2"	7.125	3.125	0.063	50	5.6
GASK578KON	2-1/2" – 3"	9.125	4.375	0.063	50	12.4
GASK579KON	3-1/2" – 4"	11.125	4.375	0.063	50	20.8

# CONDUIT BODIES • COVERS • GASKETS

## Steel Form 7 and Gray Iron Conduit Body Covers

\*COMING SEPTEMBER 2016\*



### Applications

To cover conduit body opening

### Features


- Raised dome affords additional wiring room
- Captive steel screws

### Standard Materials


Steel cover & clips  
Stainless steel screws  
Gray iron

### Applicable Third Party Standards

- UL Standard: 514A
- Fed. Spec. W-C-586D
- NEMA: FB-1
- UL Listed File # E208392



Form 7 Steel



Gray Iron Cast Cover

Form 7 Steel Cover

CATALOG NUMBER	TRADE SIZE	DIM A	DIM B	DIM C	MASTER PACK	WEIGHT PER C
170KON	1/2"	3.688	1.375	0.250	25	13.5
270KON	3/4"	4.313	1.563	0.250	25	16.8
370KON	1"	5.063	1.938	0.250	20	23.2
470KON	1-1/4"	5.563	2.250	0.250	10	29.4
570KON	1-1/2"	6.063	2.500	0.250	10	34.8
670KON	2"	7.063	3.063	0.250	10	47.4
870KON	2-1/2" - 3"	9.063	4.250	0.250	5	94.6
970KON	3-1/2" - 4"	11.063	5.313	0.500	5	149.4

Gray Iron Cast Cover

CATALOG NUMBER	TRADE SIZE	DIM A	DIM B	DIM C	MASTER PACK	WEIGHT PER C
170FKON	1/2"	3.688	1.313	0.375	20	28.7
270FKON	3/4"	4.313	1.500	0.375	20	33.1
370FKON	1"	5.063	1.750	0.500	10	55.1
470FKON	1-1/4"	5.500	2.188	0.500	5	68.3
570FKON	1-1/2"	6.063	2.438	0.563	5	92.6
670FKON	2"	7.063	3.000	0.563	5	121.3
870FKON	2-1/2" - 3"	8.750	4.250	0.563	5	200.6
970FKON	3-1/2" - 4"	11.000	5.188	0.563	5	302.6