



FLEX • AC • MC

Double Bite Saddle Type Compression Couplings Tubular Steel for Flex • AC • MCI Cables to EMT Conduit

Applications

- To connect Flex, AC, & MCI cables to EMT conduit

Features

- One piece tubular construction affording extra strength
- Dual gripping saddle clamps
- Saddle clamp rides up & down on screw for ease of installation
- Tri-head screws
- RoHS compliant

Standard Materials

- Steel locknut
- Steel compression nut
- Steel gland ring
- Tubular steel


Standard Finish

- Zinc plated

Applicable Third Party Standards

- UL Standard: 514B
- Fed. Spec. W-F-406E
- NEMA: FB-1
- 1/2" thru 4"
- UL Listed File # E207875

U.S. Patent No. 8.646.813



CATALOG NUMBER	TRADE SIZE	CABLE RANGE MAX/MIN	DIM A	DIM B	MASTER PACK	WEIGHT PER C
Double Bite Saddle Type Compression Couplings						
DBC38KON [^]	3/8"	0.660" 0.400"	1.375	1.250	25	17.9
DBC50KON	1/2"	0.920" 0.520"	1.563	1.250	10	18.9
DBC75KON	3/4"	1.110" 0.680"	1.563	1.438	10	20.3

[^] Not UL Listed