

ATB CUP BRUSH - ROUND TRIM

Applications: Engine Blocks, Cylinder Heads, Exhaust Manifolds, Transmission Housings, Water Pumps and Intake Manifolds, Bulk Heads, Wing Spars, Engine Housings and Components, Hydraulic Valve Bodies, Machine Components, Housings, Gears and Castings



Brush Dia.	Grit	Thread	Fill Material	Trim Length	Max RPM	Item No.
4	80	5/8-11NC	Silicon Carbide	1-1/2	6000	32137
4	120	5/8-11NC	Silicon Carbide	1-1/2	6000	32125
4	320	5/8-11NC	Silicon Carbide	1-1/2	6000	32127
6	80	5/8-11NC	Silicon Carbide	1-1/2	6000	32138
6	120	5/8-11NC	Silicon Carbide	1-1/2	6000	32131
6	320	5/8-11NC	Silicon Carbide	1-1/2	6000	32133

ATB CUP BRUSH - FLAT TRIM



Brush Dia.	Grit	Thread	Fill Material	Trim Length	Max RPM	Item No.
4	80	5/8-11NC	Silicon Carbide	1-1/2	6000	32148*
4	120	5/8-11NC	Aluminum Oxide	1-1/2	6000	32149*
6	80	5/8-11NC	Silicon Carbide	2	6000	32132

* Bridled


ATB ROUND TRIM CUP BRUSH - REDUCED FLARE



Brush Dia.	Grit	Shank Dia.	Fill Material	Trim Length	Max RPM	Item No.
2-1/2	80	1/4	Silicon Carbide	1	5000	32146

Note: As a safety precaution, shank must be fully inserted into the chuck or collet and tightened securely.

CNC ADAPTER FOR ATB CUP BRUSHES



Description		Item No.
TYPE II 5/8-11 ADAPTER	HEAVY DUTY	75074
TYPE II 5/8-11 ADAPTER		75075
TYPE II M14 OR 1/2-13 ADAPTER		75076
TYPE I 5/8-11 ADAPTER		75078
TYPE I 5/8-11 ADAPTER	HEAVY DUTY	75079
TYPE II M10 OR 3/8-11 ADAPTER		75084
TYPE I M14 OR 1/2-13 ADAPTER	HEAVY DUTY	75085
TYPE I M10 OR 3/8-24 ADAPTER	HEAVY DUTY	75096
TYPE I M14 OR 1/2-13 ADAPTER		75097
TYPE I M10 OR 3/8-24 ADAPTER		75098