

CRIMPED WIRE WHEEL BRUSH SECTIONS - LIGHT DUTY

Made without face plates and furnished in sets. They can be mounted in multiples directly on a shaft of the same size as the I.D. of the brush to cover any required face width. The use of flanges is recommended at each end of such assemblies. These section brushes form a dense, wide-face brush that offers additional flexibility.

Applications: Surface Cleaning, Light Deburring



Brush Dia.	Arbor Hole	Fill Dia.	Fill Material	Inner Dia.	Trim Length	Face Width	Pieces per Set	Max RPM	Item No.
6	2-1/8	0.008	Steel	2-1/8	1-9/16	1-5/8	4	4000	21080
8	2-3/4	0.0104	Steel	2-3/4	2-1/4	2	4	3500	21091
10	3-3/8	0.0104	Steel	3-3/8	2-15/16	2-3/4	5	3000	21092
15	4-1/4	0.0118	Steel	4-1/4	5	3	6	2400	21084

CRIMPED HIGH SPEED SMALL GRINDER WIRE WHEEL BRUSH

Applications: Light Duty Brushing



Brush Dia.	Threaded Arbor Hole	AH Nut Color	Fill Dia.	Fill Material	Trim Length	Max RPM	Item No.	Clamshell
4	1/2-13NC	Black	0.014	Stainless Steel	7/8	15000	21308	
4	1/2-13NC	Black	0.014	Steel	7/8	15000	21303	21313
4	3/8-24UNF	Copper	0.014	Steel	7/8	15000	21305	21315
4	5/8-11NC	Steel	0.006	Stainless Steel	7/8	15000	21082*	21094*
4	5/8-11NC	Steel	0.014	Brass	7/8	15000	21040	
4	5/8-11NC	Steel	0.014	Stainless Steel	7/8	15000	21309	
4	5/8-11NC	Steel	0.014	Steel	7/8	15000	21304	21314
4	M-10 x 1.25	Gold	0.014	Steel	7/8	15000	21301	21311
4	M-10 x 1.5	Silver	0.014	Steel	7/8	15000	21302	21312
4	M-14 x 2.0	Red	0.014	Steel	7/8	15000	21300	21310

* Type 316 Stainless Steel

CRIMPED SMALL DIAMETER WIRE STRIPPING WHEEL BRUSHES

Available in both crimped steel wire for lighter insulation removal, and TY encapsulated (green) for heavy duty service. (Please refer to Page 38 for TY encapsulated wire stripping wheel brush).

Applications: Removal of all types of electrical wire insulation



Note: 3/8" arbor hole can be adapted to fit .335" arbor.

Bushings will be provided for no charge: BA-39352: 15/16" BB-39352: 5/8" - BC-39352: 1-13/16"

Brush Dia.	Arbor Hole	Fill Dia.	Fill Material	Trim Length	Face Width	Item No.
1-1/2	1/4	0.006	Steel	3/8	11/16	11110
1-1/2	3/8	0.0104	Steel	3/8	1-15/16	11125